

Cennik

Ceny w Euro netto

BROADCAST CONSOLES

Oxygen 3

Broadcast mixing console



Art.	Description	U. Price
OXYGEN3	Console with eq. controls, unbal. Inputs, 3 mic/line + 2 line/line + 1 phono/line + 2 telef. hybrids, monitor loudspeaker cut off on 1 mic. channel	1.825,00
Options		
OX3-ADPT	Adapter Sub D / 4 XLR for balanced outputs	74,00
OX3-KSL	Slider stereo Alps K series with knob	33,00
OX3-NCUT	Slider N 90° series with switch for monitor loudspeaker cut off for Micro channel 2 or Micro channel 3, with knob	42,00
OX3-KCUT	Slider K series with switch for monitor loudspeaker, cut off for Micro channel 2 or Micro channel 3, with knob	60,00
OX3-WOOD	Wood frame finish	150,00
Spare parts		
OX3-PWS	External power supply - switching 90-260Vac	150,00
OX3-NSL	Slider stereo Alps N 90° series with knob	20,00
OX3-KSL	Slider stereo Alps K series with knob	36,00

Oxygen 3 ST

Broadcast mixing console without tone



Art.	Description	U. Price
OXYGEN3-ST	Console with no eq. controls, balanced inputs, 3 mic/line + 2 line/line + 1 phono/line + 2 telef. hybrids monitor loudspeaker cut off on 1 mic. channel	1.970,00
Options		
OX3-ADPT	Adapter Sub D / 4 XLR for balanced outputs	74,00
OX3-KSL	Slider stereo Alps K series with knob	33,00
OX3-CUT	Slider with switch for monitor loudspeaker cut off (for mic/line 2 channel or mic/line 3 channel)	42,00
OX3-WOOD	Wood frame finish	150,00
Spare parts		
OX3-PWS	External power supply - switching 90-260Vac	150,00
OX3-NSL	Slider stereo Alps N 90° series with knob	20,00
OX3-KSL	Slider stereo Alps K series with knob	36,00

Oxygen 4

Modular studio console to be configured featuring a total of: 10, 20, or 30 modules



Art.	Description	U. Price
OX4-FR10	Frame 8 IN; Monitor, Master/Sub, 4Vu, PWS 230/115 VAC	1.507,00
OX4-FR20	Frame 18 IN; Monitor, Master/Sub, 4Vu, PWS 230/115 VAC	1.930,00
OX4-FR20-VMH	Frame 18 IN; Monitor, Master/Sub, MeterHood 4Vu, PWS 230/115 VAC	2.106,00
OX4-FR30	Frame 28 IN; Monitor, Master/Sub, 4Vu, PWS 230/115 VAC	2.330,00
OX4-SCRIPT	Script Tray 10 units - 380 mm (only for 30ch frames)	144,00
OX4-SCRIPT-8	Script Tray 8 units - 304 mm (only for 20-VMB frames)	132,00
OX4-MONO	Mono (Micro/Line) module without tone controls	179,00
OX4-ST-L/L	Stereo (Line/Line) module without tone controls	162,00
OX4-ST-P/L	Stereo (Phono/Line) module without tone controls	162,00
OX4-TELCO	Telco module (interface for external telephone hybrids)	179,00
OX4-TELEF	Telephonic module with integrated hybrid	207,00
OX4-COV	Cover module	27,00
Options		
OX4-MONO-EQ	Tone section for Mono module	40,00
OX4-ST-EQ	Tone section for Stereo module (L/L and P/L)	40,00
OX4-ST-START	latched Start/Stop control from slider for Stereo module (no to be added to VCA Options)	45,00
OX4-ST-SSIR	Momentary, relay-based Start/Stop control from slider for Stereo module (no to be added to VCA Options)	68,00
OX4-ST-2SSIO	Momentary, opto Start/Stop control from slider for Stereo module - duplicated for Input A and B (no to be added to VCA Options)	71,00
OX4-VCA	Slider K + VCA control for input module (Mono, Stereo, Telco...) with knob	72,00
Spare parts		
OX4-PWS	Power Supply 230/115Vac	244,00
OX4-MST/SUB	Master/Sub module	270,00
OX4-MNT	Monitor module	252,00
OX4-NSL	Slider stereo Alps N 90° series with knob	18,00



Oxygen 4 Digital

Digital Mixing console

Art.	Description	U. Price
OX4-DGT	Oxygen 4 Digital mixing console, 8 faders. 6x AES/EBU inputs, 6x stereo bal line inputs, 4x bal mic inputs + Inserts. Program, SUB, CUE, AUX busses. 2 Telco. Rs232 + Ip control and setting. Channel Label, EQ and Dynamic; Integrated patching system. All in/outputs with GPIO.	8000,00



Breakout Box

OX4DGT-BB-AI	Analog Input Breakout Box, 4 IN balanced stereo on XLR, 2 IN balanced mono on XLR, 2 Clean Feed connections balanced on XLR, 3 GPI/O ports - 1RU	282,00
OX4DGT-BB-AO	Analog Output Breakout Box, 6 OUT balanced stereo on XLR, 6 GPO ports, 2 GPI ports - 1RU	282,00
OX4DGT-BB-D	Digital Input/Output Breakout Box, 6 IN balanced AES/EBU on XLR, 6 OUT balanced AES/EBU on XLR, 6 ports GPO - 1RU	282,00

Oxygen 5

Modular studio console to be configured featuring a total of 18 or 26 modules



Art.	Description	U. Price
OX5-FR18	Frame 16 IN +1, Master/Monitor, 2Vu , PWS 230/115 VAC	2.500,00
OX5-FR26	Frame 24 IN +1, Master/Monitor, 2Vu , PWS 230/115 VAC	2.790,00
OX5-SCRIPT	Script Tray 8 units - 304 mm	205,00
OX5-MONO	Mono (Micro/Line) module without tone controls	260,00
OX5-ST-L/L	Stereo (Line/Line) module without tone controls	297,00
OX5-ST-P/L	Stereo (Phono/Line) module without tone controls	297,00
OX5-MULTI	Multi module with 6 Line Stereo inputs	347,00
OX5-TELCO	Telco module (interface for external telephone hybrids)	260,00
OX5-SUB	Sub output module	372,00
OX5-COV	Cover module	37,00

Options

OX5-TIMER	Timer (up to N. 2 for each console)	223,00
OX5-MONO-EQ	Tone section for Mono Module	49,00
OX5-ST-EQ	Tone section for Stereo Module (L/L and P/L)	56,00
OX5-ST-START	Start/Stop control for Stereo module from slider (no to be added to VCA Options)	45,00
OX5-ADPT	Adapter SubD/10 Jack F for Multi Module inputs	186,00
OX5-2VU	Supplementary Vu Meter pair	227,00
OX5-KSL	Stereo slider Alps K series with knob	36,00
OX5-MONO-VCA	Slider K + VCA control for Mono input module with knob	72,00
OX5-ST-VCA	Slider K + VCA control for Stereo input module with knob	72,00
DJ-CONSOLE	Remote facility for studio speakers (On/Off, TalkBack, MusicFader) + 10 mt. wire	372,00

Spare parts

OX5-PWS	Power Supply 230/115Vac	558,00
OX5-MST/MNT	Master/Monitor module	391,00
OX5-NSL	Slider stereo Alps N 90° series with knob	18,00
OX5-LVM	VU meter lights set (5 pcs)	18,00

Oxygen 5 Digital

Digital mixing console



Art.	Description	U. Price
OX5DGT-FR10	Oxygen 5 Digital FR10, Digital professional Broadcast modular console frame 8 motorfaders, Master/Monitor, CRM (2 x stereo, 2 x headphone, 8 x GPIO), DSP, Core 3RU with 15 I/O card position, Engine, PWS 100/240 VAC	14.100,00
OX5DGT-FR14	Oxygen 5 Digital FR14, Digital professional Broadcast modular console frame 12 motorfaders, Master/Monitor, CRM (2 x stereo, 2 x headphone, 8 x GPIO), DSP, Core 3RU with 15 I/O card position, Engine, PWS 100/240 VAC	16.177,00
OX5DGT-RPS	Redundant Power Supply for Oxygen 5 Digital control surface	360,00
OX5DGT-MIC	A/D Microphone IN module, 4 x mic, 8 x GPIO, 1 slot	964,00
OX5DGT-L-A/D	A/D Line IN module, 8 x mono (or 4 x stereo), 8 x GPIO, 1 slot	720,00
OX5DGT-L-D/A	A/D Line OUT module, 8 x mono (or 4 x stereo), 8 x GPIO, 1 slot	720,00
OX5DGT-D/D	Digital I/O module with sample rate converter, 4 x IN AES/EBU, 4 x OUT AES/EBU, 8 x GPIO, 1 slot	720,00
OX5DGT-CRM	CRM module with D/A conversion, 2 x stereo, 2 x headphone, 8 x GPIO	785,00
Options		
OX5DGT-COV	Cover Module for Oxygen 5 Digital Core 3RU	36,00
OX5DGT-CNET	Cobra NET card 8IN / 8OUT	653,00
OX5DGT-RCU	Remote control unit with built-in headphone amplifier, talkback/cough functions	370,00
OX5DGT-DSP	DSP audio processor, up to 32 stereo buses, 64 inserts, 4 CRM/Studio, FX	1.636,00
Breakout Box		
OX5DGT-BBM	Break Out Box for microphone module, 8 IN XLR, 16 x remote (8 GPI and 8 GPO), 6 OUT on Jack 1/4"	198,00
OX5DGT-BBLI-J	Break Out Box for A/D Line IN module, 16 IN balanced on Jack 1/4", 16 x remote (GPI and GPO)	198,00
OX5DGT-BBLI-X	Break Out Box for A/D Line IN module, 12 IN balanced on XLR, 12 x remote (GPI and GPO)	198,00
OX5DGT-BBLO-X	Break Out Box for D/A Line OUT module, 12 OUT balanced on XLR, 12 x remote (GPI and GPO)	198,00
OX5DGT-BBLIO-XJ	Break Out Box for Line module, 8 IN and 4 OUT balanced on XLR, 12 x remote (GPI and GPO)	198,00
OX5DGT-BBD	Break Out Box for digital I/O module, 6 IN and 6 OUT balanced on XLR, 12 x remote (GPI and GPO)	198,00

Oxygen 7

Modular studio console to be configured featuring a total of: 10, 20, 30 or 40 modules



Art.	Description	U. Price
OX7-FR10	Frame 6 IN +1, Master, Monitor, Sub1, 3Vu, PWS 230/115 VAC	4.006,00
OX7-FR20	Frame 16 IN +1, Master, Monitor, Sub1, 3Vu, PWS 230/115 VAC	5.142,00
OX7-FR30	Frame 26 IN +1, Master, Monitor, Sub1, 3Vu, PWS 230/115 VAC	6.278,00
OX7-FR40	Frame 36 IN +1, Master, Monitor, Sub1, 3Vu, PWS 230/115 VAC	7.415,00
OX7-SCRIPT	Script Tray 10 units 380 mm	238,00
OX7-MONO	Mono (Micro/Line) module with tone controls	506,00
OX7-ST-L/L	Stereo (Line/Line) module with tone controls	447,00
OX7-ST-P/L	Stereo (Phono/Line) module with tone controls	540,00
OX7-TELCO	Telco module (interface for external telephone hybrids)	392,00
OX7-COV	Cover module	43,00
Options		
OX7-SUB2	Sub 2 module	506,00
OX7-TMR	Timer module	205,00
OX7-ADPT-SUB	Adapter SubD / 4XLR for Sub Module	90,00
OX7-ADPT-MST	Adapter SubD / 4XLR for Master Module	90,00
OX7-ADPT-MNT	Adapter SubD / 4XLR for Monitor Module	90,00
DJ-CONSOLE	Remote facility for studio speakers (On/Off, TalkBack, MusicFader) + 10 mt. wire	341,00
Spare parts		
OX7-PWS	Power Supply 230/115Vac	512,00
OX7-KSL	Stereo slider Alps K series with knob	36,00
OX7-MNT	Monitor module	682,00
OX7-MST	Master module	680,00
OX7-3VU	3 Vu Meter Set	500,00
OX7-LVM	VU meter lights set (5 pcs)	18,00

1. ON-AIR LAMPS

Mr. Light



Art.	Description	U. Price
MRLIGHT-N	On-Air (Neon) Lamp 220VAC (on clearance sale)	175,00
MRLIGHT-L	On-Air (Led) Lamp 12VCC - PWS not included	153,00
MRLIGHT-LD	On-Air (Led) Lamp double face 12VCC - PWS not included	175,00
MRLIGHT-LPWS	Power supply powering up to Nr. 3 Lamps (Led) 110/220VAC	105,00
Options		
MRLIGHT-SB	Wall mounting flag bracket for Led Lamp	36,00
MRLIGHT-PP	Customized lamp film (3 films)	32,00

2. TELEPHONE HYBRIDS

Boxtel



Art.	Description	U. Price
BOXTEL	1 line (2 wire) compact telephone hybrid	275,00
Options		
BXT-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	90,00
BXT-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	90,00
BXT-OX7	Wire Set for Oxygen 7 connection (Audio+TLC+Telef.) 3mt	90,00

Macrotel 5



Art.	Description	U. Price
MACROTEL5	1 line (2 wire) studio telephone hybrid	770,00
MACROTEL5-PLUS	1 line (2 and 4 wire) studio telephone hybrid	820,00
Options		
MCT-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	115,00

MCT-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	115,00
MCT-OX7	Wire Set for Oxygen 7 connection (Audio+TLC+Telef.) 3mt	115,00

Macrotel 7



Art.	Description	U. Price
MACROTEL7	2 lines (2 wire) studio telephone hybrid	1.197,00
MACROTEL7-PLUS	2 lines (2 and 4 wire) studio telephone hybrid	1.298,00

Options

MCT-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	115,00
MCT-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	115,00
MCT-OX7	Wire Set for Oxygen 7 connection (Audio+TLC+Telef.) 3mt	115,00

Macrotel 9



Art.	Description	U. Price
MACROTEL9	1 line (2 wire) studio telephone hybrid + headphone and mic. Plugs	1065,00
MACROTEL9-PLUS	1 line (2 and 4 wire) studio telephone hybrid + headphone and mic. Plugs	

Options

MCT-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	115,00
MCT-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	115,00

Macrotel Digital



Art.	Description	U. Price
MACROTEL-D1	1 line (2 wire) studio digital telephone hybrid	1.300,00
MACROTEL-D2	2 line (2 wire) studio digital telephone hybrid	2.400,00

Options

MCTD1-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	115,00
MCTD1-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	115,00
MCTD1-OX7	Wire Set for Oxygen 7 connection (Audio+TLC+Telef.) 3mt	115,00
MCTD2-OX4	Wire Set for Oxygen 4 connection (Audio+TLC+Telef.) 3mt	115,00
MCTD2-OX5	Wire Set for Oxygen 5 connection (Audio+TLC+Telef.) 3mt	115,00
MCTD2-OX7	Wire Set for Oxygen 7 connection (Audio+TLC+Telef.) 3mt	115,00

3. DIGITAL AUDIO PROCESSORS

*ALSO AVAILABLE IN TV VERSION

Falcon 15 ST



Art.	Description	U. Price
FALCON15-ST	Digital audio processor 3 bands + Software (designed to be interfaced to external coders) Digital audio input (Optic and coax.)	2.520,00

Falcon 15 FM



Art.	Description	U. Price
FALCON15-FM	Digital audio processor 3 bands + MPX Stereo Coder+ Software, RDS coder, Split circuit, Digital audio input	2.520,00

Falcon Five



Art.	Description	U. Price
FALCON FIVE	Digital audio processor 5 bands + MPX Stereo Generator + Stereo Enhancer + Failure Audio Changeover + Network split circuit + 2 sca input	2.634,00
F FIVE-RDS BASIC	Options Basic RDS Radio Data System Coder - Static Services	474,00

Falcon Five Elite



Art.	Description	U. Price
FALCON FIVE ELITE	Advanced Digital Audio Processor 5-Band with SuperBass and ITU-R BS412+ MPX Stereo Generator + Stereo Enhancer + Preset Scheduling + Failure Audio Changeover + Digital input and output + Network split circuit	3.540,00
Options		
F FIVE EL-RDS BASIC	Basic RDS Radio Data System Coder - Static Services	474,00
F FIVE EL-RDS PLUS	Advanced RDS Radio Data System Coder - Static Services and Dynamic Services, Uecp, RT	1.074,00

Falcon 50 FM



Art.	Description	U. Price
FALCON50-FM	Digital audio processor 6 bands FM + MPX Stereo Generator + Stereo Enhancer + Bass Enhancer + ITU-BS412 Power Control + Analog and Digital input/output + 3 SCA inputs + Network split circuit + 50 Factory preset curves + 50 custom preset curves + Preset Scheduling + GP I/O + Front USB connection. LAN card for remote control via TCP/IP	7.040,00
FALCON50-FM-LCD	Digital audio processor 6 bands FM with double LCD display	7.920,00
Options		
F50-DAB	DAB output - Optic and coax	1.188,00

TV Digital Audio Processor

Falcon Three TV SDI



Art.	Description	U. Price
FALCON-THREE-TV-SDI	Falcon Three TV SDI I/O Loudness Control Digital audio processor 3 bands + Stereo Enhancer + Bass Enhancer and Noise Gate. 30 Factory preset	4700

Falcon 50 TV

Art.	Description	U. Price
FALCON50-TV	Digital audio processor 6 bands TV + Stereo Enhancer + Bass Enhancer + Analog and Digital input/output + 3 SCA inputs + Network split circuit + Preset Scheduling + GP I/O + Front USB connection + Speech detector	7360



FALCON50-TV-LCD Digital audio processor 6 bands TV with double LCD display 9790

Option

F50-LAN LAN card for remote control via TCP/IP 850



4. LIMITERS, STEREO CODERS AND RDS CODERS

Dolphin



Art.	Description	U. Price
DOLPHIN	Digital RDS coder with Istant PS function (Program Service Name); Software	1.200,00
Options		
DLP-IPS	Instant PS	360,00
DLP-SPLIT	Split circuit	125,00

Shark



Art.	Description	U. Price
SHARK-MLR	MPX coder; MPX clipper; Limiter; RDS coder; Stereo-Enhancer; Software	2.000,00
SHARK-R	Digital RDS coder; Software	1.800,00
Options		
SHK-RS232	2 supplementary serial ports RS232	250,00
SHK-485	1 supplementary serial port RS485. In/Out connectors for easy device chaining.	120,00
SHK-D-IN	Digital audio input - Optic and coax.	312,00
SHK-SPLIT	Split circuit (only available with MPX versions)	125,00
SHK-LAN	Remote control interface via TCP/IP (only available with RDS and MLR versions)	816,00

Tiger Shark



Art.	Description	U. Price
T-SHARK	Digital MPX / RDS / RBDS encoder. Analog, AES/EBU, MPX inputs with changeover. Limiter. AGC. MPX Split. 6 Datasets. UECP. ODA, TMC, IH services. Scheduler. Lan interface, Web Server, SNMP Agent. 8 GPI, 8 Relays. 4 Remote controls on IH. Remote control. Interface to GPS and radio automation systems.	2.519,00
T-SHARK-RDS	Digital RDS / RBDS encoder. 6 Datasets. UECP. ODA, TMC, IH services. Scheduler. Lan interface, Web Server, SNMP Agent. 8 GPI, 8 Relays. 4 Remote controls on IH. Remote control. Interface to GPS and radio automation systems.	1.870,00
Options		
TSK-MP3	Mp3 player on SD Card / audio back-up source	354,00
TSK-24V	24V external backup power supply interface	558,00
TSK-485	Serial RS485 interface	95,00

Barracuda 



Art.	Description	U. Price
BARRACUDA	MPX and RDS digital coder. UECP compliant. 4 Datasets. RDS static services. Advanced PS scrolling. PS, RT, PTY scheduler. Analog and digital AES/EBU audio inputs. MPX split function. 5 GPI interface. Pc control software via RS232.	1.480,00

5. AUDIO SWITCHING AND DISTRIBUTION SYSTEMS

Parrot



Art.	Description	U. Price
PARROT	Audio distributor 1x8 stereo	600,00

Genius



Art.	Description	U. Price
GENIUS	Remotable audio changeover, 2IN, 1OUT	800,00
GEN-ALM	Genius, remotable audio changeover between 1 bal. stereo IN and a built-in MP3 player on SD Card. 1 bal. stereo OUT, 1 unbal. stereo OUT.	1.094,00
Options		
GEN-TLC	Remote control for Genius switching	204,00
GEN-48V	External power supply 48V plug-in	204,00

Merlin



Art.	Description	U. Price
MERLIN	Multifunction audio changeover, 2IN, 1OUT; relay interface module included	1.254,00
Options		
MER-VCA	VCA autofader module	180,00
MER-MPX/DTC	External MPX decoder module	120,00
MER-VSYNC/DTC	Video synch detector module	180,00
MER-SERIAL/DTC	Serial connection detector	120,00

Koala

Changeover /Dual MPX distributor

Art.	Description	U. Price
KOALA MKII	Dual MPX distributor 1 In / 4 Out. Dual MPX splitter, 1 In / 3 Out. Rackmount 19" 1U. Hardware bypass. Front panel I/O facilities for MPX/RDS input, distribution, foldback, splitting ed	732,00

injection. Built-in 115/230V power supply.



Option

KOA-MPX-DTC	MPX Detector for 1 channel	257,00
-------------	----------------------------	--------

Spare parts

KOA-PWS	External power supply - switching 90-260Vac	148,00
---------	---	--------

6. FM MEASUREMENT SYSTEM

Wolf

Ultra advanced FM measurement system fully digital




Art.	Description	U. Price
WOLF MASTER	Automatic digital measurement and monitoring system for FM Networks, MASTER version (to be installed in the head of the network). Balanced analog and digital AES/EBU inputs. Associated to WOLF or WOLF-B units allows automatic test and comparative measures on the network	7.124,00
WOLF	Automatic digital measurement and monitoring system for FM Networks on balanced analog and digital AES/EBU and MPX/RDS signals. Automatic changeover, RDS filter, alerts management, display of all measured data . 2 RU. To be coupled to WOLF MASTER for automatic test and comparative measures on the network	5.732,00
WOLF-B	Automatic digital measurement and monitoring system for FM Networks on balanced analog and digital AES/EBU and MPX/RDS signals. RDS filter, alerts management. 1 RU. To be coupled to WOLF MASTER for automatic test and comparative measures on the network	5.164,00
Options		
WLF-ETH	Ethernet interface with Web Server and SNMP support	594,00
WLF-24V	24V external backup power supply interface	582,00
WLF-GPR	4 GPIO optoisolated interface and relays interface 4 independent ways	154,00
WLF-GPIO	4 GPIO optoisolated interface	96,00
WLF-REL	Relays interface 4 independent ways (available only on WOLF-B)	155,00
Breakout Box		
WLF-BBAM	BreakOut Box, audio changeover, Hw bypass for balanced analog and MPX signals	834,00
WLF-BBDM	BreakOut Box for balanced digital AES/EBU and MPX signals. 2 IN / 6 OUT digital AES/EBU, audio changeover, 2 MPX inputs with active and passive replicas and external signal injection. Hw bypass between all inputs and outputs	856,00
WLF-BBA	BreakOut Box, audio changeover, Hw bypass for balanced analog signals	576,00
WLF-BBAA	BreakOut Box for balanced analog signals, 2 IN / 2 OUT on XLR, audio changeover, Hw bypass . Includes an audio distributor with 4 stereo assignable outputs	864,00
WLF-BBD	BreakOut Box, audio changeover, Hw bypass for digital audio AES/EBU signals	672,00
WLF-BBDD	BreakOut Box for balanced digital AES/EBU signals, 2 inputs with related replica, 4 assignable outputs, audio changeover, Hw bypass. Includes an audio distributor with 8 assignable outputs	942,00
WLF-BBM	BreakOut Box for MPX signals. 2 MPX inputs with active and passive replicas and external signal injection.MPX changeover,	624,00

WLF-BBMG	Hw bypass BreakOut Box for MPX signals. 2 MPX inputs with active and passive replicas and external signal injection.MPX changeover, Hw bypass. Built-in GSM modem for telecontrol	936,00
Breakout Cable		
WLF-ADPTA	SubD/XLR analog audio IN/OUT adapter (not to be coupled with analog BreakOut Box option)	238,00
WLF-ADPTD	SubD/XLR digital audio IN/OUT adapter (not to be coupled with digital BreakOut Box option)	174,00

7. RELAY INTERFACE AND PASSIVE AUDIO BALANCER

Relay Box

Relè Interface



Art.	Description	U. Price
REL-BOX	Relay Box	185,00

Bobcat

Multi Relay Interface



Art.	Description	Prezzo
BOBCAT-1	1 channel modular multi relay interface - rackmount	342,00
BOBCAT-2	2 channels modular multi relay interface - rackmount	414,00
BOBCAT-3	3 channels modular multi relay interface - rackmount	486,00
Options		
BCT-PWS	Power supply 6V	58,00
BCT-MRA	Additional relay module	90,00

Gecko

Passive audio stereo balancer



Art.	Description	U. Price
GECKO-1	Passive audio stereo balancer 1 channel - rackmount	336,00
GECKO-2	Passive audio stereo balancer 2 channels - rackmount	399,00
GECKO-3	Passive audio stereo balancer 3 channels - rackmount	462,00
GECKO-4	Passive audio stereo balancer 4 channels - rackmount	525,00
Option		
GCK-MBA	Additional passive balancer module	84,00

8. TIME SYNCHRONIZATION SYSTEM

Sat Time Synchronizer



Art.	Description	U. Price
SAT-TIME	PC time synchronization with sat GPS receiver, RS232 and USB; 10m cable included	612,00
Options		
9PF-9PM-3	Extender pin-to-pin 9pM/9pF 3mt	10,00
9PF-9PM-5	Extender pin-to-pin 9pM/9pF 5mt	20,00
9PF-9PM-10	Extender pin-to-pin 9pM/9pF 10mt	35,00

9. AUDIO CODEC

Streamer **New**



Art.	Description	U. Price
STREAMER-TX/RX	Audio stream ENCODER box over IP. MP3/MP2 format. Distributes audio over existing standard TCP/IP network. Stream audio in LANs, WANs, Internet. Unicast or Multicast configuration. GPIO. Includes Power Supply.	438
STREAMER-RX	Audio stream DECODER box over IP with built-in multipurpose board RAM expansion. MP3/MP2 format. Distributes audio over existing standard TCP/IP network. Stream audio in LANs, WANs, Internet. Unicast or Multicast configuration. GPIO. Includes Power Supply.	273
STREAMER MAX	Codec audio over IP. Onboard web server, RS232 serial port for terminal and tunneling mode, USB memory device. 3G usb adapter support. Wi-Fi and WiMax module embedded. Balanced audio in&out	1045
Options		
STR-OB	Balanced audio output and 2 relays GPO (terminal block 3,5 mm) - For models RX and TX/RX	150
STR-IB	Balanced audio input and 2 GPI (terminal block 3,5 mm) - Only for model TX/RX	150