

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
<i>XLR-Cable Connectors X-Series</i>					
3-Pole					
NC3FX-HD	szt..	Cable Connector, female, 3-Pin	7,89	9,71	39,81
NC3FX-HD-B	szt..	Cable Connector, female, 3-Pin	8,55	10,52	43,12
NC3FX-SPEC.	szt..	Cable Connector, female, 3-Pin	8,24	10,13	41,54
NC3FXS	szt..	Cable Connector, female, 3-Pin	9,25	11,38	46,66
NC3FXS-B	szt..	Cable Connector, female, 3-Pin	10,17	12,50	51,26
NC3MX-HD	szt..	Cable Connector, male, 3-Pin	7,90	9,72	39,86
NC3MX-HD-B	szt..	Cable Connector, male, 3-Pin	8,55	10,52	43,12
4-Pole					
NC4FX-HD	szt..	Cable connector, female, 4-Pin	9,61	11,83	48,48
NC4MX-HD	szt..	Cable connector, female, 4-Pin	9,61	11,83	48,48
5-Pole					
NC5FX-HD	szt..	Cable connector, female, 4-Pin	12,19	14,99	61,47
NC5MX-HD	szt..	Cable connector, female, 4-Pin	12,19	14,99	61,47
<i>XLR-Cable Connectors XX-Series</i>					
3-Pole					
NC3FXX	szt..	Cable connector, female, rear insert. Unique cage type female contact with 7 independent contact springs. New improved chuck type strain relief. Additional ground spring contacts.	3,07	3,77	15,47
NC3FXX-B	szt..		3,82	4,70	19,26
NC3FXX-BAG	szt..		3,14	3,87	15,86
NC3FXX-D	szt..		2,96	3,65	14,95
NC3FXX-B-D	szt..		3,71	4,57	18,73
NC3FXX-BAG-D	szt..		3,04	3,74	15,33
NC3FXX-EMC	szt..	Female EMC-XLR cable connector	7,35	9,04	37,08
NC3FXX-EMC-B	szt..	Female EMC-XLR cable connector	8,24	10,13	41,54

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FXX-HE	szt..	Cable Connector, female velour chromium housing and machined gold contacts	5,09	6,26	25,68
NC3FXX-WOB	szt..	Cable Connector, female, rear insert, without bushing.	2,68	3,30	13,51
NC3FXX-14-D	szt..	Female Cable Connector for max. 9.6mm cable O.D. with nickel housing and silver contacts	3,43	4,22	17,29
NC3FXX-14-B-D	szt..		4,13	5,08	20,84
NC3FXX-14-BAG-D	szt..		3,51	4,31	17,68
NC3FXX-HD-D	szt..	Female Cable Connector, heavy duty, rubber jacket, water protected, IP67	5,38	6,61	27,12
NC3FXX-HD-B-D	szt..		6,05	7,44	30,52
NC3MXX	szt..	Cable connector, male, rear insert. New improved chuck type strain relief. Improved locking area.	2,62	3,23	13,22
NC3MXX-B	szt..		3,04	3,74	15,33
NC3MXX-BAG	szt..		2,78	3,42	14,04
NC3MXX-D	szt..		2,55	3,13	12,84
NC3MXX-B-D	szt..		2,94	3,61	14,80
NC3MXX-BAG-D	szt..		2,73	3,35	13,75
NC3MXX-EMC	szt..		Male EMC-XLR cable connector	5,98	7,35
NC3MXX-HE	szt..	Cable Connector, male velour chromium housing and machined gold contacts	4,03	4,95	20,31
NC3MXX-WOB	szt..	Cable Connector, male, rear insert, without bushing.	2,19	2,69	11,02

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3MXX-14-D	szt..	Male Cable Connector for max. 9.6mm cable O.D. with nickel housing and silver contacts	2,96	3,65	14,95
NC3MXX-14-B-D	szt..		3,43	4,22	17,29
NC3MXX-14-BAG-D	szt..		3,14	3,87	15,86
NC3MXX-HD-D	szt..	Male Cable Connector, heavy duty, rubber jacket, water protected, IP67	5,38	6,61	27,12
NC3MXX-HD-B-D	szt..		6,05	7,44	30,52
NC3FRX	szt..	Female, extra slim right angle version, 7 x 45° indexing. Neutrik chuck-type cable retention, 5 selectable cable outlet positions.	6,16	7,57	31,04
NC3FRX-B	szt..		8,08	9,94	40,77
NC3FRX-BAG	szt..		6,68	8,21	33,68
NC3MRX	szt..	Male, extra slim right angle version, 7 x 45° indexing. Neutrik chuck-type cable retention, 5 selectable cable outlet positions.	5,33	6,56	26,88
NC3MRX-B	szt..		6,68	8,21	33,68
NC3MRX-BAG	szt..		5,93	7,29	29,89
4-Pole					
NC4FXX	szt..	Cable connector, female, rear insert. Unique cage type female contact with 7 independent contact springs. New improved chuck type strain relief. Additional ground spring contacts.	4,66	5,73	23,48
NC4FXX-B	szt..		5,57	6,85	28,07
NC4FXX-BAG	szt..		4,86	5,98	24,53
NC4MXX	szt..	Cable connector, male, rear insert. Unique cage type female contact with 7 independent contact springs. New improved chuck type strain relief. Additional ground spring contacts.	3,53	4,35	17,82
NC4MXX-B	szt..		4,10	5,05	20,70
NC4MXX-BAG	szt..		3,77	4,64	19,02
NC4FRX	szt..	Female, extra slim right angle version, 7 x 45° indexing. Neutrik chuck-type cable retention, 5 selectable cable outlet	7,38	9,08	37,22
NC4FRX-B	szt..		9,36	11,51	47,19
NC4MRX	szt..	Female, extra slim right angle version, 7 x 45° indexing. Neutrik chuck-type cable retention, 5 selectable cable outlet	5,85	7,20	29,51
NC4MRX-B	szt..		7,31	8,99	36,84
5-Pole					
NC5FXX	szt..	Cable connector, female, rear insert. Unique cage type female contact with 7 independent contact springs. New improved chuck type strain relief. Additional ground spring contacts.	6,94	8,54	35,02
NC5FXX-B	szt..		8,16	10,04	41,15
NC5FXX-BAG	szt..		7,17	8,82	36,17
NC5MXX	szt..	Cable connector, male, rear insert. Unique cage type female	5,75	7,07	28,98

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC5MXX-B	szt..	contact with 7 independent contact springs. New improved	6,68	8,21	33,68
NC5MXX-BAG	szt..	chuck type strain relief. Additional ground spring contacts.	5,98	7,35	30,13
NC5FRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	9,78	12,02	49,30
NC5FRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	12,37	15,21	62,38
NC5MRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	8,27	10,17	41,68
NC5MRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	10,19	12,54	51,41
6-Pole					
NC6FXX	szt..	Cable connector, female, rear insert. Unique cage type female	8,11	9,98	40,91
NC6FXX-B	szt..	contact with 7 independent contact springs. New improved	10,00	12,30	50,45
NC6FXX-BAG	szt..	chuck type strain relief. Additional ground spring contacts.	8,27	10,17	41,68
NC6MXX	szt..	Cable connector, male, rear insert. Unique cage type female	6,92	8,51	34,88
NC6MXX-B	szt..	contact with 7 independent contact springs. New improved	7,77	9,56	39,19
NC6MXX-BAG	szt..	chuck type strain relief. Additional ground spring contacts.	7,13	8,76	35,93
NC6FRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	11,17	13,74	56,34
NC6FRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	14,06	17,29	70,90

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC6MRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	9,60	11,80	48,39
NC6MRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	11,80	14,51	59,50
7-Pole					
NC7FXX	szt..	Cable connector, female, rear insert. Unique cage type female	9,41	11,57	47,43
NC7FXX-B	szt..	contact with 7 independent contact springs. New improved	12,71	15,63	64,10
NC7FXX-BAG	szt..	chuck type strain relief. Additional ground spring contacts.	9,67	11,90	48,77
NC7MXX	szt..	Cable connector, male, rear insert. Unique cage type female	8,27	10,17	41,68
NC7MXX-B	szt..	contact with 7 independent contact springs. New improved	9,30	11,44	46,90
NC7MXX-BAG	szt..	chuck type strain relief. Additional ground spring contacts.	8,50	10,46	42,88
NC7FRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	13,23	16,28	66,74
NC7FRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	17,76	21,84	89,54
NC7MRX	szt..	Female, extra slim right angle version, 7 x 45° indexing.	11,33	13,94	57,15
NC7MRX-B	szt..	Neutrik chuck-type cable retention, 5 selectable cable outlet	15,26	18,77	76,94
Accessories					
BSX, 0-9	blister	Box of 100 szt.s. of colored sleeves for FX and MX connectors	49,38	60,74	249,03
XCR, 0-9	blister	Box of 100 szt.s. of colored marking rings for X-Series	18,19	22,38	91,74
XXR, 0-9	blister	Box of 100 szt.s. of colored marking rings for XX-Series. Insert must not be unsoldered to change the color coding.	10,39	12,78	52,41
XXCR	blister	Box of 100 szt.s. of transparent marking rings for XX-Series.	10,39	12,78	52,41
BXX, 0-9	blister	Box of 100 szt.s. of colored bushings for XX-Series.	57,18	70,33	288,36
BXX-CR	blister	Box of black bushing for XX-Series with clear coding ring.	57,18	70,33	288,36
BXX-14	blister	Large bushing with chuck type strain relief for XX Series.	41,59	51,16	209,74
BTXX	szt..	Assembly fixture for tightening the XX bushing.	577,02	709,74	2909,91
HTY	szt..	Hand tool for tightening the X and XY-Boot	41,59	51,16	209,74
HTXP	szt..	Hand tool for tightening the bushing of the XLR XX-Series and the Plug PX-Series	51,98	63,94	262,16

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
HTPXS	szt..	Hand tool to hold the barrel of the PX series while the boot is tighten	51,98	63,94	262,16
<i>Digital XLR Cable Connectors</i>					
NC3FXCC	szt..	Cable Connector, female, 3-Pin	7,35	9,04	37,08
NC3MXCC	szt..	Cabel Connector, male, 3-pin	3,85	4,73	19,40
<i>XX Crimp Series</i>					
NC3FXX-HA	szt..	Cable connector, female, Nickel housing, silver contacts, crimp termination	3,12	3,83	15,71
NC3FXX-HA-BAG	szt..	Cable connector, female, black metal housing, silver contacts, crimp termination	3,22	3,96	16,24
NC3MXX-HA	szt..	Cable connector, male, Nickel housing, silver contacts, crimp termination	2,68	3,30	13,51
NC3MXX-HA-BAG	szt..	Cable connector, male, black metal housing, silver contacts, crimp termination	2,83	3,48	14,28
HA-3FXX	szt..	Female cimp contacts	17,62	21,68	88,87
HA-3MXX	szt..	Male crimp contacts	12,35	15,19	62,28
DIE-R-HA-1	szt..	Crimp tool die for HX-R-BNC, Hex crimp size: 0.14 - 0.25 mm2	158,56	195,02	799,59
<i>CrystalCON</i>					
NC3FXX-B-CRYSTAL	szt..	3-pole female XLR cable connector, black metal housing with	13,75	16,91	69,32
NC3FXX-B-CRYSTAL-D	szt..	CRYSTALLIZED - Swarovski Elements, gold contacts	11,49	14,13	57,92
NC3MXX-B-CRYSTAL	szt..	3-pole male XLR cable connector, black metal housing with	11,59	14,26	58,45
NC3MXX-B-CRYSTAL-D	szt..	CRYSTALLIZED - Swarovski Elements, gold contacts	9,28	11,42	46,81
<i>ConvertCON</i>					
NC3FM-C	szt..	Unisex XLR cable connector. 3-pole male and female cable	8,76	10,77	44,17

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FM-C-B	szt..	connector in one housing.	9,02	11,09	45,47
<i>Chassis Connectors</i>					
3-Pole					
NC3FP-1	szt..	3-pole short female receptacle, not bendable latch	3,64	4,48	18,35
NC3FP-B-1	szt..	3-pole short female receptacle, not bendable latch	4,39	5,40	22,13
NC3FP-BAG-1	szt..	3-pole short female receptacle, not bendable latch	3,74	4,60	18,88
NC3MP	szt..	3-pole male receptacle compatible with D3M, XLR 3-32	2,62	3,23	13,22
NC3MP-B	szt..	3-pole male receptacle compatible with D3M, XLR 3-32	3,22	3,96	16,24
NC3MP-BAG	szt..	3-pole male receptacle compatible with D3M, XLR 3-32	2,78	3,42	14,04
NC3MPR-HD	szt..	3-pole sealed male receptacle	7,88	9,69	39,72
NC3FD-L-1	szt..	3-pole female receptacle unified "D"-housing.	3,43	4,22	17,29
NC3FD-L-B-1	szt..	3-pole female receptacle unified "D"-housing.	4,16	5,12	20,98
NC3FD-L-BAG-1	szt..	3-pole female receptacle unified "D"-housing.	3,56	4,38	17,97
NC3FDM3-L-1	szt..	3-pole female receptacle unified "D"-housing.	3,59	4,42	18,11
NC3FDM3-L-1-D	szt..	3-pole female receptacle unified "D"-housing.	3,56	4,38	17,97
NC3FDM3LBAG-1	szt..	3-pole female receptacle unified "D"-housing.	3,71	4,57	18,73
NC3FDM3LBAG-1-D	szt..	3-pole female receptacle unified "D"-housing.	3,70	4,55	18,64
NC3FD-LX	szt..	3-pole female receptacle, solder cups, Nickel housing, silver contacts	3,22	3,96	16,24
NC3FD-LX-B	szt..	3-pole female receptacle, solder cups, black metal housing, gold contacts	3,95	4,86	19,93
NC3FD-LX-BAG	szt..	3-pole female receptacle, solder cups, black metal housing, silver contacts	3,40	4,18	17,15
NC3FD-LX-M3	szt..	3-pole female receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	3,40	4,18	17,15
NC3FD-LX-HE	szt..	3-pole female receptacle, solder cups, velour-chromium housing, gold contacts	5,33	6,56	26,88

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FD-LX-0	szt..	3-pole female receptacle, retention spring instead of latch.	3,12	3,83	15,71
NC3FD-LX-HA	szt..	3-pole female receptacle, crimp termination, Nickel housing, silver contacts	3,33	4,09	16,77
NC3FD-LX-HA-BAG	szt..	3-pole female receptacle, crimp termination, black metal housing, silver contacts	3,46	4,25	17,44
NC3FD-S-1-B	szt..	3-pole female receptacle, screw terminals accomodating wire range 0.14mm ² to 0.5mm ² , black metal housing, gold contacts	5,85	7,20	29,51
NC3FDX-EMC-SPEC	szt..	3-pole female EMC-XLR cable connector for panel mount	12,64	15,54	63,72
FDR1	szt..	Round panel mounting flange for NC3FDX-EMC-SPEC	23,39	28,77	117,95

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3MD-L-1	szt..	3-pole male receptacle unified "D"-housing.	3,12	3,83	15,71
NC3MD-L-B-1	szt..	3-pole male receptacle unified "D"-housing.	3,59	4,42	18,11
NC3MD-L-BAG-1	szt..	3-pole male receptacle unified "D"-housing.	3,40	4,18	17,15
NC3MDM3-L-1	szt..	3-pole male receptacle unified "D"-housing.	3,22	3,96	16,24
NC3MDM3LBAG1	szt..	3-pole male receptacle unified "D"-housing.	3,53	4,35	17,82
NC3MD-LX	szt..	3-pole male receptacle, solder cups, Nickel housing, silver contacts	2,99	3,68	15,09
NC3MD-LX-B	szt..	3-pole male receptacle, solder cups, black metal housing, gold contacts	3,43	4,22	17,29
NC3MD-LX-BAG	szt..	3-pole male receptacle, solder cups, black metal housing, silver contacts	3,20	3,94	16,15
NC3MD-LX-M3	szt..	3-pole male receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	3,07	3,77	15,47
NC3MD-LX-HE	szt..	3-pole male receptacle, solder cups, velour-chromium housing, gold contacts	4,55	5,60	22,95
			0,00	0,00	0,00
NC3MD-LX-HA	szt..	3-pole male receptacle, crimp termination, Nickel housing, silver contacts	3,04	3,74	15,33
NC3MD-LX-HA-BAG	szt..	3-pole male receptacle, crimp termination, black metal housing, silver contacts	3,25	4,00	16,38
NC3MD-S-1-B	szt..	3-pole female receptacle, screw terminals accomodating wire range 0.14mm ² to 0.5mm ² , black metal housing, gold contacts	4,99	6,13	25,15
					0,00
NC3FD-V	szt..	3-pole female receptacle	3,74	4,60	18,88
NC3FD-V-B	szt..	3-pole female receptacle	4,76	5,85	24,00
NC3FD-V-BAG	szt..	3-pole female receptacle	4,13	5,08	20,84
NC3FDM3-V	szt..	3-pole female receptacle	3,90	4,79	19,64
NC3FDM3-V-D	szt..	3-pole female receptacle	3,88	4,77	19,55
					0,00
NC3FD-H	szt..	3-pole female receptacle	3,74	4,60	18,88
NC3FD-H-B	szt..	3-pole female receptacle	4,76	5,85	24,00
NC3FD-H-BAG	szt..	3-pole female receptacle	4,13	5,08	20,84
NC3FDM3-H	szt..	3-pole female receptacle	3,95	4,86	19,93

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FDM3-H-D	szt..	3-pole female receptacle	3,92	4,83	19,79
NC3MD-V	szt..	3-pole male receptacle	3,20	3,94	16,15
NC3MD-V-B	szt..	3-pole male receptacle	4,00	4,92	20,17
NC3MD-V-BAG	szt..	3-pole male receptacle	3,59	4,42	18,11
NC3MDM3-V	szt..	3-pole male receptacle	3,33	4,09	16,77
NC3MD-H	szt..	3-pole male receptacle	3,20	3,94	16,15
NC3MD-H-B	szt..	3-pole male receptacle	4,00	4,92	20,17
NC3MD-H-BAG	szt..	3-pole male receptacle	3,59	4,42	18,11
NC3MDM3-H	szt..	3-pole male receptacle	3,38	4,16	17,06
4-Pole					
NC4FP-1	szt..	4-pole short female receptacle, not bendable latch	5,23	6,43	26,35
NC4FP-B-1	szt..	4-pole short female receptacle, not bendable latch	6,18	7,61	31,19
NC4FP-BAG-1	szt..	4-pole short female receptacle, not bendable latch	5,54	6,81	27,93
NC4MP	szt..	4-pole short male receptacle, not bendable latch	3,25	4,00	16,38
NC4MP-B	szt..	4-pole short male receptacle, not bendable latch	4,06	4,99	20,46
NC4MP-BAG	szt..	4-pole short male receptacle, not bendable latch	3,77	4,64	19,02
NC4MPR-HD	szt..	4-pole sealed male receptacle	9,00	11,07	45,37
NC4FD-L-1	szt..	4-pole female receptacle unified "D"-housing.	4,94	6,08	24,91
NC4FD-L-B-1	szt..	4-pole female receptacle unified "D"-housing.	5,85	7,20	29,51
NC4FD-L-BAG-1	szt..	4-pole female receptacle unified "D"-housing.	5,36	6,59	27,02
NC4FD-LX	szt..	4-pole female receptacle, solder cups, Nickel housing, silver contacts	4,73	5,82	23,86
NC4FD-LX-B	szt..	4-pole female receptacle, solder cups, black metal housing, gold contacts	5,59	6,87	28,17
NC4FD-LX-BAG	szt..	4-pole female receptacle, solder cups, black metal housing, silver contacts	5,09	6,26	25,68
NC4FD-LX-M3	szt..	4-pole female receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	4,84	5,95	24,39

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC4MD-L-1	szt..	4-pole male receptacle unified "D"-housing.	3,98	4,90	20,07
NC4MD-L-B-1	szt..	4-pole male receptacle unified "D"-housing.	4,66	5,73	23,48
NC4MD-L-BAG-1	szt..	4-pole male receptacle unified "D"-housing.	4,31	5,30	21,75
NC4MD-LX	szt..	4-pole male receptacle, solder cups, Nickel housing, silver contacts	3,79	4,66	19,12
NC4MD-LX-B	szt..	4-pole male receptacle, solder cups, black metal housing, gold contacts	4,42	5,43	22,28
NC4MD-LX-BAG	szt..	4-pole male receptacle, solder cups, black metal housing, silver contacts	4,10	5,05	20,70
NC4MD-LX-M3	szt..	4-pole male receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	4,52	5,56	22,80
NC4FDM3-H	szt..	4-pole female receptacle	7,62	9,37	38,42
NC4FDM3-H-D	szt..	4-pole female receptacle	7,59	9,34	38,28
NC4MDM3-H	szt..	4-pole male receptacle	6,00	7,38	30,28
5-Pole					
NC5FP-1	szt..	5-pole short female receptacle, not bendable latch	8,01	9,85	40,39
NC5FP-B-1	szt..	5-pole short female receptacle, not bendable latch	9,85	12,12	49,68
NC5FP-BAG-1	szt..	5-pole short female receptacle, not bendable latch	8,55	10,52	43,12
NC5MP	szt..	5-pole short male receptacle, not bendable latch	5,30	6,52	26,73
NC5MP-B	szt..	5-pole short male receptacle, not bendable latch	6,68	8,21	33,68
NC5MP-BAG	szt..	5-pole short male receptacle, not bendable latch	5,59	6,87	28,17
NC5MPR-HD	szt..	5-pole sealed male receptacle	10,55	12,98	53,23
NC5FD-L-1	szt..	5-pole female receptacle unified "D"-housing.	7,59	9,34	38,28
NC5FD-L-B-1	szt..	5-pole female receptacle unified "D"-housing.	9,33	11,47	47,05
NC5FD-L-BAG-1	szt..	5-pole female receptacle unified "D"-housing.	7,83	9,63	39,48
NC5FD-LX	szt..	5-pole female receptacle, solder cups, Nickel housing, silver contacts	7,23	8,89	36,46
NC5FD-LX-B	szt..	5-pole female receptacle, solder cups, black metal housing, gold contacts	8,89	10,94	44,84

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC5FD-LX-BAG	szt..	5-pole female receptacle, solder cups, black metal housing, silver contacts	7,46	9,17	37,61
NC5FD-LX-M3	szt..	5-pole female receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	7,33	9,02	36,99
NC5MD-L-1	szt..	5-pole male receptacle unified "D"-housing.	5,93	7,29	29,89
NC5MD-L-B-1	szt..	5-pole male receptacle unified "D"-housing.	6,57	8,09	33,15
NC5MD-L-BAG-1	szt..	5-pole male receptacle unified "D"-housing.	6,21	7,64	31,33
NC5MD-LX	szt..	5-pole male receptacle, solder cups, Nickel housing, silver contacts	5,64	6,94	28,46
NC5MD-LX-B	szt..	5-pole male receptacle, solder cups, black metal housing, gold contacts	6,29	7,74	31,72
NC5MD-LX-BAG	szt..	5-pole male receptacle, solder cups, black metal housing, silver contacts	5,87	7,22	29,61
NC5MD-LX-M3	szt..	5-pole male receptacle, solder cups, Nickel housing, silver contacts, M3 mounting holes	5,75	7,07	28,98
NC5FDM3-H	szt..	5-pole female receptacle	9,10	11,19	45,90
NC5FDM3-H-D	szt..	5-pole female receptacle	9,07	11,16	45,75
NC5MDM3-H	szt..	5-pole male receptacle	7,13	8,76	35,93
6-Pole					
NC6FP-1	szt..	6-pole short female receptacle, not bendable latch	10,68	13,13	53,85
NC6FP-B-1	szt..	6-pole short female receptacle, not bendable latch	13,04	16,04	65,78
NC6FP-BAG-1	szt..	6-pole short female receptacle, not bendable latch	10,99	13,52	55,43
NC6MP	szt..	6-pole short male receptacle, not bendable latch	7,56	9,30	38,14
NC6MP-B	szt..	6-pole short male receptacle, not bendable latch	8,52	10,48	42,97
NC6MP-BAG	szt..	6-pole short male receptacle, not bendable latch	8,08	9,94	40,77
NC6FD-L-1	szt..	6-pole female receptacle unified "D"-housing.	10,19	12,54	51,41
NC6FD-L-B-1	szt..	6-pole female receptacle unified "D"-housing.	12,40	15,25	62,52
NC6FD-L-BAG-1	szt..	6-pole female receptacle unified "D"-housing.	10,39	12,78	52,41

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC6FD-LX	szt..	6-pole female receptacle, solder cups, Nickel housing, silver contacts	9,70	11,93	48,91
NC6FD-LX-B	szt..	6-pole female receptacle, solder cups, black metal housing, gold contacts	11,83	14,55	59,65
NC6MD-L-1	szt..	6-pole male receptacle unified "D"-housing.	8,13	10,00	41,01
NC6MD-L-B-1	szt..	6-pole male receptacle unified "D"-housing.	8,76	10,77	44,17
NC6MD-L-BAG-1	szt..	6-pole male receptacle unified "D"-housing.	8,37	10,29	42,21
NC6MD-LX	szt..	6-pole male receptacle, solder cups, Nickel housing, silver contacts	7,72	9,50	38,95
NC6MD-LX-B	szt..	6-pole male receptacle, solder cups, black metal housing, gold contacts	8,32	10,24	41,97
7-Pole					
NC7FP-1	szt..	Chassis Connector, female, 7-Pin	12,95	15,93	65,30
NC7FP-B-1	szt..	Chassis Connector, female, 7-Pin	15,51	19,08	78,23
NC7FD-L-1	szt..	Chassis Connector, female, 7-Pin	12,25	15,06	61,75
NC7FD-L-B-1	szt..	Chassis Connector, female, 7-Pin	14,73	18,12	74,31
NC7FD-LX	szt..	7-pole female receptacle, solder cups, Nickel housing, silver contacts	11,67	14,35	58,83
NC7FD-LX-B	szt..	7-pole female receptacle, solder cups, black metal housing, gold contacts	14,03	17,26	70,76
NC7MD-L-1	szt..	Chassis Connector, male, 7-Pin	10,27	12,63	51,79
NC7MD-L-B-1	szt..	Chassis Connector, male, 7-Pin	12,16	14,96	61,32

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC7MD-LX	szt..	7-pole male receptacle, solder cups, Nickel housing, silver contacts	9,78	12,02	49,30
NC7MD-LX-B	szt..	7-pole male receptacle, solder cups, black metal housing, gold contacts	11,59	14,26	58,45
<i>Combo XLR-Jack Receptacle</i>					
NCJ5FI-V	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,00	2,47	10,11
NCJ6FI-V	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,13	2,62	10,73
NCJ9FI-V	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,83	3,48	14,28
NCJ10FI-V	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,86	3,52	14,42
NCJ5FI-V-O	szt..	XLR-female Receptacle w. 1/4' Mono Jack	1,92	2,36	9,68
NCJ6FI-V-O	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,05	2,52	10,35
NCJ9FI-V-O	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,76	3,39	13,89
NCJ10FI-V-O	szt..	XLR-female Receptacle w. 1/4' Mono Jack	2,80	3,45	14,13
NCJ5FI-H	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,05	2,52	10,35
NCJ6FI-H	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,23	2,75	11,26
NCJ9FI-H	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,83	3,48	14,28
NCJ10FI-H	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,86	3,52	14,42
NCJ5FI-H-O	szt..	XLR-female Receptacle, 1/4' Stereo Jack	1,98	2,43	9,96
NCJ6FI-H-O	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,13	2,62	10,73
NCJ9FI-H-O	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,76	3,39	13,89
NCJ10FI-H-O	szt..	XLR-female Receptacle, 1/4' Stereo Jack	2,80	3,45	14,13
NCJ5FI-S	szt..	XLR-female Receptacle with Solder Cups	2,05	2,52	10,35
NCJ6FI-S	szt..	XLR-female Receptacle with Solder Cups	2,23	2,75	11,26
NCJ9FI-S	szt..	XLR-female Receptacle with Solder Cups	2,89	3,55	14,56
NCJ10FI-S	szt..	XLR-female Receptacle with Solder Cups	2,94	3,61	14,80
NCJ5FI-S-O	szt..	XLR-female Receptacle with Solder Cups	1,98	2,43	9,96
NCJ6FI-S-O	szt..	XLR-female Receptacle with Solder Cups	2,11	2,59	10,64
NCJ9FI-S-O	szt..	XLR-female Receptacle with Solder Cups	2,80	3,45	14,13
NCJ10FI-S-O	szt..	XLR-female Receptacle with Solder Cups	2,86	3,52	14,42

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
<i>Combo A-Series</i>					
NCJ6FA-H	szt..	3-pole XLR female receptacle with 1/4" stereo jack for horizontal szt.B mount. Front panel cut out compatible with A-	1,09	1,34	5,51
NCJ6FA-H-0	szt..		1,02	1,25	5,13
NCJ6FA-V	szt..	3-pole XLR female receptacle with 1/4" stereo jack for vertical szt.B mount. Front panel cut out compatible with A-Series	0,99	1,22	4,98
NCJ6FA-V-0	szt..		0,91	1,12	4,60
<i>A-Series</i>					
<i>3-Pole</i>					
NC3MAH	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,75	0,92	3,78
NC3MAV	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,73	0,90	3,69
NC3MAH-0	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,75	0,92	3,78
NC3MAV-0	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,73	0,90	3,69
NC3MAHR	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,84	1,03	4,22
NC3MAHL	szt..	3-pole male XLR receptacle, plastic housing, steel retention lug	0,84	1,03	4,22
NC3MAY	szt..	3-pole male XLR receptacle, plastic housing, IDC-termination	0,99	1,22	4,98
NC3FAH	szt..	3-pole female XLR receptacle, plastic housing	0,70	0,86	3,55
NC3FAV	szt..	3-pole female XLR receptacle, plastic housing	0,70	0,86	3,55
NC3FAH-0	szt..	3-pole female XLR receptacle, plastic housing	0,57	0,70	2,87
NC3FAV-0	szt..	3-pole female XLR receptacle, plastic housing	0,57	0,70	2,87
NC3FAHL-0	szt..	3-pole female XLR receptacle, plastic housing	0,86	1,05	4,31
NC3FAHR-0	szt..	3-pole female XLR receptacle, plastic housing	0,86	1,05	4,31
NC3FAH1	szt..	3-pole female XLR receptacle, plastic housing	0,91	1,12	4,60
NC3FAH1-D	szt..	3-pole female XLR receptacle, plastic housing	0,88	1,09	4,46
NC3FAV1	szt..	3-pole female XLR receptacle, plastic housing	0,91	1,12	4,60

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FAV1-D	szt..	3-pole female XLR receptacle, plastic housing	0,88	1,09	4,46
NC3FAH1-0	szt..	3-pole female XLR receptacle, plastic housing	0,81	0,99	4,07
NC3FAV1-0	szt..	3-pole female XLR receptacle, plastic housing	0,81	0,99	4,07
NC3FAHR1	szt..	3-pole female XLR receptacle, plastic housing	1,04	1,27	5,22
NC3FAHR1-D	szt..	3-pole female XLR receptacle, plastic housing	1,02	1,25	5,13
NC3FAHR1-0	szt..	3-pole female XLR receptacle, plastic housing	0,93	1,15	4,70
NC3FAHL1	szt..	3-pole female XLR receptacle, plastic housing	1,04	1,27	5,22
NC3FAHL1-D	szt..	3-pole female XLR receptacle, plastic housing	1,02	1,25	5,13
NC3FAHL1-0	szt..	3-pole female XLR receptacle, plastic housing	0,93	1,15	4,70
NC3FAH2	szt..	3-pole female XLR receptacle, plastic housing	0,91	1,12	4,60
NC3FAH2-D	szt..	3-pole female XLR receptacle, plastic housing	0,88	1,09	4,46
NC3FAV2	szt..	3-pole female XLR receptacle, plastic housing	0,91	1,12	4,60
NC3FAV2-D	szt..	3-pole female XLR receptacle, plastic housing	0,88	1,09	4,46
NC3FAH2-0	szt..	3-pole female XLR receptacle, plastic housing	0,81	0,99	4,07
NC3FAV2-0	szt..	3-pole female XLR receptacle, plastic housing	0,81	0,99	4,07
NC3FAHR2	szt..	3-pole female XLR receptacle, plastic housing	1,04	1,27	5,22
NC3FAHR2-D	szt..	3-pole female XLR receptacle, plastic housing	1,02	1,25	5,13
NC3FAHR2-0	szt..	3-pole female XLR receptacle, plastic housing	0,93	1,15	4,70
NC3FAY	szt..	3-pole female XLR receptacle, plastic housing	1,06	1,31	5,37
NC3FAY-D	szt..	3-pole female XLR receptacle, plastic housing	1,04	1,27	5,22
NC3FAY-0	szt..	3-pole female XLR receptacle, plastic housing	0,96	1,18	4,84
4-Pole					
NC4MAH	szt..	4-pole female XLR receptacle, horizontal	2,19	2,69	11,02
NC4MAV	szt..	4-pole female XLR receptacle, vertical	1,95	2,40	9,82
NC4FAH	szt..	4-pole female XLR receptacle, horizontal	2,34	2,87	11,79
NC4FAH-D	szt..	4-pole female XLR receptacle, horizontal	2,32	2,85	11,69
NC4FAV	szt..	4-pole female XLR receptacle, vertical	2,21	2,72	11,16
NC4FAV-D	szt..	4-pole female XLR receptacle, vertical	2,19	2,69	11,02
NC4FAH-0	szt..	4-pole female XLR receptacle, horizontal	2,32	2,85	11,69
NC4FAV-0	szt..	4-pole female XLR receptacle, vertical	2,19	2,69	11,02
5-Pole					

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC5MAH	szt..	5-pole male XLR receptacle	2,23	2,75	11,26
NC5MAV	szt..	5-pole male XLR receptacle, vertical	2,23	2,75	11,26
NC5MAV-SW	szt..	Male XLR receptacle, plastic housing, steel retention lug	5,30	6,52	26,73
NC5FAH	szt..	5-pole female XLR receptacle, horizontal	2,37	2,91	11,93
NC5FAH-D	szt..	5-pole female XLR receptacle, horizontal	2,34	2,87	11,79
NC5FAV	szt..	5-pole female XLR receptacle, vertical	2,26	2,78	11,40
NC5FAV-D	szt..	5-pole female XLR receptacle, vertical	2,23	2,75	11,26
NC5FAH-0	szt..	5-pole female XLR receptacle, horizontal	2,23	2,75	11,26
NC5FAV-SW	szt..	5-pole female XLR receptacle, horizontal	5,33	6,56	26,88
NC5FAV-SW-D	szt..	5-pole female XLR receptacle, horizontal	5,30	6,52	26,73
AA-Series					
NC3FAAV	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3FAAH-0	szt..	3-pole female chassis connector, plastic housing	0,52	0,64	2,63
NC3FAAV-0	szt..	3-pole female chassis connector, plastic housing	0,52	0,64	2,63
NC3FAAH1	szt..	3-pole female chassis connector, plastic housing	0,67	0,83	3,40
NC3FAAH1-0	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3FAAV1	szt..	3-pole female chassis connector, plastic housing	0,67	0,83	3,40
NC3FAAV1-0	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3FAAH2	szt..	3-pole female chassis connector, plastic housing	0,67	0,83	3,40
NC3FAAH2-0	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3FAAV2	szt..	3-pole female chassis connector, plastic housing	0,67	0,83	3,40
NC3FAAV2-0	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3MAAH	szt..	3-pole female chassis connector, plastic housing	0,63	0,77	3,16
NC3MAAH-0	szt..	3-pole female chassis connector, plastic housing	0,63	0,77	3,16
NC3MAAH-1	szt..	3-pole female chassis connector, plastic housing	0,63	0,77	3,16
NC3MAAV	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
NC3MAAV-0	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3MAAV-1	szt..	3-pole female chassis connector, plastic housing	0,60	0,74	3,02
<i>Accessories</i>					
A-SCREW-1-8	blister	Plastite Screw, 2.9 x 8 (100 szt.s.)	7,80	9,59	39,33
ACRF, 1-9	blister	Colour coding rings for A-Series, 100 szt.s	13,00	15,99	65,54
ACRM, 1-9	blister	Colour coding rings for A-Series, 100 szt.s	13,00	15,99	65,54
SFAV	szt..	Sealing frame A-Series vertical.	1,09	1,34	5,51
<i>B-Series</i>					
<i>3-Pole</i>					
NC3MBH	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,69	2,08	8,53
NC3MBV	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,66	2,04	8,38
NC3MBH-B	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,84	2,27	9,29
NC3MBV-B	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,82	2,24	9,20
NC3MBHR	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,77	2,17	8,91
NC3MBHL	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,77	2,17	8,91
NC3MBHR-B	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,95	2,40	9,82
NC3MBHL-B	szt..	3-pole male XLR receptacle, metal housing, steel retention lug	1,95	2,40	9,82

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3MBY	szt..	3-pole male XLR receptacle, IDC-version for AWG 26-24 wires	1,87	2,30	9,44
NC3MBY-B	szt..	3-pole male XLR receptacle, IDC-version for AWG 26-24 wires	2,05	2,52	10,35
NC3FBH1	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,84	2,27	9,29
NC3FBH1-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,82	2,24	9,20
NC3FBV1	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,84	2,27	9,29
NC3FBV1-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,82	2,24	9,20
NC3FBH1-B	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,02	2,49	10,20
NC3FBH1-B-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,00	2,47	10,11
NC3FBV1-B	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,02	2,49	10,20
NC3FBV1-B-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,00	2,47	10,11
NC3FBHR1	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,95	2,40	9,82
NC3FBHR1-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,92	2,36	9,68
NC3FBHR1-B	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,11	2,59	10,64
NC3FBHL1	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,95	2,40	9,82
NC3FBHL1-D	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	1,92	2,36	9,68
NC3FBHL1-B	szt..	3-pole female XLR receptacle, metal housing, steel retention lug	2,11	2,59	10,64
NC3FBH2	szt..	3-pole female XLR receptacle, metal housing, latch	1,84	2,27	9,29
NC3FBH2-D	szt..	3-pole female XLR receptacle, metal housing, latch	1,82	2,24	9,20
NC3FBV2	szt..	3-pole female XLR receptacle, metal housing, latch	1,84	2,27	9,29

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC3FBV2-D	szt..	3-pole female XLR receptacle, metal housing, latch	1,82	2,24	9,20
NC3FBH2-B	szt..	3-pole female XLR receptacle, metal housing, latch	2,02	2,49	10,20
NC3FBH2-B-D	szt..	3-pole female XLR receptacle, metal housing, latch	2,00	2,47	10,11
NC3FBV2-B	szt..	3-pole female XLR receptacle, metal housing, latch	2,02	2,49	10,20
NC3FBV2-B-D	szt..	3-pole female XLR receptacle, metal housing, latch	2,00	2,47	10,11
NC3FBHR2	szt..	3-pole female XLR receptacle, metal housing, latch	1,95	2,40	9,82
NC3FBHR2-D	szt..	3-pole female XLR receptacle, metal housing, latch	1,92	2,36	9,68
NC3FBHR2-B	szt..	3-pole female XLR receptacle, metal housing, latch	2,11	2,59	10,64
NC3FBY	szt..	3-pole female XLR receptacle, IDC-version for AWG 26-24 wires	2,05	2,52	10,35
NC3FBY-D	szt..	3-pole female XLR receptacle, IDC-version for AWG 26-24 wires	2,02	2,49	10,20
NC3FBY-B	szt..	3-pole female XLR receptacle, IDC-version for AWG 26-24 wires	2,21	2,72	11,16
NC3FBY-B-D	szt..	3-pole female XLR receptacle, IDC-version for AWG 26-24 wires	2,19	2,69	11,02

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
4-Pole					
NC4MBH	szt..	4-pole male XLR receptacle, metal housing, steel retention lug	2,96	3,65	14,95
NC4MBV	szt..	4-pole male XLR receptacle, metal housing, steel retention lug	2,78	3,42	14,04
4-pole female XLR receptacle, metal housing, steel retention lug					
NC4FBH	szt..	4-pole female XLR receptacle, metal housing, steel retention lug	3,07	3,77	15,47
NC4FBH-D	szt..	4-pole female XLR receptacle, metal housing, steel retention lug	3,04	3,74	15,33
NC4FBV	szt..	4-pole female XLR receptacle, metal housing, steel retention lug	2,94	3,61	14,80
NC4FBV-D	szt..	4-pole female XLR receptacle, metal housing, steel retention lug	2,91	3,58	14,66
5-Pole					
NC5MBH	szt..	5-pole male XLR receptacle, horizontal	3,10	3,81	15,62
NC5MBV	szt..	5-pole male XLR receptacle, vertical	3,10	3,81	15,62
NC5MBH-B	szt..	5-pole male XLR receptacle, horizontal	3,30	4,05	16,62
NC5MBV-B	szt..	5-pole male XLR receptacle, vertical	3,30	4,05	16,62
5-pole male XLR receptacle, metal housing					
NC5MBV-SW	szt..	5-pole male XLR receptacle, metal housing	6,21	7,64	31,33
5-pole female XLR receptacle, metal housing, steel retention lug					
NC5FBH	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,01	3,70	15,19
NC5FBH-D	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	2,96	3,65	14,95
NC5FBV	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,01	3,70	15,19
NC5FBV-D	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	2,96	3,65	14,95
NC5FBH-B	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,17	3,90	16,00
NC5FBH-B-D	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,14	3,87	15,86

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NC5FBV-B	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,17	3,90	16,00
NC5FBV-B-D	szt..	5-pole female XLR receptacle, metal housing, steel retention lug	3,14	3,87	15,86
NC5FBV-SW	szt..	5-pole female XLR receptacle, metal housing	6,11	7,51	30,81
NC5FBV-SW-D	szt..	5-pole female XLR receptacle, metal housing	6,08	7,48	30,66
B-SCREW-1-8	blister	Taptite Screw, 2.5 x 8 (100 szt.s.)	7,80	9,59	39,33
<i>BA-Series</i>					
NC3FBAH1	szt..	3-pole female XLR receptacle, metal housing	1,72	2,11	8,67
NC3FBAH1-D	szt..	3-pole female XLR receptacle, metal housing	1,69	2,08	8,53
NC3FBAH1-0	szt..	3-pole female XLR receptacle, metal housing	1,62	1,99	8,14
NC3FBAH2	szt..	3-pole female XLR receptacle, metal housing	1,72	2,11	8,67
NC3FBAH2-D	szt..	3-pole female XLR receptacle, metal housing	1,69	2,08	8,53
NC3FBAH2-0	szt..	3-pole female XLR receptacle, metal housing	1,62	1,99	8,14
NC3FBAV1	szt..	3-pole female XLR receptacle, metal housing	1,72	2,11	8,67
NC3FBAV1-D	szt..	3-pole female XLR receptacle, metal housing	1,69	2,08	8,53
NC3FBAV2	szt..	3-pole female XLR receptacle, metal housing	1,72	2,11	8,67
NC3FBAV2-D	szt..	3-pole female XLR receptacle, metal housing	1,69	2,08	8,53
NC3FBAV2-0	szt..	3-pole female XLR receptacle, metal housing	1,62	1,99	8,14
NC3MBAH	szt..	3-pole male XLR receptacle, metal housing	1,56	1,92	7,86
NC3MBAH-0	szt..	3-pole male XLR receptacle, metal housing	1,56	1,92	7,86
NC3MBAH-1	szt..	3-pole male XLR receptacle, metal housing	1,56	1,92	7,86
NC3MBAV	szt..	3-pole male XLR receptacle, metal housing	1,53	1,88	7,71
NC3MBAV-0	szt..	3-pole male XLR receptacle, metal housing	1,53	1,88	7,71
NC3MBAV-1	szt..	3-pole male XLR receptacle, metal housing	1,53	1,88	7,71
<i>Plugs</i>					
2-Pole					
NP2X	szt..	1/4" Professional Phone Plug, 2-pole	2,55	3,13	12,84
NP2X-D	szt..	1/4" Professional Phone Plug, 2-pole	2,47	3,04	12,46

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NP2X-B	szt..	1/4" Professional Phone Plug, 2-pole	3,12	3,83	15,71
NP2X-B-D	szt..	1/4" Professional Phone Plug, 2-pole	3,04	3,74	15,33
NP2X-BAG	szt..	1/4" Professional Phone Plug, 2-pole	2,57	3,17	12,98
NP2X-BAG-D	szt..	1/4" Professional Phone Plug, 2-pole	2,50	3,07	12,60
NP2X-AU-SILENT	szt..	1/4" Professional Phone Plug, 2-pole, silent switch	6,84	8,41	34,49
NP2X-AU-SILENT-D	szt..	1/4" Professional Phone Plug, 2-pole, silent switch	6,65	8,18	33,54
NP2X-L-D	szt..	1/4" Professional Phone Plug, 2-pole, large cable outlet	2,47	3,04	12,46
NP2X-BAG-L-D	szt..	1/4" Professional Phone Plug, 2-pole, large cable outlet	2,50	3,07	12,60
NP2RX	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	2,83	3,48	14,28
NP2RX-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	2,71	3,33	13,65
NP2RX-B	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	3,20	3,94	16,15
NP2RX-B-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	3,04	3,74	15,33
NP2RX-BAG	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	2,86	3,52	14,42
NP2RX-L-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole, large cable outlet	2,71	3,33	13,65
NP2RX-BAG-L-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole, large cable outlet	2,73	3,35	13,75
NP2RX-BAG-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole, large cable outlet	2,73	3,35	13,75
NP2X-B-CRYSTAL	szt..	2-pole 1/4" professional phone plug, gold contacts, black metal housing with CRYSTALLIZED - Swarovski Elements	11,86	14,58	59,79
NP2X-B-CRYSTAL-D	szt..	2-pole 1/4" professional phone plug, gold contacts, black metal housing with CRYSTALLIZED - Swarovski Elements	9,57	11,77	48,24
NP2RX-AU-SILENT	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	7,49	9,21	37,75
NP2RX-AU-SILENT-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	7,33	9,02	36,99
NP2RX-SILENT-L-D	szt..	1/4" Right-Angle Professional Phone Plug, 2-pole	7,33	9,02	36,99

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
3-Pole					
NP3X	szt..	1/4" Professional Phone Plug, 3-pole	3,59	4,42	18,11
NP3X-D	szt..	1/4" Professional Phone Plug, 3-pole	3,49	4,29	17,58
NP3X-B	szt..	1/4" Professional Phone Plug, 3-pole	4,28	5,27	21,61
NP3X-B-D	szt..	1/4" Professional Phone Plug, 3-pole	4,13	5,08	20,84
NP3X-BAG	szt..	1/4" Professional Phone Plug, 3-pole	3,61	4,44	18,21
NP3X-BAG-D	szt..	1/4" Professional Phone Plug, 3-pole	3,51	4,31	17,68
NP3X-L-D	szt..	1/4" Professional Phone Plug, 3-pole, large cable outlet	3,49	4,29	17,58
NP3X-BAG-L-D	szt..	1/4" Professional Phone Plug, 3-pole, large cable outlet	3,51	4,31	17,68
NP3RX	szt..	1/4" Right-Angle Professional Phone Plug, 3-pole	4,88	6,01	24,62
NP3RX-B	szt..	1/4" Right-Angle Professional Phone Plug, 3-pole	5,51	6,78	27,79
NP3RX-BAG	szt..	1/4" Right-Angle Professional Phone Plug, 3-pole	4,91	6,04	24,77
NTP3RC	szt..	3.5mm audio plug with chuck and bushing, nickel housing	2,78	3,42	14,04
NTP3RC-B	szt..	3.5mm audio plug with chuck and bushing, black housing	3,61	4,44	18,21
NP3TB-B	szt..	1/4" 'B-Gauge' Plug (BPO 316), black	4,58	5,63	23,09
NP3TB-R	szt..	1/4" 'B-Gauge' Plug (BPO 316), red	4,55	5,60	22,95
			0,00	0,00	0,00
NP3TM-B	szt..	1/4" MIL-Plug (MIL-P-642/2), black	4,86	5,98	24,53
NP3TM-R	szt..	1/4" MIL-Plug (MIL-P-642/2), red	4,84	5,95	24,39
NP3CM-B	szt..	1/4" MIL-Plug (MIL-P-642/5), black	6,16	7,57	31,04
NP3CM-R	szt..	1/4" MIL-Plug (MIL-P-642/5), red	6,14	7,55	30,95
NP3TT-1-B	szt..	Bantam Plug, black	4,91	6,04	24,77
NP3TT-1-R	szt..	Bantam Plug, red	4,91	6,04	24,77
NP3TT-P-B	szt..	Bantam Plug, black	3,79	4,66	19,12

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NP3TT-P-R	szt..	Bantam Plug, red	3,79	4,66	19,12
NP3TT-P-AU-B	szt..	Bantam Plug, black	5,25	6,46	26,49
NP3TT-P-AU-R	szt..	Bantam Plug, red	5,25	6,46	26,49
NP3TT-2	szt..	Twin 'Bantam' Plug	7,83	9,63	39,48
Accessories					
BSP, 0-9	blister	Coloured bushes for NP-Series, Box of 100 szt.s.	49,38	60,74	249,03
BSTT, 0-9	blister	Coloured Sleeves for NP3TT-Series, Box of 100 szt.s.	18,19	22,38	91,74
BSTP, 0-9	blister	Coloured Sleeves for NP3TT-P-Series, Box of 100 szt.s.	18,19	22,38	91,74
szt.R, 1-9	blister	Coloured Sleeves for NP3TT-P, Box of 100 szt.s.	18,19	22,38	91,74
PXR, 1-9	blister	Coloured Marking Rings for NP*X-Series, Box of 100 szt.s.	18,19	22,38	91,74
BPX, 1-9	blister	Coloured Bushings for NP*X-Series, Box of 100 szt.s.	49,38	60,74	249,03
BPX-L	blister	Large bushing with chuck type strain relief for for PX-Series	54,59	67,14	275,28
HX-TT-1	szt..	Combined crimp & press tool for NP3TT1	467,86	575,46	2359,40
Jacks					
NJ3FC6	szt..	Lock. cable-jack f. secure in-line conn.	5,77	7,09	29,08
NJ3FC6-BAG	szt..	Lock. cable-jack f. secure in-line conn.	5,82	7,16	29,37
NJ3FP6C	szt..	Locking 1/4' phone jack	4,70	5,78	23,71
NJ3FP6C-B	szt..	Locking 1/4' phone jack	5,64	6,94	28,46
NJ3FP6C-BAG	szt..	Locking 1/4' phone jack	5,09	6,26	25,68
NJ3FP6P-BAG	szt..	Locking 1/4' phone jack	3,74	4,60	18,88
			0,00		
NJ2FD-V	szt..	Non-switching Mono Jack (T/S)	0,57	0,70	2,87
NJ3FD-V	szt..	Non-switching Stereo Jack (T/R/S)	0,67	0,83	3,40
NJ5FD-V	szt..	2 x switching Stereo Jack (T/TN/R/RN/S)	0,84	1,03	4,22
NJ6FD-V	szt..	3 x switching Stereo Jack (T/TN/R/RN/S/SN)	0,96	1,18	4,84
M-Series Jack Sockets 1/4" (6.35mm)					
NMJ2HC-S	szt..	Jack, M-Line, mono, unswitched	0,69	0,85	3,50

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NMJ2HF-S	szt..	Jack, M-Line, mono, unswitched	0,41	0,50	2,06
NMJ3HF-S	szt..	Jack, M-Line, mono, unswitched	0,48	0,60	2,44
NMJ4HC-S	szt..	Jack, M-Line, mono, switched	0,73	0,90	3,69
NMJ4HCD2	szt..	Jack, M-Line, mono, switched	0,73	0,90	3,69
NMJ4HFS	szt..	Jack, M-Line, mono, switched	0,52	0,64	2,63
NMJ4HFD2	szt..	Jack, M-Line, mono, switched	0,53	0,65	2,68
NMJ4HFD2-NW	szt..	Jack, M-Line, mono, switched	0,53	0,65	2,68
NMJ4HFD3	szt..	Jack, M-Line, mono, switched	0,53	0,65	2,68
NMJ4HHD2	szt..	Jack, M-Line, mono, switched	0,32	0,40	1,63
NMJ6HC-S	szt..	Jack, M-Line, stereo, switched	0,73	0,90	3,69
NMJ6HCD2	szt..	Jack, M-Line, stereo, switched	0,82	1,00	4,12
NMJ6HCD2-RM	szt..	Jack, M-Line, stereo, switched	0,73	0,90	3,69
NMJ6HCD2-SM	szt..	Jack, M-Line, stereo, switched	0,82	1,00	4,12
NMJ6HCD3	szt..	Jack, M-Line, stereo, switched	0,82	1,00	4,12
NMJ6HCD3-AU	szt..	Jack, M-Line, stereo, switched	1,34	1,65	6,76
NMJ6HF-S	szt..	Jack, M-Line, stereo, switched	0,57	0,70	2,87
NMJ6HFD2	szt..	Jack, M-Line, stereo, switched	0,48	0,60	2,44
NMJ6HFD2-AU	szt..	Jack, M-Line, stereo, switched	1,16	1,43	5,84
NMJ6HFD2-AVG	szt..	Jack, M-Line, stereo, switched	0,48	0,60	2,44
NMJ6HFD2-NW	szt..	Jack, M-Line, stereo, switched	0,48	0,60	2,44
NMJ6HFD2-SAU	szt..	Jack, M-Line, stereo, switched	0,69	0,85	3,50
NMJ6HFD2-TAU	szt..	Jack, M-Line, stereo, switched	0,69	0,85	3,50
NMJ6HFD3	szt..	Jack, M-Line, stereo, switched	0,57	0,70	2,87
NMJ6HFD4	szt..	Jack, M-Line, stereo, switched	0,48	0,60	2,44
NMJ6HHD2	szt..	Jack, M-Line, stereo, switched	0,41	0,50	2,06
<i>1/4" Slimjacks Series szt.B Mount Sockets - Switched</i>					
NRJ-NUT-B	szt..	Hexagonal plastic nut, black plastic (MOQ = 100 szt.s.)	0,04	0,05	0,19
NRJ-NUT-MK	szt..	Metal ring nut, knurled, ni-plated brass (MOQ = 100 szt.s.)	0,20	0,25	1,01
NRJ-NUT-MN	szt..	Hexagonal metal nut (MOQ = 100 szt.s.)	0,09	0,11	0,43
NRJ-NUT-MS	szt..	Nickel plated metal ring nut	0,40	0,49	2,01
NRJ-NUT-R	szt..	Hexagonal plastic nut, red plastic (MOQ = 100 szt.s.)	0,08	0,09	0,38
NRJ-WB	szt..	Black plastic washer (MOQ = 100 szt.s.)	0,06	0,07	0,29
NRJ3HF-1	szt..	Slim-Jack, stereo, unswitched	0,33	0,41	1,68

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NRJ4HF	szt..	Slim-Jack, mono, switched	0,31	0,39	1,58
NRJ4HF-1	szt..	Slim-Jack, mono, switched	0,31	0,39	1,58
NRJ4HH	szt..	Slim-Jack, mono, switched	0,31	0,39	1,58
NRJ4HH-1	szt..	Slim-Jack, mono, switched	0,31	0,39	1,58
NRJ4HM-1	szt..	Slim-Jack, mono, switched	0,82	1,00	4,12
NRJ4HM1-AU	szt..	Slim-Jack, mono, switched	1,02	1,25	5,13
NRJ6HF	szt..	Slim-Jack, stereo, switched	0,39	0,48	1,96
NRJ6HF-1	szt..	Slim-Jack, stereo, switched	0,39	0,48	1,96
NRJ6HF-1-AU	szt..	Slim-Jack, stereo, switched	0,90	1,11	4,55
NRJ6HF-AU	szt..	Slim-Jack, stereo, switched	0,90	1,11	4,55
NRJ6HH	szt..	Slim-Jack, stereo, switched	0,39	0,48	1,96
NRJ6HH-1	szt..	Slim-Jack, stereo, switched	0,39	0,48	1,96
NRJ6HH-AU	szt..	Slim-Jack, stereo, switched	0,90	1,11	4,55
NRJ6HM-1	szt..	Slim-Jack, stereo, switched	0,94	1,16	4,74
NRJ6HM-1-AU	szt..	Slim-Jack, stereo, switched	1,25	1,54	6,32
<i>Stacking Jack</i>					
NSJ-NUT-B	szt..	Quick fix nut (MOQ = 100 szt.s.)	0,03	0,04	0,14
NSJ12HC	szt..	Stacking Jack, stereo, full nose	2,35	2,89	11,83
NSJ12HL	szt..	Stacking Jack, stereo, quick fix nose	2,35	2,89	11,83
NSJ8HC	szt..	Stacking Jack, mono, full nose	1,78	2,19	8,96
NSJ8HL	szt..	Stacking Jack, mono, quick fix nose	1,78	2,19	8,96
NSJ12HF-1	szt..	Stacking Jack, stereo, fully threaded nose	2,35	2,89	11,83
NSJ12HH-1	szt..	Stacking Jack, stereo, half threaded nose	2,35	2,89	11,83
<i>Loudspeaker Connector SPEAKON</i>					
NL2FC	szt..	2-pole cable connector	2,68	3,30	13,51
NL2FC-D	szt..	2-pole cable connector	2,60	3,20	13,13
NL8FC	szt..	8-pole cable connector	9,96	12,25	50,21

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NL2MP	szt..	2-pole Speakon Panel	1,74	2,14	8,77
NL4MP	szt..	4-pole Speakon Panel	1,53	1,88	7,71
NL4MP-B	szt..	4-pole Speakon Panel	2,71	3,33	13,65
NL4MP-1	szt..	4-pole Speakon Panel	1,63	2,01	8,24
NL4MP-2	szt..	4-pole Speakon Panel	1,63	2,01	8,24
NL4MP-3	szt..	4-pole Speakon Panel	1,63	2,01	8,24
NL4MP-ST	szt..	4-pole Speakon Panel, Screw Termination	3,22	3,96	16,24
NL4MP-UC	szt..	4-pole Speakon Panel	2,94	3,61	14,80
NL4MP-UC-1	szt..	4-pole Speakon Panel	3,10	3,81	15,62
NL4MP-M3	szt..	4-pole Chassis Connector	2,26	2,78	11,40
NL4MPR	szt..	Speakon line, 4-pole	2,50	3,07	12,60
NL8MPR	szt..	Speakon line, 8-pole	6,92	8,51	34,88
NL8MPR-BAG	szt..	Speakon line, 8-pole	7,13	8,76	35,93
NL4MMX	szt..	4-pole Coupler for Speakon Line	4,49	5,53	22,66
NL8MM	szt..	8-pole coupler for speakon line	15,21	18,71	76,70
NL2MD-H	szt..	2-pole chassis connector, horizontal szt.B mounting version	2,26	2,78	11,40
NL2MD-V	szt..	2-pole chassis connector, vertical szt.B mounting version	1,74	2,14	8,77
NL4MD-H	szt..	4-pole chassis connector, horizontal szt.B mounting version	2,21	2,72	11,16
NL4MD-H-1	szt..	4-pole chassis connector, horizontal szt.B mounting version	2,21	2,72	11,16
NL4MD-H-2	szt..	4-pole chassis connector, horizontal szt.B mounting version	2,34	2,87	11,79
NL4MD-H-3	szt..	4-pole chassis connector, horizontal szt.B mounting version	2,34	2,87	11,79
NL4MD-V	szt..	4-pole chassis connector, vertical szt.B mounting version	2,02	2,49	10,20
NL4MD-V-1	szt..	4-pole chassis connector, vertical szt.B mounting version	2,02	2,49	10,20

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NL4MD-V-2	szt..	4-pole chassis connector, vertical szt.B mounting version	2,02	2,49	10,20
NL4MD-V-S	szt..	4-pole chassis connector, switchable version of NL4MD-V with 8 szt.B contacts (4 switching contacts)	2,94	3,61	14,80
NL8MD-V	szt..	8-pole chassis connector	7,41	9,11	37,37
NL8MD-V-BAG	szt..	8-pole chassis connector with black chromium plate	7,53	9,27	37,99
NL8MD-V-1	szt..	8-pole chassis connector with black chromium plate and self tapping screw holes	7,10	8,73	35,79
NLFASTON	szt..	Speakon Line, Faston Receptacle	10,60	13,04	53,47
			0,00	0,00	0,00
BSL-WR	szt..	Water resistant Gland for NL4FC	1,20	1,47	6,04
<i>SPEAKON SPX-Series</i>					
NL4FX	szt..	4-pole Cable Connector, Black Bushing	3,88	4,77	19,55
NL4FX-2	szt..	4-pole Cable Connector, Red Bushing	3,88	4,77	19,55
NL4FX-4	szt..	4-pole Cable Connector, Yellow Bushing	3,88	4,77	19,55
NL4FX-5	szt..	4-pole Cable Connector, Green Bushing	3,88	4,77	19,55
NL4FX-9	szt..	4-pole Cable Connector, White Bushing	3,88	4,77	19,55
NL4FX-D	szt..	4-pole Cable Connector, bult packaging	3,74	4,60	18,88
NL4FRX	szt..	4-pole Cable Connector, right angle version	5,33	6,56	26,88
LRX	szt..	Conversion Kit for NL4FX	1,45	1,79	7,33
LCR, 2-9	szt..	Colour Rings for right angle version	0,36	0,44	1,82
CAS-SPX	szt..	Sample case including NL4FX, NL4FRX, NL4MMX, leaflet and assembly instruction	41,59	51,16	209,74
NLRR	szt..	Strain relief reduction ring for NL4FX for thin loudspeaker cables with an O.D. of 5 to 8 mm.	0,29	0,35	1,44
<i>SPEAKON STX-Series</i>					
NLT4FX	szt..	4-pole female Cable Connector	8,32	10,24	41,97
NLT4FX-BAG	szt..	4-pole female Cable Connector	8,89	10,94	44,84

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NLT8FX	szt..	8-pole female Cable Connector	14,66	18,03	73,92
NLT8FX-BAG	szt..	8-pole female Cable Connector	15,39	18,93	77,61
NLT4MX	szt..	4-pole male Cable Connector	8,06	9,91	40,63
NLT4MX-BAG	szt..	4-pole male Cable Connector	8,58	10,55	43,26
NLT4FP	szt..	4-pole female Chassis Connector	7,13	8,76	35,93
NLT4FP-BAG	szt..	4-pole female Chassis Connector	7,56	9,30	38,14
NLT4MP	szt..	4-pole male Chassis Connector	4,99	6,13	25,15
NLT4MP-BAG	szt..	4-pole male Chassis Connector	5,38	6,61	27,12
NLT8MP	szt..	8-pole male chassis connector, all metal	9,18	11,29	46,28
NLT8MP-BAG	szt..	8-pole male chassis connector, all metal	9,41	11,57	47,43
NLT4MD-V	szt..	4-pole male chassis connector, all metal	3,92	4,83	19,79
CAS-STX	szt..	Sample case including NLT4FX-BAG, NLT4MX, NLT4FP, NLT4MP-Bag	46,79	57,55	235,95
E-SCREW1-12B	szt..	Plastike screw 2.9x12 counterstunk, black	0,13	0,16	0,67
E-SCREW1-12NI	szt..	Plastike screw 2.9x12 counterstunk, nickel	0,13	0,16	0,67
<i>Speakon Combo</i>					
NLJ2MD-V	szt..	Combination of a Speakon and an 1/4" Jack receptacle, mating with all Speakons and 1/4" phone jacks, compatible to the NL4MD-V regarding szt.B layout and panel cutout.	1,77	2,17	8,91
NLJ2MD-H	szt..	Same as above, compatible to the NL2MD-H regarding szt.B layout and panel cutout.	2,37	2,91	11,93
<i>Phono-Cable Connector</i>					
NF2C-B/2	pair	Professional "Phono Plug"	14,40	17,71	72,63

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NF2D-0	szt..	Phono socket in Nickel D-shape housing and black isolation washers	3,40	4,18	17,15
NF2D-2	szt..	Red isolation washers	3,40	4,18	17,15
NF2D-4	szt..	Yellow isolation washers	3,40	4,18	17,15
NF2D-5	szt..	Green isolation washers	3,40	4,18	17,15
NF2D-6	szt..	Blue isolation washers	3,40	4,18	17,15
NF2D-9	szt..	White isolation washers	3,40	4,18	17,15
NF2D-B-0	szt..	Phono socket in black chrome D-shape housing an black isolation washers	3,67	4,51	18,49
NF2D-B-2	szt..	Red isolation washers	3,67	4,51	18,49
NF2D-B-4	szt..	Yellow isolation washers	3,67	4,51	18,49
NF2D-B-5	szt..	Green isolation washers	3,67	4,51	18,49

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NF2D-B-6	szt..	Blue isolation washers	3,67	4,51	18,49
NF2D-B-9	szt..	White isolation washers	3,67	4,51	18,49
<i>Accessories & Modules</i>					
NM3FXI	szt..	3-FX-housing with inner thread	4,42	5,43	22,28
NM3MXI	szt..	3-MX-housing with inner thread	4,28	5,27	21,61
VM	szt..	Metalized plastic connector-module	0,42	0,51	2,11
VMX	szt..	All metal connecting module	1,82	2,24	9,20
NM2P	szt..	2-pole 1/4' phone plug module	3,79	4,66	19,12
NM3P	szt..	2-pole 1/4' phone plug module	4,76	5,85	24,00
NMPMF	szt..	RCA female housing with inner thread M 17x1	4,47	5,50	22,56
NMPMM	szt..	RCA male housing with inner thread M 17x1	4,47	5,50	22,56
NM3FD-B	szt..	3-pole XLR female module, D-shape, black plated	5,48	6,74	27,64
NM3MD-B	szt..	3-pole XLR male module, D-shape, black plated	4,70	5,78	23,71
NM3J	szt..	3-pole 1/4' lockable phone jack module	4,70	5,78	23,71
SM2/2	szt..	Switch module 2x2 position	5,43	6,68	27,40
KM	szt..	Housing module, long	4,10	5,05	20,70
KMX	szt..	Housing module, short	3,88	4,77	19,55
CM	szt..	Cable module, short	3,46	4,25	17,44
DBA	szt..	Dummy-plate to cover D-connect. cut outs	0,57	0,70	2,87
DSS	szt..	Lettering plate for D-connectors	0,96	1,18	4,84
SCDF	szt..	Rubber sealing cover for the D-Series	0,54	0,67	2,73
SCDM	szt..	Rubber sealing cover for the D-Series	0,54	0,67	2,73
SCM	szt..	Dust protection cover for male chassis connectors	1,43	1,75	7,19
SCF	szt..	Dust protection cover for female chassis connectors	1,43	1,75	7,19

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
SCL	szt..	Dust protection cover	1,43	1,75	7,19
SCDP-0	szt..	Sealing gasket and color coding for D-size black	1,69	2,08	8,53
SCDP-2	szt..	Sealing gasket and color coding for D-size red	1,69	2,08	8,53
SCDP-4	szt..	Sealing gasket and color coding for D-size yellow	1,69	2,08	8,53
SCDP-5	szt..	Sealing gasket and color coding for D-size green	1,69	2,08	8,53
SCDP-6	szt..	Sealing gasket and color coding for D-size blue	1,69	2,08	8,53
SCDP-9	szt..	Sealing gasket and color coding for D-size white	1,69	2,08	8,53
SCDR	szt..	Soft plastic cover for the rear end of several D-size chassis connectors	1,33	1,64	6,71
SCDX	szt..	Hinged cover for all D-size chassis connectors, black	1,04	1,27	5,22
SCDX-5	szt..	Hinged cover for all D-size chassis connectors, green	1,04	1,27	5,22
SCDX-6	szt..	Hinged cover for all D-size chassis connectors, blue	1,04	1,27	5,22
SCDX-9	szt..	Hinged cover for all D-size chassis connectors, white	1,04	1,27	5,22
MFD	szt..	Fixing plate with M3 thread	0,29	0,35	1,44
NDF	szt..	Dummy Plug for female XLR Receptacles	0,42	0,51	2,11
NDM	szt..	Dummy Plug for male XLR Receptacles	0,42	0,51	2,11
NDD	szt..	Dummy Plug DIN	0,42	0,51	2,11
NDJ	szt..	Dummy Plug for 1/4" Jacks	0,42	0,51	2,11
NDP	szt..	Dummy Plug for Phono Sockets	0,42	0,51	2,11
NDL	szt..	Dummy Plug for Speakon Chassis	0,42	0,51	2,11
NDO	szt..	Dummy Plug for OpticalCON Receptacle	0,42	0,51	2,11
CAS DUMMY	szt..	The dummyPLUG case includes a mixed assortment of dummyPLUGs containing a practical number of each dummyPLUG packed in a handy portable case.	166,35	204,60	838,88
Adapters					
NA3FF	szt..	Adapter XLR-female to XLR-female	6,65	8,18	33,54
NA3FF-B	szt..	Adapter XLR-female to XLR-female, black plated	8,68	10,68	43,79
NA3MM	szt..	Adapter XLR-male to XLR-male	6,35	7,81	32,00
NA3MM-B	szt..	Adapter XLR-male to XLR-male, black plated	7,62	9,37	38,42
NA3FM	szt..	Adapter XLR-male to XLR-female (extension)	6,53	8,03	32,91

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NA3FJ	szt..	Adapter XLR-female to Stereo locking jack	9,49	11,67	47,86
NA3MJ	szt..	Adapter XLR-male to Stereo locking jack	9,28	11,42	46,81
NA3JJ	szt..	Adapter Stereo 1/4" Jack to Stereo 1/4" Jack	11,17	13,74	56,34
NA5FF	szt..	Adapter 5-pole XLR-female to 5-pole XLR-female (gender conversion adapter)	13,15	16,17	66,31
NA5MM	szt..	Adapter 5-pole XLR-male to 5-pole XLR-male (gender conversion adapter)	10,39	12,78	52,41
NA5FF-B	szt..	Adapter 5-pole XLR-female to 5-pole XLR-female (gender conversion adapter, black plating)	17,67	21,73	89,11
NA5MM-B	szt..	Adapter 5-pole XLR-male to 5-pole XLR-male (gender conversion adapter, black plating)	14,03	17,26	70,76
NA2FP	szt..	Adapter XLR-female to Mono 1/4" plug	7,33	9,02	36,99
NA2MP	szt..	Adapter XLR-male to Mono 1/4" plug	7,33	9,02	36,99
NA3FP	szt..	Adapter XLR-female to Stereo 1/4" Plug	8,22	10,11	41,44
NA3MP	szt..	Adapter XLR-male to Stereo 1/4" Plug	8,22	10,11	41,44
NA2FBNC	szt..	Adapter XLR-female to BNC socket	8,22	10,11	41,44
NA2MBNC	szt..	Adapter XLR-male to BNC socket	8,08	9,94	40,77
NA2MPMF	szt..	Adapter XLR-male to Phono ('rca'-) jack	7,33	9,02	36,99
NA2FPMF	szt..	Adapter XLR-female to Phono ('rca'-) jack	7,33	9,02	36,99
NA2MPMM	szt..	Adapter XLR-male to Phono ('rca'-) plug	7,88	9,69	39,72
NA2FPMM	szt..	Adapter XLR-female to Phono ('rca'-) plug	7,88	9,69	39,72
NA3F5F	szt..	Adapter 3-pole XLR-female to 5-pole XLR female	10,14	12,47	51,12
NA3M5M	szt..	Adapter 3-pole XLR-male to 5-pole XLR-male	9,10	11,19	45,90
NA3M5F	szt..	DMX-Adapter, 3-pin male to 5-pin female	9,85	12,12	49,68
NA3F5M	szt..	DMX-Adapter, 3-pin female to 5-pin male	9,12	11,22	45,99
NA3FDM	szt..	XLR female-male feedthrough adapter for panel mount	5,46	6,72	27,55

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NA3MDF	szt..	XLR male-female feedthrough adapter for panel mount	5,20	6,39	26,21
NA3FM-X	szt..	XLR-male to XLR-female	6,89	8,47	34,73
NA4LJX	szt..	NL4FC to 1/4" 2-pole jack socket	6,00	7,38	30,28
NA4FC-M	szt..	NL4FC to XLR-male plug	10,76	13,24	54,28
NA4FC-F	szt..	NL4FC to XLR-female plug	11,98	14,73	60,41
NA4MP-M	szt..	NL4MP to XLR-male socket	11,51	14,16	58,07
NA4MP-F	szt..	NL4MP to XLR-female socket	11,93	14,68	60,17
NA4MP-J	szt..	NL4MP to locking jack socket	11,69	14,38	58,98
NA4MP-M-X	szt..	NL4MP to NL4MP	11,28	13,87	56,87
NA2BBNC-D4B	szt..	BNC socket to RCA/Phono socket, yellow	20,77	25,54	104,73
NA2BBNC-D9B	szt..	BNC socket to RCA/Phono socket, white	20,77	25,54	104,73
NA2F-D2B-TX	szt..	DI impedance matching adapter	21,78	26,79	109,85
NA2F-D0B-TX	szt..	DI impedance matching adapter	21,78	26,79	109,85
NA2M-D2B-TX	szt..	DI impedance matching adapter	21,37	26,28	107,75
NA2M-D0B-TX	szt..	DI impedance matching adapter	21,37	26,28	107,75
NA2M-J-TX	szt..	DI impedance matching adapter	21,37	26,28	107,75
NA2F-J-TX	szt..	DI impedance matching adapter	21,78	26,79	109,85
NA-HOUSING	szt..	2 housing profiles (black), 4 screws	8,24	10,13	41,54
<i>AES/EBU Digital Audio Impedance Transformer</i>					
NADITBNC-F	szt..	DI impedance matching adapter	33,73	41,49	170,12
NADITBNC-M	szt..	AES-EBU coupler	33,73	41,49	170,12
NADITBNC-FX	szt..	AES-EBU Dig. Audio Impedance Transformer	37,15	45,69	187,32
NADITBNC-MX	szt..	AES-EBU Dig. Audio Impedance Transformer	37,15	45,69	187,32
<i>D-Shape USB & IEEE 1394</i>					

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NAUSB	szt..	Reversible USB gendercharger (type USB A and USB B) required to integrate computer-based equipment into sound and video systems, but also for audio networking like M-LAN, Cobra Net etc. Nickel D-housing	4,03	4,95	20,31
NAUSB-B	szt..	Reversible USB gendercharger (type USB A and USB B) required to integrate computer-based equipment into sound and video systems, but also for audio networking like M-LAN, Cobra Net etc. Black D-housing	4,34	5,34	21,89
NKUSB-1	szt..	USB 2.0 cable with overmolded flex relief and metal cable carrier 1m	18,79	23,11	94,76
NKUSB-3	szt..	USB 2.0 cable with overmolded flex relief and metal cable carrier 3m	20,90	25,71	105,40
NKUSB-5	szt..	USB 2.0 cable with overmolded flex relief and metal cable carrier 5m	22,95	28,23	115,75
NA1394-6	szt..	Firewire 6 with IEEE 1394 6-pol connectors on both ends. Nickel D-housing.	5,98	7,35	30,13
NA1394-6-B	szt..	Firewire 6 with IEEE 1394 6-pol connectors on both ends. Black D-housing.	6,26	7,70	31,57
NAHDMI-W	szt..	HDMI 1.3 feedthrough adapter	9,22	11,35	46,52
NAHDMI-W-B	szt..	HDMI 1.3 feedthrough adapter	9,54	11,73	48,10
NKHDMI-1	szt..	HDMI 1.3a cable with overmolded flex relief and metal cable carrier 1m	25,18	30,98	127,01
NKHDMI-3	szt..	HDMI 1.3a cable with overmolded flex relief and metal cable carrier 3m	28,54	35,10	143,92
NKHDMI-5	szt..	HDMI 1.3a cable with overmolded flex relief and metal cable carrier 5m	31,84	39,17	160,59
<i>Goosenecks</i>					
GNS 18	szt..	Gooseneck set, 23 cm	33,14	40,76	167,10
GNS 36	szt..	Gooseneck set, 36 cm	38,70	47,60	195,18

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
GNS 50	szt..	Gooseneck set, 50 cm	51,36	63,17	258,99
GN 18	szt..	Gooseneck, 23 cm	14,53	17,87	73,25
GN 36	szt..	Gooseneck, 36 cm	19,13	23,53	96,49
GN 50	szt..	Gooseneck, 50 cm	34,90	42,93	176,02
MSG	szt..	Mounting screw with through hole	5,30	6,52	26,73
GF1	szt..	Heavy duty mounting flange for GN-Series	21,91	26,95	110,48
<i>Cable Assemblies</i>					
NKTT-03BL	szt..	Patch Cable 0.3m, black	15,60	19,19	78,67
NKTT-03BU	szt..	Patch Cable 0.3m, blue	15,60	19,19	78,67
NKTT-03GN	szt..	Patch Cable 0.3m, green	15,60	19,19	78,67
NKTT-03RD	szt..	Patch Cable 0.3m, red	15,60	19,19	78,67
NKTT-03YE	szt..	Patch Cable 0.3m, yellow	15,60	19,19	78,67
NKTT-04BL	szt..	Patch Cable 0.4m, black	15,72	19,34	79,29
NKTT-04BU	szt..	Patch Cable 0.4m, blue	15,72	19,34	79,29
NKTT-04GN	szt..	Patch Cable 0.4m, green	15,72	19,34	79,29
NKTT-04RD	szt..	Patch Cable 0.4m, red	15,72	19,34	79,29
NKTT-04YE	szt..	Patch Cable 0.4m, yellow	15,72	19,34	79,29
NKTT-05BL	szt..	Patch Cable 0.6m, black	15,86	19,50	79,96
NKTT-05BU	szt..	Patch Cable 0.6m, blue	15,86	19,50	79,96
NKTT-05GN	szt..	Patch Cable 0.6m, green	15,86	19,50	79,96
NKTT-05RD	szt..	Patch Cable 0.6m, red	15,86	19,50	79,96
NKTT-05YE	szt..	Patch Cable 0.6m, yellow	15,86	19,50	79,96
NKTT-1BL	szt..	Patch Cable 0.9m, black	16,35	20,11	82,45
NKTT-1BU	szt..	Patch Cable 0.9m, blue	16,35	20,11	82,45
NKTT-1GN	szt..	Patch Cable 0.9m, green	16,35	20,11	82,45
NKTT-1RD	szt..	Patch Cable 0.9m, red	16,35	20,11	82,45
NKTT-1YE	szt..	Patch Cable 0.9m, yellow	16,35	20,11	82,45
NKTT-12BL	szt..	Patch Cable 1.2m, black	16,87	20,75	85,09
NKTT-12BU	szt..	Patch Cable 1.2m, blue	16,87	20,75	85,09
NKTT-12GN	szt..	Patch Cable 1.2m, green	16,87	20,75	85,09
NKTT-12RD	szt..	Patch Cable 1.2m, red	16,87	20,75	85,09

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NKTT-12YE	szt..	Patch Cable 1.2m, yellow	16,87	20,75	85,09
NKTB03-BL	szt..	Patch Cable 0.3m, black	17,23	21,20	86,91
NKTB03-R	szt..	Patch Cable 0.3m, red	17,23	21,20	86,91
NKTB04-BL	szt..	Patch Cable 0.4m, black	17,39	21,38	87,67
NKTB04-R	szt..	Patch Cable 0.4m, red	17,39	21,38	87,67
NKTB05-BL	szt..	Patch Cable 0.6m, black	17,52	21,55	88,34
NKTB05-R	szt..	Patch Cable 0.6m, red	17,52	21,55	88,34
NKTB1-B	szt..	Patch Cable 0.9m, black	18,16	22,34	91,60
NKTB1-R	szt..	Patch Cable 0.9m, red	18,16	22,34	91,60
<i>Transformers</i>					
NTE1	szt..	Audio Transformer 1:1	6,42	7,90	32,39
NTE4	szt..	Audio Transformer 1:4	7,56	9,30	38,14
NTE10/3	szt..	Audio Transformer 1:3:10	7,88	9,69	39,72
NTM1	szt..	Studio Transformer Mic 1:1	35,38	43,51	178,41
NTM4	szt..	Studio Transformer Mic 1:4	36,65	45,08	184,83
NTL1	szt..	Studio Transformer Line 1:1	41,82	51,44	210,89
<i>Patch-Panels</i>					
NPP-TB	szt..	Patch Panel, 2 x 24 TB	730,38	898,37	3683,30
NPP-TB-HN	szt..	Patch Panel, 2 x 24 TB, half normalled	418,48	514,72	2110,37
NPPA-TT-PT	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	831,74	1023,05	4194,48
NPPA-TT-PT-FN	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, full normalled	831,74	1023,05	4194,48
NPPA-TT-PT-HNT	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, half normalled top row	831,74	1023,05	4194,48
NPPA-TT-PT-I	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, isolated	831,74	1023,05	4194,48
NPPA-TT-PT-P	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, parallel	831,74	1023,05	4194,48
NPPA-TT-SD25	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	823,94	1013,45	4155,15
NPPA-TT-SD50	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	813,55	1000,67	4102,74
NPPA-TT-E56	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	917,52	1128,55	4627,05

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NPPA-TT-E90	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	1018,88	1253,23	5138,23
NPPA-TT-S	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	574,43	706,55	2896,84
NPPA-TT-S-FN	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, full normalled	574,43	706,55	2896,84
NPPA-TT-S-HNT	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, half normalled top row	574,43	706,55	2896,84
NPPA-TT-S-I	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, isolated	574,43	706,55	2896,84
NPPA-TT-S-P	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks, parallel	574,43	706,55	2896,84
NPPA-TT-IDC	szt..	Patch Panel, 2 x 48 TT (Bantam) jacks	831,74	1023,05	4194,48
Pre-configured Jack-Pairs					
NJ3TTA-4-HNB	szt..	Pre-conifurated Jack-Pair	12,16	14,96	61,32
NJ3TTA-4-HNT	szt..	Pre-configured Jack-Pair, yellow	12,16	14,96	61,32
NJ3TTA-4-FN	szt..	Pre-configured Jack-Pair, green	12,16	14,96	61,32
NJ3TTA-4-P	szt..	Pre-conifurated Jack-Pair, red	12,16	14,96	61,32
NJ3TTA-4-I	szt..	Pre-conifurated Jack-Pair, orange	12,01	14,77	60,56
Accessories					
NPP-LB, 0-9	blister	Bag with 100 name plates per colour	62,38	76,72	314,57
NPP-C	szt..	Metal dust Cover	13,00	15,99	65,54
NPP-S	szt..	Second Strain relief	23,39	28,77	117,95
NPPA-S	szt..	Stain relief bar	23,39	28,77	117,95
NPPA-NB	szt..	NPPA-TT normalling bar emergency kit, allows to change normalling of all 48 channels.	7,80	9,59	39,33
NeutriCon - N Connector System					
BC1	szt..	Female contact, gold plated, Crimp	0,45	0,55	2,25
BS1	szt..	Female contact, gold plated, Solder	0,45	0,55	2,25
BP1	szt..	Female contact, gold plated, szt.B	0,45	0,55	2,25
szt.1	szt..	Female contact, gold plated, Crimp	0,18	0,22	0,91
PS1	szt..	Female contact, gold plated, Solder	0,18	0,22	0,91
PP1	szt..	Female contact, gold plated, szt.B	0,18	0,22	0,91
FI8	szt..	Female insert	0,67	0,83	3,40
MI8	szt..	Male insert	0,67	0,83	3,40

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
SC8	szt..	Cable connector housing with locking device, 180° Coding	5,93	7,29	29,89
SC81	szt..	Cable connector housing with locking device, 90° Coding	5,93	7,29	29,89
SC8-NI	szt..	Cable connector housing with locking device, 180° Coding, nickel housing	5,02	6,17	25,30
SC81-NI	szt..	Cable connector housing with locking device, 90° Coding, nickel housing	5,02	6,17	25,30

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
SC8 W	szt..	Cable connector housing for female and male inserts	7,92	9,75	39,96
SR8 W	szt..	Cable connector housing for female and male inserts	0,91	1,12	4,60
MC8	szt..	Malting cable connector housing, 180° Coding	1,80	2,21	9,05
MC81	szt..	Malting cable connector housing, 90° Coding	1,80	2,21	9,05
MC8-NI	szt..	Malting cable connector housing, 180° Coding, nickel housing	1,51	1,86	7,62
MC81-NI	szt..	Malting cable connector housing, 90° Coding, nickel housing	1,51	1,86	7,62
SR8	szt..	Cable clamp, 3 - 7mm	0,42	0,51	2,11
SR8A	szt..	Crimp type strain relief, 3 - 3.8mm	1,17	1,44	5,89
SR8B	szt..	Crimp type strain relief, 6 - 7mm	1,17	1,44	5,89
RP8	szt..	Chassis receptacle housing, 180° Coding	1,66	2,04	8,38
RP81	szt..	Chassis receptacle housing, 90° Coding	1,66	2,04	8,38
RP8-NI	szt..	Chassis receptacle housing, 180° Coding, nickel housing	1,66	2,04	8,38
RP81-NI	szt..	Chassis receptacle housing, 90° Coding, nickel housing	1,66	2,04	8,38
BSP, 0-9	blister	Box of 100 szt.s. of colored bushes	49,38	60,74	249,03
OSC8F	szt..	Female cable connector, chuck principle, black housing	10,89	13,39	54,90
OSC8F-NI	szt..	Female cable connector, chuck principle, nickel housing	10,89	13,39	54,90
OSC8M	szt..	Male cable connector, chuck principle, black housing	8,73	10,74	44,03
OSC8M-NI	szt..	Male cable connector, chuck principle, nickel housing	8,73	10,74	44,03
ORP8F	szt..	Female panel mount receptacle, black housing	6,14	7,55	30,95
ORP8F-NI	szt..	Female panel mount receptacle, nickel housing	6,14	7,55	30,95
ORP8M	szt..	Male panel mount receptacle, black housing	3,98	4,90	20,07

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
ORP8M-NI	szt..	Male panel mount receptacle, nickel housing	3,98	4,90	20,07
<i>MiniCon System</i>					
MBC	szt..	Female contact, gold plated, Crimp	0,60	0,74	3,02
MBS	szt..	Female contact, gold plated, Solder	0,60	0,74	3,02
Msz.	szt..	Female contact, gold plated, Crimp	0,21	0,26	1,05
MPS	szt..	Female contact, gold plated, Solder	0,29	0,35	1,44
MFI	szt..	Female insert	0,75	0,92	3,78
MMI	szt..	Male insert	0,75	0,92	3,78
MSC	szt..	Cable connector housing for inserts	6,05	7,44	30,52
MMC	szt..	Cable connector extension housing	4,06	4,99	20,46
MRF	szt..	Female receptacle without contact elem.	4,18	5,14	21,08
MRR	szt..	Male receptacle without contact elem.	4,18	5,14	21,08
MPF12-H	szt..	Female szt.B mount receptacle, horizontal	14,90	18,32	75,12
MPM12-H	szt..	Male szt.B mount receptacle, horizontal	9,18	11,29	46,28
MPF12-V	szt..	Female szt.B mount receptacle, vertical	11,86	14,58	59,79
MPM12-V	szt..	Male szt.B mount receptacle, vertical	7,77	9,56	39,19
MSRC	szt..	Set of strain relief, crimp version	4,66	5,73	23,48

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
MSCF12	szt..	Female cable connector, chuck principle	14,09	17,33	71,05
MSCM12	szt..	Male cable connector, chuck principle	9,57	11,77	48,24
MRF12	szt..	Female panel mount receptacle	11,51	14,16	58,07
MRM12	szt..	Male panel mount receptacle	8,06	9,91	40,63
Accessories for the NeutriCon and MiniCon System					
HX-CONTACT	szt..	DMC Crimp tool for NeutriCon and MiniCon contacts	1252,81	1540,96	6317,93
MPOS-MBC	szt..	For MiniCon female contact MBC	210,54	258,96	1061,75
MPOS-Mszt.	szt..	For MiniCon male contact Mszt.	210,54	258,96	1061,75
MPOS-BC1	szt..	For NeutriCon female contact BC1	210,54	258,96	1061,75
MPOS-szt.1	szt..	For NeutriCon male contact szt.1	210,54	258,96	1061,75
NanoCon System					
NSC3F	szt..	Female cable connector with chuck and solder contacts	9,98	12,28	50,35
NSC3M	szt..	Male cable connector with chuck and solder contacts	8,86	10,90	44,70
NR3F-S	szt..	Female receptacle with solder contacts	8,11	9,98	40,91
NR3M-S	szt..	Male receptacle with solder contacts	7,04	8,66	35,50
NP3F-H	szt..	Female szt.B mount receptacle, horizontal	9,25	11,38	46,66
NP3M-H	szt..	Male szt.B mount receptacle, horizontal	8,24	10,13	41,54
NP3F-V	szt..	Female szt.B mount receptacle, vertical	8,84	10,87	44,55
NP3M-V	szt..	Male szt.B mount receptacle, vertical	7,77	9,56	39,19
PowerCon					
NAC3FCA	szt..	Cable connector with quick lock, blue	5,30	6,52	26,73
NAC3FCA-D	szt..	Cable connector with quick lock, blue	5,12	6,30	25,82
NAC3MPA	szt..	Chassis connector, air tight, blue	2,60	3,20	13,13
NAC3FCB	szt..	Cable connector with quick lock, grey	5,30	6,52	26,73
NAC3FCB-D	szt..	Cable connector with quick lock, blue	5,12	6,30	25,82

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NAC3MPB	szt..	Chassis connector, air tight, grey	2,60	3,20	13,13
NAC3MM	szt..	Coupler for linking cables	14,90	18,32	75,12
NAC3FC-HC	szt..	PowerCon 32 Amp cable connector	12,64	15,54	63,72
NAC3MP-HC	szt..	PowerCon 32 Amp chassis connector	7,53	9,27	37,99
<i>EtherCon System</i>					
NE8MC	szt..	Cable Housing with Chuck and Bushing	2,57	3,17	12,98
NE8MC-B	szt..	Cable Housing with Chuck and Bushing	2,96	3,65	14,95
NE8MC-1	szt..	Cable Housing with Chuck and Bushing, equipped with X-Series boot	2,23	2,75	11,26
NE8MC-B-1	szt..	Cable Housing with Chuck and Bushing, equipped with X-Series boot	2,57	3,17	12,98
NE8MC-1-D	szt..	Cable Housing with Chuck and Bushing, equipped with X-Series boot	2,23	2,75	11,26
BSE, 0-9	blister	Coloured Bushing for EtherCon Cable Connector, Box of 100 szt.s.	20,80	25,58	104,87
BSX, 0-9	blister	Box of 100 szt.s. Of colored sleeves	49,38	60,74	249,03

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
<i>EtherCon System</i>					
NE8FAH	szt..	'A'-Size receptacle	3,51	4,31	17,68
NE8FAV	szt..	'A'-Size receptacle	3,51	4,31	17,68
NE8FAV-YK	szt..	'A'-Size receptacle	6,94	8,54	35,02
NE8FAV-YK-D	szt..	'A'-Size receptacle	6,74	8,28	33,97
NE8FAV-Y110	szt..	'A'-Size receptacle	6,94	8,54	35,02
NE8FAV-Y110-D	szt..	'A'-Size receptacle	6,74	8,28	33,97
NE8FAH-S	szt..	'A'-Size receptacle, shielded version	4,31	5,30	21,75
NE8FAV-SD	szt..	A'-Size receptacle	3,53	4,35	17,82
NE8FBH	szt..	'B'-type Receptacle	3,95	4,86	19,93
NE8FBV	szt..	'B'-type Receptacle	3,95	4,86	19,93
NE8FBH-S	szt..	B'-type Receptacle, Shielded Version	4,31	5,30	21,75
NE8FBH-LED	szt..	B'-type Receptacle, Lighted Version	5,04	6,20	25,44
NE8FF	szt..	Feedthrough coupler	13,93	17,13	70,23
NE8FDP	szt..	Chassis connector, nickel housing	8,22	10,11	41,44
NE8FDP-D	szt..	Chassis connector, nickel housing	7,90	9,72	39,86
NE8FDP-B	szt..	Chassis connector, black housing	8,47	10,42	42,73
NE8FDP-B-D	szt..	Chassis connector, black housing	8,22	10,11	41,44
NE8FDV	szt..	'D'-size Receptacle	4,06	4,99	20,46
NE8FDV-B	szt..	'D'-size Receptacle	4,39	5,40	22,13
NE8FDV-YK	szt..	'D'-size Receptacle	7,53	9,27	37,99
NE8FDV-YK-D	szt..	'D'-size Receptacle	7,33	9,02	36,99
NE8FDV-YK-B	szt..	'D'-size Receptacle	7,83	9,63	39,48
NE8FDV-YK-B-D	szt..	'D'-size Receptacle	7,59	9,34	38,28
NE8FDV-Y110	szt..	'D'-size Receptacle	7,53	9,27	37,99
NE8FDV-Y110-D	szt..	'D'-size Receptacle	7,33	9,02	36,99
NE8FDV-Y110-B	szt..	'D'-size Receptacle	7,83	9,63	39,48

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NE8FDV-Y110-B-D	szt..	'D'-size Receptacle	7,59	9,34	38,28
SE8FD	szt..	Sealing Kit for EtherCon D-Series	2,08	2,56	10,49
			0,00	0,00	0,00
NE8FDH-C5E	szt..	Horizontal C5e component compliant szt.B panel mount RJ45 receptacle, D-shape metal flange with latch lock, max. panel thickness 4 mm	8,01	9,85	40,39
NE8FDY-C6	szt..	D-shape CAT6 panel connector with nickel housing	17,28	21,26	87,15
NE8FDY-C6-B	szt..	D-shape CAT6 panel connector with black chrome housing	18,25	22,45	92,03
NKE6S-1	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 1m	29,66	36,48	149,57
NKE6S-2	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 2m	32,07	39,45	161,74
NKE6S-3	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 3m	35,17	43,26	177,36
NKE6S-5	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 5m	38,49	47,35	194,13
NKE6S-10	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 10m	49,62	61,03	250,23
NKE6S-20	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 20m	71,82	88,34	362,19
NKE6S-30	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 30m	94,01	115,63	474,10
NKE6S-35	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 35m	105,27	129,48	530,87
NKE6S-40	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 40m	117,14	144,09	590,76
NKE6S-45	szt..	Preassembled CAT6 patch cable with robust cable plug carrier, 45m	128,30	157,81	647,00
NKE6S-1-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 1m	22,88	28,14	115,36
NKE6S-2-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 2m	25,32	31,14	127,68

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NKE6S-3-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 3m	28,36	34,88	143,01
NKE6S-5-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 5m	31,71	39,00	159,92
NKE6S-10-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 10m	42,84	52,69	216,02
NKE6S-20-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 20m	65,19	80,18	328,75
NKE6S-30-WOC	szt..	Preassembled CAT6 patch cable with robust cable plug carrier on one side only, 30m	87,26	107,33	440,04
CAS-RJ45	szt..	Sample case including NE8MC, NE8FAV-Y110, NE8FBH, NE8FDV-YK, punch down assembly demo tool, leaflet and assembly instruction	51,98	63,94	262,16
CAS-CAT6	szt..	Sample case including NE8FDY-C6, NE8FDY-C6-B, assembly instruction - each 1 szt..	62,38	76,72	314,57
<i>Push-Pull BNC 75 Ohms Cable Connector</i>					
NBNC75PDE6	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PFE6	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PFE7	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PGE7	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PIE9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PLE9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PLS9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PNS7	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PNS9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75POS11	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PTS9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PTS11	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PVS9	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PVS11	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
NBNC75PVS12	szt..	Push-Pull BNC 75 Ohms Cable Connector	4,13	5,08	20,84
<i>Rear Twist BNC 75 Ohms Cable Connector</i>					

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NBNC75BDD6	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BDD6-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BFG7	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BFG7-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BFH6	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BGG7	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BGG7-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BIJ9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BIJ9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BJJ9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BJJ9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BJP9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BLP7	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BLP7-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BLP9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BLP9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BLS7	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BLS7-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BNP9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BNP9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BQP11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BQP11-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BRS9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BRS9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BTS9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BTS9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BTS11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BTU11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BTU11-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BUU11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BUU11-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BWS11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BWS11-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BWS12	szt..	Rear Twist BNC 75 Ohms Cable Connector	2,11	2,59	10,64
NBNC75BWU13	szt..	Rear Twist BNC 75 Ohms Cable Connector	2,11	2,59	10,64
NBNC75BXU13	szt..	Rear Twist BNC 75 Ohms Cable Connector	2,11	2,59	10,64

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NBNC75BXY9	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BXY9-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
NBNC75BYY9	szt..	Rear Twist BNC 75 Ohms Cable Connector	2,11	2,59	10,64
NBNC75BYY11	szt..	Rear Twist BNC 75 Ohms Cabel Connector	2,11	2,59	10,64
NBNC75BYY11-D	szt..	Rear Twist BNC 75 Ohms Cabel Connector	1,84	2,27	9,29
<i>Large Rear Twist BNC 75 Ohms Cable Connector</i>					
NBLC75BSX14	szt..	Large Rear Twist BNC 75 Ohms Cable Connector	3,51	4,31	17,68
NBLC75BVZ17	szt..	Large Rear Twist BNC 75 Ohms Cable Connector	3,51	4,31	17,68
<i>Tiny Rear Twist BNC 75 Ohms Cable Connector</i>					
NBTC75BFI4	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BFI4-D	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,46	4,25	17,44
NBTC75BLI4	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BLI5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BNN5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BNN5-D	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,46	4,25	17,44
NBTC75BNS4	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BSS5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BVV5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BVX6	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BXX5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
NBTC75BXX6	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	3,67	4,51	18,49
<i>Panel Cable Jack BNC 75 Ohms</i>					
NBNB75GLP9	szt..	75 Ohms BNC Cable Jack Panel Version	4,84	5,95	24,39
NBNB75GUU11	szt..	75 Ohms BNC Cable Jack Panel Version	4,84	5,95	24,39
NBNB75ILP9	szt..	75 Ohms BNC Cable Jack Panel Version	6,75	8,31	34,06
NBNB75IUU11	szt..	75 Ohms BNC Cable Jack Panel Version	6,75	8,31	34,06
NBTB75IFI4	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	7,88	9,69	39,72
NBTB75INN5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	7,88	9,69	39,72
<i>Tiny Cable Jack BNC 75 Ohms</i>					

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NBTB75CFI4	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	4,91	6,04	24,77
NBTB75CLI5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	4,91	6,04	24,77
NBTB75CNN5	szt..	Tiny Rear Twist BNC 75 Ohms Cable Connector	4,91	6,04	24,77
<i>Bulkhead Jacks BNC 75 Ohms Chassis Connector</i>					
NBB75DFI	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,26	7,70	31,57
NBB75DFIB	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,57	8,09	33,15
NBB75DFIB-P		Bulkhead Jacks 75 Ohms Chassis Connector			
NBB75DFG	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,42	7,90	32,39
NBB75DFGB	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,74	8,28	33,97
NBB75SI	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	5,33	6,56	26,88
NBB75DSI	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,55	8,05	33,01
NBB75DSIB	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,84	8,41	34,49
NBB75DSG	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,32	7,77	31,86
NBB75DSGB	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	6,60	8,12	33,30
DSS	szt..	Lettering plate for D-connectors	0,96	1,18	4,84
NBB75FI	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	5,09	6,26	25,68
NBB75FG	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	5,27	6,49	26,59
NBB75FI-M	szt..	Bulkhead Jacks 75 Ohms Chassis Connector	10,11	12,43	50,97
<i>BNC Connectors Accessories</i>					
HX-BNC	szt..	Crimp tool, frame	626,41	770,49	3158,99
DIE-BNC-JD	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59
DIE-BNC-CS	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59
DIE-BNC-PG	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59
DIE-BNC-S	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59
DIE-BNC-U	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
DIE-BNC-Y	szt..	Crimp tool die for pin crimping	158,56	195,02	799,59
HT-BNC	szt..	Spanner tool	4,60	5,66	23,19
BS-BNC, 0-9	szt..	Standard Bushing for Push-Pull BNC 's	0,18	0,22	0,91
BS-BNC-2I	szt..	Standard bushing, translucent Red	0,24	0,29	1,20
BS-BNC-5I	szt..	Standard bushing, translucent green	0,24	0,29	1,20
BS-BNC-6I	szt..	Standard bushing, translucent blue	0,24	0,29	1,20
BST-BNC, 0-9	szt..	Standard bushing for Rear Twist BNC 's	0,21	0,26	1,05
BST-BNC-CY	szt..	Standard bushing for Rear Twist BNC 's, turquoise	0,21	0,26	1,05
BST-BLC-CY	szt..	Turquoise bushing for the Rear Twist large BNC 's	0,36	0,44	1,82
CAS-BNC-T	szt..	BNC Assembly Case	374,28	460,37	1887,50
HX-R-BNC	szt..	BNC Crimp Tool	127,36	156,65	642,26
CAS-BNC	szt..	BNC Presentation Case	535,44	658,59	2700,22
PT-BNC	szt..	BNC Pliers Tool			
CS-BNC	szt..	Coax Cable Stripper	142,96	175,84	720,93
DIE-R-BNC-PDC	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-PG	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-PJ	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-PS	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-PU	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-PY	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-Z	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DIE-R-BNC-UG	szt..	Crimp die to be used with HX-R-BNC crimp tool only	158,56	195,02	799,59
DSS	szt..	Lettering plate for D-connectors	0,96	1,18	4,84
MFD	szt..	Fixing plate with M3 thread	0,29	0,35	1,44
SCDP-0	szt..	Sealing gasket and color coding for D-size black	1,69	2,08	8,53
SCDP-2	szt..	Sealing gasket and color coding for D-size red	1,69	2,08	8,53
SCDP-4	szt..	Sealing gasket and color coding for D-size yellow	1,69	2,08	8,53
SCDP-5	szt..	Sealing gasket and color coding for D-size green	1,69	2,08	8,53

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
SCDP-6	szt..	Sealing gasket and color coding for D-size blue	1,69	2,08	8,53
SCDP-9	szt..	Sealing gasket and color coding for D-size white	1,69	2,08	8,53
SCDX	szt..	Hinged cover for all D-size chassis connectors, black	1,04	1,27	5,22
SCDX-5	szt..	Hinged cover for all D-size chassis connectors, green	1,04	1,27	5,22
SCDX-6	szt..	Hinged cover for all D-size chassis connectors, blue	1,04	1,27	5,22
SCDX-9	szt..	Hinged cover for all D-size chassis connectors, white	1,04	1,27	5,22
SCF	szt..	Dust protection cover for female chassis connectors	1,43	1,75	7,19
913 10001 004	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 11641 029	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 09591 030	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 08971 004	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 09601 029	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 09611 004	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
913 11461 004	szt..	Center Pins for Push-Pull BNC Connectors	41,59	51,16	209,74
<i>opticalCon</i>					
Chassis Connectors					
NO2-4FDW	szt..	Fiber optic chassis connector with hard Nickel plating, 4 solder contacts and 1 LC-Duplex feedthrough socket	54,59	67,14	275,28
NO2-4FDW-1	szt..	Fiber optic chassis connector with hard Nickel plating, 4 solder contacts, 1 LC-Duplex feedthrough socket and 1 shell ground contact	57,18	70,33	288,36
NO2-4FDW-R	szt..	Fiber optic chassis connector with Ruthenium plating, 4 solder contacts and 1 LC-Duplex feedthrough socket	59,78	73,53	301,49
NO2-4FDW-1-R	szt..	Fiber optic chassis connector with Ruthenium plating, 4 solder contacts, 1 LC-Duplex feedthrough socket and 1 shell ground contact	62,38	76,72	314,57
NO4FDW-R	szt..	Chassis connector, Ruthenium plating, waterproof according to IP65, front panel mount.	57,18	70,33	288,36

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
Couplers					
NAO2M-4S75W	szt..	Fiber optic coupler, LC-Duplex Multimode szt., 4 x 0.75mm ² , waterproof according to IP65	181,94	223,79	917,54
NAO2S-4S75W	szt..	Fiber optic coupler, LC-Duplex Singlemode szt., 4 x 0.75mm ² , waterproof according to IP65	202,74	249,37	1022,42
NAO2SA-4S75W	szt..	Fiber optic coupler, LC-Duplex Singlemode Aszt., 4 x 0.75mm ² , waterproof according to IP65	207,94	255,76	1048,62
NAO4MW					
NAO4MW	szt..	Waterproof opticalCON Quad coupler (adapter) for cable extensions. Multimode szt..	239,12	294,12	1205,90
NAO4SW					
NAO4SW	szt..	Waterproof opticalCON Quad coupler (adapter) for cable extensions. Singlemode szt..	272,92	335,69	1376,32
NAO4SAW					
NAO4SAW	szt..	Waterproof opticalCON Quad coupler (adapter) for cable extensions. Singlemode Aszt..	272,92	335,69	1376,32
NAO2M-SFP-LC					
NAO2M-SFP-LC	szt..	Multimode transceiver adapter, color coding grey	49,38	60,74	249,03
NAO2S-SFP-LC					
NAO2S-SFP-LC	szt..	Singlemode transceiver adapter, color coding blue	51,98	63,94	262,16
NAO2SA-SFP-LC					
NAO2SA-SFP-LC	szt..	Singlemode Aszt. transceiver adapter, color coding green	62,38	76,72	314,57
Breakout Boxes					
NO4MBB1-2					
NO4MBB1-2	szt..	Breakout Box, Multimode szt., black	395,08	485,94	1992,37
NO4SBB1-2					
NO4SBB1-2	szt..	Breakout Box, Singlemode szt., blue	434,06	533,90	2188,99
NO4SABB1-2					
NO4SABB1-2	szt..	Breakout Box, Singlemode Aszt., green	441,86	543,49	2228,32
NO4MBB1-4					
NO4MBB1-4	szt..	Breakout Box, Multimode szt., black	475,66	585,06	2398,73
NO4SBB1-4					
NO4SBB1-4	szt..	Breakout Box, Singlemode szt., blue	514,64	633,01	2595,35
NO4SABB1-4					
NO4SABB1-4	szt..	Breakout Box, Singlemode Aszt., green	522,44	642,60	2634,68
NAOBO					
NAOBO	szt..	Breakout-Adapter-Kit	57,18	70,33	288,36
Breakout Extensions					
NOSPS-100LC50LC50LC					
NOSPS-100LC50LC50LC	szt..	Single mode szt. 1 x 2 LC splitter to split a fiber signal (100 - 50/50). Splitter can be used with NZPFD-2.	249,53	306,92	1258,36

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NOSPS-100EA50LC50EA	szt..	Single mode szt. 1 x 2 splitter (*...LC/EA/ST/SC)to split a fiber signal (100 - 50/50). Splitter can be used with NZPFD-4*	298,91	367,66	1507,39
NOSPM-100LC50LC50LC	szt..	Multimode 1 x 2 LC splitter to split a fiber signal (100 - 50/50). Splitter can be used with NZPFD-2.	283,31	348,47	1428,73
Frame Solutions					
NZPF1RU	szt..	opticalCON Panel frame, 1 RU	90,97	111,90	458,77
NZPF3RU	szt..	opticalCON Panel frame, 3 RU	140,35	172,63	707,80
NZPFD	szt..	opticalCON Panel frame plate for D-shape housings	15,60	19,19	78,67
NZPFD-2	szt..	Panel frame plate opticalCON for 2 opticalCON DUO or QUAD chassis connectors	23,39	28,77	117,95
NZPFD-4E	szt..	opticalCON Panel frame plate	33,79	41,56	170,41
NZPFD-4SC	szt..	opticalCON Panel frame plate	33,79	41,56	170,41
NZPFBP	szt..	opticalCON Panel frame blind plate	15,60	19,19	78,67
NZPFBP-4ST	szt..	opticalCON Panel frame blind plate	28,60	35,17	144,20
NZP1RU-12	szt..	opticalCON Angled 19" rack panel, 12 D-shape openings	51,98	63,94	262,16
powerMONITOR					
NO2S-2F-2R-PM	szt..	opticalCON powerMONITOR	777,16	955,90	3919,20
NO2SA-2F-2R-PM	szt..	opticalCON powerMONITOR	800,56	984,68	4037,20
NO2S-4F-2R-PM	szt..	opticalCON powerMONITOR	953,90	1173,30	4810,54
NO2SA-4F-2R-PM	szt..	opticalCON powerMONITOR	979,90	1205,27	4941,62
NO4S-4F-2R-PM	szt..	opticalCON powerMONITOR	1037,08	1275,60	5229,98
NO4SA-4F-2R-PM	szt..	opticalCON powerMONITOR	1063,07	1307,57	5361,06
NO4SBB1-2-PM	szt..	opticalCON powerMONITOR	953,90	1173,30	4810,54
NO4SABB1-2-PM	szt..	opticalCON powerMONITOR	979,90	1205,27	4941,62
NO4SBB1-4-PM	szt..	opticalCON powerMONITOR	1037,08	1275,60	5229,98
NO4SABB1-4-PM	szt..	opticalCON powerMONITOR	1063,07	1307,57	5361,06
NO2M-2F-2R-PM	szt..	opticalCON powerMONITOR	1076,07	1323,56	5426,60
NO2M-4F-2R-PM	szt..	opticalCON powerMONITOR	1263,22	1553,75	6370,39
NO4M-4F-2R-PM	szt..	opticalCON powerMONITOR	1624,50	1998,14	8192,35
NO4MBB1-2-PM	szt..	opticalCON powerMONITOR	1255,42	1544,16	6331,06

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
NO4MBB1-4-PM	szt..	opticalCON powerMONITOR	1676,48	2062,08	8454,51
NOPS-1RU-PM	szt..	5W Power Supply for powerMONITOR	80,58	99,11	406,36
NOPS-3RU-PM	szt..	15W Power Supply for powerMONITOR	72,78	89,52	367,03
NOPS-E-PM	szt..	Daisy-chain Power Supply for powerMONITOR	62,38	76,72	314,57
Fiber Optic Measurement &					
CAS-FOCD	szt..	Fiber optic cleaning device case	933,11	1147,72	4705,67
FOCD-CF	szt..	Fiber optic cleaning fluid	57,18	70,33	288,36
FOCD-DC250	szt..	2.5mm DRY cleaner	161,15	198,21	812,67
FOCD-DC125	szt..	1.25mm DRY cleaner	161,15	198,21	812,67
FOCD-DW	szt..	Lint-free dry wipes for fiber cleaning	13,00	15,99	65,54
CAS-FOMD	szt..	Fiber optic measurement devices	410,68	505,13	2071,04
FOMD-TC-MM850	szt..	Multimode light source SFP Plug-In module 850 nm	233,93	287,73	1179,70
FOMD-TC-SM1310	szt..	Multimode light source SFP Plug-In module 1310 nm	246,92	303,72	1245,24
FOMD-TC-SM1550	szt..	Multimode light source SFP Plug-In module 1550 nm	246,92	303,72	1245,24
FOMD-FM-MM	szt..	Fiber meter Multimode	389,88	479,55	1966,16
FOMD-FM-SM	szt..	Fiber meter Singlemode	805,75	991,07	4063,41
Accessories					
SCNKO	szt..	Dirt protection for opticalCON cable connector	7,95	9,78	40,10
CRNKO-0	szt..	opticalCON cable connector coding, black	1,72	2,11	8,67
CRNKO-2	szt..	opticalCON cable connector coding, red	1,72	2,11	8,67
CRNKO-4	szt..	opticalCON cable connector coding, yellow	1,72	2,11	8,67
CRNKO-9	szt..	opticalCON cable connector coding, white	1,72	2,11	8,67
NDO	szt..	Dummy Plug for OpticalCON Receptacle	0,42	0,51	2,11
SCDP-0	szt..	Sealing gasket and color coding for D-size black	1,69	2,08	8,53
SCDP-2	szt..	Sealing gasket and color coding for D-size red	1,69	2,08	8,53
SCDP-4	szt..	Sealing gasket and color coding for D-size yellow	1,69	2,08	8,53
SCDP-5	szt..	Sealing gasket and color coding for D-size green	1,69	2,08	8,53
SCDP-6	szt..	Sealing gasket and color coding for D-size blue	1,69	2,08	8,53
SCDP-9	szt..	Sealing gasket and color coding for D-size white	1,69	2,08	8,53

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
SCDR	szt..	Soft plastic cover for the rear end of several D-size chassis connectors	1,33	1,64	6,71
SCDX	szt..	Hinged cover for all D-size chassis connectors, black	1,04	1,27	5,22
SCDX-5	szt..	Hinged cover for all D-size chassis connectors, green	1,04	1,27	5,22
SCDX-6	szt..	Hinged cover for all D-size chassis connectors, blue	1,04	1,27	5,22
SCDX-9	szt..	Hinged cover for all D-size chassis connectors, white	1,04	1,27	5,22
Spare Parts					
NO2-4FD	szt..	Fiber optic chassis connector with 2 LC-fiber and 4 copper contacts, Optalloy plating.	67,58	83,13	340,82
NO2-4FD-1	szt..	Same as above, but 1 shell ground contact	70,18	86,32	353,90
NO2-4FD-R	szt..	Fiber optic chassis connector with 2 LC-fiber and 4 copper contacts, Ruthenium plating.	75,37	92,71	380,11
NO2-4FD-1-R	szt..	Same as above, but 1 shell ground contact	77,98	95,91	393,23
NAO2M-4S75	szt..	Fiber optic coupler, LC-Duplex Multimode szt., 4 x 0.75mm ² , black	174,14	214,20	878,21
NAO2S-4S75	szt..	Fiber optic coupler, LC-Duplex Singlemode szt., 4 x 0.75mm ² , blue	189,74	233,38	956,88
NAO2SA-4S75	szt..	Fiber optic coupler, LC-Duplex Singlemode Aszt., 4 x 0.75mm ² , green	194,94	239,78	983,08
IPKIT-NOM	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Multimode, black, Nickel.	23,39	28,77	117,95
IPKIT-NOM-R	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Multimode, black, Ruthenium.	25,99	31,97	131,08
IPKIT-NOS	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Singlemode, blue, Nickel.	23,39	28,77	117,95
IPKIT-NOS-R	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Singlemode, blue, Ruthenium.	25,99	31,97	131,08
IPKIT-NOSA	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Singlemode angled, green, Nickel.	23,39	28,77	117,95

SYMBOL	JEDNOS TKA	OPIS	CENA w EURO netto	Cena w EURO brutto(23%)	Szacunkowa cena w zł brutto (1 Euro=4.1zł)
IPKIT-NOSA-R	szt..	IP65 upgrade kit for the old version of the opticalCON cable connector. Singlemode angled, green, Ruthenium.	25,99	31,97	131,08