

SYMBOL	Jednostka	OPIS	Cena w € brutto	CENA orientacyjna w PLN brutto (1€=4,3PLN).
<b>Tiny XLR Connectors</b>				
RT3FC-B	szt.	3-pole tiny cable connector, black metall shell, gold plated contacts	1,87	8,05
RT3FC-B-D	szt.		1,77	7,60
RT4FC-B	szt.	4-pole tiny cable connector, black metall shell, gold plated contacts	2,24	9,61
RT4FC-B-D	szt.		2,13	9,17
RT5FC-B	szt.	5-pole tiny cable connector, black metall shell, gold plated contacts	2,55	10,96
RT5FC-B-D	szt.		2,44	10,51
RT3FC-B-W	szt.	3-pole tiny cable connector, black metall shell, water resistant, gold plated contacts	2,29	9,84
RT3FC-B-W-D	szt.		2,24	9,61
RT4FC-B-W	szt.	4-pole tiny cable connector, black metall shell, water resistant, gold plated contacts	2,65	11,40
RT4FC-B-W-D	szt.		2,55	10,96
RT5FC-B-W	szt.	5-pole tiny cable connector, black metall shell, water resistant, gold plated contacts	2,96	12,75
RT5FC-B-W-D	szt.		2,86	12,30
RT3MP-B	szt.	3-pole tiny cable connector, black metall housing, gold plated contacts, max. panel thickness: 6 mm	1,66	7,16
RT3MP-B-D	szt.		1,61	6,93
RT4MP-B	szt.	4-pole tiny cable connector, black metall housing, gold plated contacts, max. panel thickness: 6 mm	1,98	8,50
RT4MP-B-D	szt.		1,87	8,05
RT5MP	szt.	5-pole tiny cable connector, black metall housing, gold plated contacts, max. panel thickness: 6 mm	2,24	9,61
RT5MP-D	szt.		2,13	9,17
<b>¼" Phone Plugs</b>				
<b>¼" Plug short handle</b>				
NYS 201	szt.	¼" 2-pole mono plug with short, nickel plated, brass handle	0,94	4,02
NYS 202	szt.	¼" 3-pole stereo plug with short, nickel plated, brass handle	1,25	5,37
<b>¼" Plug plastic handle</b>				
NYS 203	szt.	¼" 2-pole mono plug with plastic handle with flexible strain relief	0,57	2,46
NYS 204	szt.	¼" 3-pole stereo plug with plastic handle with flexible strain relief	0,88	3,80
<b>¼" Plug right angle</b>				
NYS 207	szt.	¼" 2-pole mono right angle plug, metal housing, plastic bushing	0,99	4,25
NYS 207-2	szt.	¼" 2-pole mono right angle plug, metal housing, plastic bushing, red cover and red boot	0,99	4,25
NYS 208	szt.	¼" 3-pole mono right angle plug, metal housing, plastic bushing	1,30	5,59
<b>¼" Plug long handle</b>				
NYS 224	szt.	¼" plug, 2-pole, long turned brass handle, no rivet	1,20	5,14
NYS 224AG	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With gold plated shell and contacts	1,98	8,50
NYS 224BG	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts	1,56	6,71
NYS 224C-0	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts. black	0,99	4,25
NYS 224C-2	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts. red	0,99	4,25
NYS 224C-4	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts. yellow	0,99	4,25
NYS 224C-5	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts. green	0,99	4,25
NYS 224C-6	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With black metal handle, gold plated contacts. blue	0,99	4,25
NYS 224G	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With gold plated contacts	1,46	6,26

SYMBOL	Jednostka	OPIS	Cena w € brutto	CENA orientacyjna w PLN brutto (1€=4,3PLN).
NYS 224GT	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With gold plated tip contact	1,30	5,59
NYS 224L	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With large cable outlet of 8 mm	1,20	5,14
NYS 224S	szt.	¼" plug, 2-pole, long turned brass handle, no rivet. With tip switched to ground if not inserted (silent)	1,56	6,71
NYS 228	szt.	¼" plug, 3-pole, long turned brass handle, no rivet	1,51	6,48
NYS 228BG	szt.	¼" plug, 3-pole, long turned brass handle, no rivet. With black handle, gold plated contacts	2,08	8,94
NYS 228G	szt.	¼" plug, 3-pole, long turned brass handle, gold contacts, no rivet	2,08	8,94
NYS 228GT	szt.	¼" plug, 3-pole, long turned brass handle, no rivet, gold plated tip contact	1,72	7,38
<b>¼" Plug with large shell for speaker cable</b>				
NYS 225	szt.	¼" plug, 2-pole, with large shell for speaker cable. Large metal handle, rubber bushing	1,56	6,71
NYS 225B	szt.	¼" plug, 2-pole, with large shell for speaker cable. With black plated metal handle	1,82	7,83
NYS 225L	szt.	¼" plug, 2-pole, with large shell for speaker cable. With large cable outlet	1,56	6,71
NYS 225S	szt.	¼" plug, 2-pole, with large shell for large cable O.D. (8mm) speaker cable. With tip switched to around if not inserted (silent)	1,77	7,60
<b>¼" Plug adapter</b>				
NYS 237	szt.	¼" plug adapter to mate standard ¼" jacks, full metal, 2-pole	1,46	6,26
NYS 239	szt.	¼" plug adapter to mate standard ¼" jacks, full metal, 3-pole	2,08	8,94
<b>3.5mm Phone Plugs</b>				
<b>3.5mm Plug</b>				
NYS 226	szt.	3.5 mm plug, 2-pole, metal handle with crimp strain relief	0,73	3,13
NYS 226B	szt.	3.5 mm plug, 2-pole, black metal handle with crimp strain relief	0,94	4,02
NYS 226BG	szt.	3.5 mm plug, 2-pole, black metal handle, gold plated contacts	1,25	5,37
NYS 226G	szt.	3.5 mm plug, 2-pole, metal handle with crimp strain relief, gold contacts	0,99	4,25
NYS 226L	szt.	3.5 mm plug, 2-pole, metal handle with crimp strain relief, large cable outlet	0,73	3,13
NYS 227	szt.	3.5mm stereo plug to 1/4" jack stereo, all metal	1,51	6,48
NYS 231	szt.	3.5 mm plug, 3-pole, metal housing with crimp strain relief	0,94	4,02
NYS 231B	szt.	3.5 mm plug, 3-pole, black metal handle	1,14	4,92
NYS 231BG	szt.	3.5 mm plug, 3-pole, black metal handle, gold plated contacts	1,35	5,81
NYS 231G	szt.	3.5 mm plug, 3-pole, metal handle, gold plated contacts	1,25	5,37
NYS 231L	szt.	3.5 mm plug, 3-pole, metal handle, large cable outlet	0,94	4,02
<b>¼" Phone Jacks</b>				
<b>¼" Horizontal jacks (all contacts switched)</b>				
NYS 212	szt.	¼" 3-pole stereo jack socket plastic with nut and washer solder terminals	0,57	2,46
NYS 2122	szt.	¼" 2-pole mono jack socket plastic with nut and washer solder tap version	0,47	2,01
NYS 215	szt.	¼" 3-pole stereo jack socket, with chrome ferrule nut	0,57	2,46
NYS 2152	szt.	¼" 2-pole mono jack socket, with chrome ferrule nut	0,47	2,01
NYS 2152G	szt.	¼" 2-pole mono jack socket, with chrome ferrule nut and gold contact	0,57	2,46
NYS 2152G-DI-U	szt.	¼" 2-pole mono jack socket, with chrome ferrule nut, solder tap version	0,57	2,46
NYS 216	szt.	¼" 3-pole stereo jack socket, plastic housing with nut and washer	0,36	1,57
NYS 2162	szt.	¼" 2-pole mono jack socket, plastic housing with nut and washer	0,31	1,34
NYS 216G	szt.	¼" 3-pole stereo jack socket, with gold contact	0,47	2,01
NYS 218	szt.	¼" 3-pole stereo jack socket, with extra long contacts	0,36	1,57
NYS 2182	szt.	¼" 2-pole mono jack socket, with extra long contacts	0,31	1,34
NYS 219	szt.	¼" 3-pole stereo jack socket, with long contacts	0,47	2,01
NYS 2192	szt.	¼" 2-pole mono jack socket, with long contacts	0,36	1,57
<b>¼" Long bushing jacks</b>				
NYS 2202	szt.	Jack for thick panels, 2-pole, long-threaded bushing with washer and nut, full metal	1,40	6,04
NYS 2203	szt.	Jack for thick panels, 3-pole, long-threaded bushing with washer and nut, full metal	1,46	6,26
NYS 221	szt.	Jack with special designed head for guitar strap, for thick panels, 3-pole, long-threaded bushing with washer and nut. full metal	1,35	5,81
<b>Cable jacks</b>				

SYMBOL	Jednostka	OPIS	Cena w € brutto	CENA orientacyjna w PLN brutto (1€=4,3PLN).
NYS 2202P	szt.	1/4" cable jack, 2-pole, full metal	1,82	7,83
NYS 2203P	szt.	1/4" cable jack, 3-pole, full metal	1,98	8,50
NYS 240	szt.	3.5 mm jack, 3-pole, metal handle	0,73	3,13
NYS 240BG	szt.	3.5 mm jack, 3-pole, black metal handle, gold plated contacts	0,88	3,80
NYS 240L	szt.	3.5 mm jack, 3-pole, metal handle, large cable outlet	0,73	3,13
<b>¼" Open jacks</b>				
NYS 229	szt.	Open jack, 2-pole, 2 contacts, with washer and nut, panel thickness 3.5 mm	0,83	3,58
NYS 229L	szt.	Open jack, 2-pole, 2 contacts, with longer threaded nose, washer and nut, panel thickness 6.5 mm. with 0.205" faston tabs	0,88	3,80
NYS 230	szt.	Open jack, 3-pole, 3 contacts, with washer and nut, panel thickness 3.5 mm	0,94	4,02
<b>¼" Vertical jacks</b>				
NYS 232	szt.	Vertical jack, plastic housing, 3-pole, metal washer and nut, with tip and ring normalling contacts	0,83	3,58
NYS 234	szt.	Vertical jack, plastic housing, 3-pole, metal washer and nut, with tip and ring normalling contacts	0,68	2,91
NYS 234NNW	szt.	Vertical jack, plastic housing, 3-pole, no washer and no nut, with tip and ring normalling contacts	0,57	2,46
NYS 234-3	szt.	Vertical jack, plastic housing, 3-pole, metal washer and nut, no normalling contacts	0,62	2,68
NYS 234-3NNW	szt.	Vertical jack, plastic housing, 3-pole, no washer and no nut, with tip and ring normalling contacts	0,52	2,24
<b>Phone jack adapter</b>				
NYS 236	szt.	¼" 2-pole mono phone jack adapter to mate with standard ¼" plug, full metal	1,35	5,81
NYS 238	szt.	¼" 3-pole stereo phone jack adapter to mate with standard ¼" plug, full metal	1,46	6,26
<b>Phono ("RCA/Cinch")</b>				
NYS 352	szt.	Phono plug with nickel plated shell and contacts	0,88	3,80
NYS 352AG	szt.	Phono plug with gold plated shell and contacts	1,61	6,93
NYS 352B	szt.	Phono plug with black shell and nickel plated contacts	0,94	4,02
NYS 352BG	szt.	Phono plug with gold plated contacts and black plated shell	0,99	4,25
NYS 352G	szt.	Phono plug with gold plated contacts	0,99	4,25
NYS 354	szt.	Phono receptacle, PCB-mount, max. panel thickness 1.2 mm	0,31	1,34
NYS 355	szt.	Phono to phono female adapter	0,88	3,80
NYS 367-0	szt.	Phono chassis mount socket, gold plated contacts, black	1,82	7,83
NYS 367-2	szt.	Phono chassis mount socket, gold plated contacts, red	1,82	7,83
NYS 367-4	szt.	Phono chassis mount socket, gold plated contacts, yellow	1,82	7,83
NYS 367-5	szt.	Phono chassis mount socket, gold plated contacts, green	1,82	7,83
NYS 367-6	szt.	Phono chassis mount socket, gold plated contacts, blue	1,82	7,83
NYS 367-9	szt.	Phono chassis mount socket, gold plated contacts, white	1,82	7,83
NYS 372P	szt.	Phono jack with nickel plated contacts and handle	0,78	3,35
NYS 372P-BG	szt.	Phono jack with gold plated contacts and black plated handle	0,94	4,02
NYS 373-0	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, black	1,61	6,93
NYS 373-2	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, red	1,61	6,93
NYS 373-4	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, yellow	1,61	6,93
NYS 373-5	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, green	1,61	6,93
NYS 373-6	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, blue	1,61	6,93
NYS 373-9	szt.	Phono plug with gold plated contacts, black chromium shell, chuck type, white	1,61	6,93
<b>DIN Connectors</b>				
<b>DIN male cable connectors</b>				
NYS 321	szt.	3-pole male cable connector, silver plated contacts	0,94	4,02
NYS 321G	szt.	3-pole male cable connector, gold plated contacts	0,94	4,02
NYS 322	szt.	5-pole male cable connector, silver plated contacts	1,04	4,47
NYS 322AG	szt.	5-pole male cable connector, gold plated shell and contacts	1,82	7,83
NYS 322G	szt.	5-pole male cable connector, gold plated contacts	1,14	4,92

SYMBOL	Jednostka	OPIS	Cena w € brutto	CENA orientacyjna w PLN brutto (1€=4,3PLN).
NYS 323	szt.	7-pole male cable connector, silver plated contacts	1,25	5,37
NYS 323G	szt.	7-pole male cable connector, gold plated contacts	1,25	5,37
<b>DIN female chassis connectors</b>				
NYS 324	szt.	3-pole female chasis connector, silver plated contacts	0,57	2,46
NYS 325	szt.	5-pole female chasis connector, silver plated contacts	0,57	2,46
NYS 326	szt.	7-pole female chasis connector, silver plated contacts	0,78	3,35
<b>Banana Plugs</b>				
NYS 508-B	szt.	Dual banana plug, black housing, gold contacts, teathed cable clamp	2,55	10,96
NYS 508-R	szt.	Dual banana plug, red housing, gold contacts, teathed cable clamp	2,55	10,96
NYS 511-B	szt.	Dual banana plug black, cable tie	2,50	10,73
NYS 511-R	szt.	Dual banana plug red, cable tie	2,50	10,73
<b>Patch and Stage Boxes</b>				
<b>Patch Box</b>				
NYS-SSR8	szt.	¼" Patch Box with 8 Send/Return Moduls (Split Print)	29,85	128,35
<b>Stage Box</b>				
NSB1A-8/4	szt.	Type A Stage Box, 8 IN (Female/Send) and 4 OUT (Male/Return)	48,20	207,28
NSB2A-12/4	szt.	Type A Stage Box, 12 IN (Female/Send) and 4 OUT (Male/Return)	62,56	268,99
NSB2A-20/4	szt.	Type A Stage Box, 20 IN (Female/Send) and 4 OUT (Male/Return)	74,52	320,42
NSB3A-32/4	szt.	Type A Stage Box, 32 IN (Female/Send) and 4 OUT (Male/Return)	105,04	451,67
NSB1B-8/0	szt.	Type B Stage Box, 8 IN (Female/Send)	38,32	164,79
NSB2B-12/4	szt.	Type B Stage Box, 12 IN (Female/Send) and 4 OUT (Male/Return)	64,12	275,70
NSB2B-16/0	szt.	Type B Stage Box, 16 IN (Female/Send)	64,12	275,70
NSB3B-20/4	szt.	Type B Stage Box, 20 IN (Female/Send) and 4 OUT (Male/Return)	86,42	371,62
NSB1C-8/0	szt.	Type C Stage Box, 8 IN (Female/Send)	36,40	156,52
NSB2C-12/4	szt.	Type C Stage Box, 12 IN (Female/Send) and 4 OUT (Male/Return)	63,18	271,67
NSB3C-20/4	szt.	Type C Stage Box, 20 IN (Female/Send) and 4 OUT (Male/Return)	81,95	352,39
<b>Patch Panels</b>				
NYS-SPP-L	szt.	Extremely sleek 1/4" Patch Panel with grounding possibility offering 2 rows of balanced sockets, a total of 24 front pairs and 24 rear pairs fully PCB-wired (without nut fastening), 1U 19" rack-mount and identification strips for front and rear panel included	69,94	300,74
NYS-SPCR	szt.	Send/return module (split print). To be built into the NYS-SPP-L1. Split print by-passes	1,51	6,48
NYS-SPCR1	szt.	the use of a special wired Y-cable.	1,51	6,48

