








**ANALOG FM TRANSMITTERS - INDIUM COMPACT**

ceny netto

Model	Description	Code	Configuration	Price List
	Eco-Saving Technology, O-Led Graphic Interface, Power adjustable from 2 untill 20W, TC/TS board for remote controls. Includes the Profile board to be used in 1+1 or N+1 systems. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - 2 rack units.	00E-AAD-37D	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS	€ 4.220
		00E-AAD-42D	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS+WEB/SNMP	€ 4.950
		00E-AAD-62D	ST.+SC.A+A/E+RDS+INTLK+TC/TS	€ 5.060
	Eco-Saving Technology, O-Led Graphic Interface, Power adjustable from 30 untill 150 W, Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). 2 rack units.	00E-VAD-35D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS	€ 4.740
		00E-VAD-40D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 5.480
		00E-VAD-45D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP+GSM	€ 6.220
		00E-VAD-60D	ST.+SC.A+A/E+RDS+INTLK+TC/TS	€ 5.580
	Eco-Saving Technology, O-Led Graphic Interface, Power adjustable from 50 untill 500 W, Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - 2 rack units.	00E-SAD-35D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS	€ 5.060
		00E-SAD-40D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 5.790
		00E-SAD-45D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP+GSM	€ 6.530
		00E-SAD-60D	ST.+SC.A+A/E+RDS+INTLK+TC/TS	€ 5.900
	Eco-Saving Technology, O-Led Graphic Interface, Power adjustable from 100 untill 1000 W, Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - 2 rack units.	00E-TAD-35D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS	€ 7.060
		00E-TAD-40D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 7.790
		00E-TAD-45D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP+GSM	€ 8.530
		00E-TAD-60D	ST.+SC.A+A/E+RDS+INTLK+TC/TS	€ 7.900
	Eco-Saving Technology, O-Led Graphic Interface, Power adjustable from 200 untill 2000 W, Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - 2 rack units.	00E-XAD-35D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS	€ 11.270
		00E-XAD-40D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 12.000
		00E-XAD-45D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP+GSM	€ 12.740
		00E-XAD-60D	ST.+SC.A+A/E+RDS+INTLK+TC/TS	€ 12.110
	Eco-Saving Technology, LCD Graphic Interface, power adjustable from 100 to 3500 W, Built-In Stereo Coder, TC/TS board for 1+1 or N+1 systems. AES-EBU digital inputs with audio changeover, 220/380 Volt triple switching power supply system with PFC, 5x800W power modules coupled for highest reliability. Telemetry and SMS capability with internal GSM modem (optional) WEB/ SNMP controls (optional). 4U Rack.	00E-ILD-40D	ST.+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 18.110
		00E-ILD-45D	ST.+AUDIO CHANGE OVER +AES/EBU+ TC/TS+WEB/SNMP+GSM	€ 18.850
	Eco-Saving Technology, LCD Graphic Interface, power adjustable from 100 to 5000 W, Built-In Stereo Coder, TC/TS board for 1+1 or N+1 systems. AES-EBU digital inputs with audio changeover, 220/380 Volt triple switching power supply system with PFC, 5x800W power modules coupled for highest reliability. Telemetry and SMS capability with internal GSM modem (optional) WEB/ SNMP controls (optional). 4U Rack.	00E-JLD-40D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP	€ 24.640
		00E-JLD-45D	STEREO+AUDIO CHANGE OVER.+AES/EBU +TC/TS+WEB/SNMP+GSM	€ 25.370

**ANALOG FM TRANSMITTERS - INDIUM COMBINED SYSTEM**

Model	Description	Code	Configuration	Price List
	ET3500 3,5kW TX FM ANALOGICO INDIUM	00T-XDGCXA-10	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS (ETG20 + E3500)	€ 21.900
	ET5000 5kW TX FM ANALOGICO INDIUM	00T-XLLV0D-10	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS (ETG20 + E5000)	€ 27.790
	Eco-Saving Technology, LCD Graphic Interface, power adjustable from 100 to full Power, Built-In Stereo Coder, TC/TS board for 1+1 or N+1 systems. AES-EBU digital inputs with audio changeover, 220/380 Volt triple switching power supply system with PFC, power modules coupled for highest reliability. Telemetry and SMS capability with external GSM modem (optional) Webserver and SNMP controls (optional). Composed by: 1 x Amplifier E3500/E3000 + ETG 20 (4+2 rack units) Optional rack.			

Model	Description	Code	Configuration	Price List
ET10000-5 TX FM ANALOGICO INDIUM	<b>10000 Watt Stereo Indium Transmitter 230/380 V.</b> Three-phase switching power supply system with PFC. Proportional logic protections, uninterruptible operation. Built-in Stereo Coder. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - Composed by: 2 x E 5000 Amplifiers + Combiner + ETG 20 (with TC/TS board for remote controls, interlock and Profile board to be used in 1+1 or N+1 systems) + Air Extractor, 32 rack units.	00T-2LLA0D-35D/20U	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB / Rack 20U	€ 57.900
		00T-2LLA0D-35D	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB / Rack 32U	€ 58.950
		00T-2LLA0D-35D	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB / Rack 32U	€ 64.000
		00T-2LLA0D-35D/40U	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB / Rack 40U	€ 61.060
		00T-2LLA0D-35D/40U	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB / Rack 40U	€ 66.110

Model	Description	Code	Configuration	Price List
ET15000-5 TX FM ANALOGICO INDIUM	<b>15000 Watt Stereo Indium Transmitter 230/380 V.</b> Three-phase switching power supply system with PFC. Proportional logic protections, uninterruptible operation. Built-in Stereo Coder. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - Composed by: 3 x E 5000 Amplifiers + Combiner + ETG 20 (with TC/TS board for remote controls, interlock and Profile board to be used in 1+1 or N+1 systems) + Air Extractor, 32 rack units.	00T-3LLA0D-35D	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 86.320
		00T-3LLA0D-35D	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 91.370

Model	Description	Code	Configuration	Price List
ET20000-5 TX FM ANALOGICO INDIUM	<b>20000 Watt Stereo Indium Transmitter 230/380 V.</b> Three-phase switching power supply system with PFC. Proportional logic protections, uninterruptible operation. Built-in Stereo Coder. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - Composed by: 4 x E 5000 Amplifiers + Combiner + ETG 20 (with TC/TS board for remote controls, interlock and Profile board to be used in 1+1 or N+1 systems) + Air Extractor, 40 rack units.	00T-4LLA0D-35D	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 111.580
		00T-4LLA0D-35D	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 116.640

Model	Description	Code	Configuration	Price List
ET25000-5 TX FM ANALOGICO INDIUM	<b>25000 Watt Stereo Indium Transmitter 230/380 V.</b> Three-phase switching power supply system with PFC. Proportional logic protections, uninterruptible operation. Built-in Stereo Coder. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - Composed by: 5 x E 5000 Amplifiers + Combiner + ETG 20 (with TC/TS board for remote controls, interlock and Profile board to be used in 1+1 or N+1 systems) + Air Extractor, 40 rack units.	00T-5LLA0D-35D	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 141.060
		00T-5LLA0D-35D	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 146.110

Model	Description	Code	Configuration	Price List
ET30000-5 TX FM ANALOGICO INDIUM	<b>30000 Watt Stereo Indium Transmitter 230/380 V.</b> Three-phase switching power supply system with PFC. Proportional logic protections, uninterruptible operation. Built-in Stereo Coder. Telemetry and SMS capability with internal GSM modem (optional) Webserver and SNMP controls (optional). - Composed by: 6 x E 5000 Amplifiers + Combiner + ETG 20 (with TC/TS board for remote controls, interlock and Profile board to be used in 1+1 or N+1 systems) + Air Extractor, 40 rack units.	00T-6LLA0D-35D	Single Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 157.900
		00T-6LLA0D-35D	Dual Driver STEREO+AES/EBU+AUDIO CHANGE OVER. +TC/TS + WEB E-BOX2.0	€ 162.950














**ANALOG FM TRANSMITTERS - AMPLIFIERS**

Model	Description	Code	Configuration	Price List
	E3500 3,5kW FM AMPLIFIER INDIUM	00A-IL-50	3500 Watt Indium Compact Amplifier	€ 17.480
	E5000 5kW FM AMPLIFIER INDIUM	00A-LL-30	5000 Watt Indium Compact Amplifier	€ 24.000

Eco-Saving Technology, LCD Graphic Interface, power adjustable from 100w to full power, TC/TS board for 1+1 or N+1 systems. 220/380 Volt triple switching power supply system with PFC, power modules coupled for highest reliability. Telemetry and SMS capability with external GSM modem (optional) Webserver and SNMP controls (optional).

**DIRECT TO CHANNEL FM TRANSMITTERS**

ceny netto

Model	Description	Code	Configuration	Price List
	<b>20 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-AAE-12E	TC/TS+WEB/SNMP	€ 8.430
		00E-AAE-17E	TC/TS+WEB/SNMP+RDS	€ 9.270
		00E-AAE-22E	TC/TS+WEB/SNMP+GPS/OVEN	€ 9.480
		00E-AAE-27E	TC/TS+WEB/SNMP+RDS+GPS/OVEN	€ 10.320
	<b>150 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-VAE-12E	TC/TS+WEB/SNMP	€ 8.850
		00E-VAE-17E	TC/TS+WEB/SNMP+RDS	€ 9.690
		00E-VAE-22E	TC/TS+WEB/SNMP+GPS/OVEN	€ 9.900
		00E-VAE-27E	TC/TS+WEB/SNMP+RDS+GPS/OVEN	€ 10.740
	<b>500 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-SAE-12E	TC/TS+WEB/SNMP	€ 9.270
		00E-SAE-17E	TC/TS+WEB/SNMP+RDS	€ 10.110
		00E-SAE-22E	TC/TS+WEB/SNMP+GPS/OVEN	€ 10.320
		00E-SAE-27E	TC/TS+WEB/SNMP+RDS+GPS/OVEN	€ 11.160
	<b>1000 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-TAE-12E	TC/TS+WEB/SNMP	€ 11.530
		00E-TAE-17E	TC/TS+WEB/SNMP+RDS	€ 11.370
		00E-TAE-22E	TC/TS+WEB/SNMP+GPS/OVEN	€ 11.580
		00E-TAE-27E	TC/TS+WEB/SNMP+RDS+GPS/OVEN	€ 12.430
	<b>2000 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-XAE-12E	TC/TS+WEB/SNMP	€ 13.480
		00E-XAE-17E	TC/TS+WEB/SNMP+RDS	€ 14.320
		00E-XAE-22E	TC/TS+WEB/SNMP+GPS/OVEN	€ 14.530
		00E-XAE-27E	TC/TS+WEB/SNMP+RDS+GPS/OVEN	€ 15.370
	<b>3500 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-ILE-10E	TC/TS+WEB/SNMP	€ 20.640
		00E-ILE-15E	TC/TS+WEB/SNMP+RDS	€ 21.480
		00E-ILE-20E	TC/TS+WEB/SNMP+OVEN	€ 21.690
		00E-ILE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 22.530
	<b>5000 Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00E-JLE-10E	TC/TS+WEB/SNMP	€ 26.950
		00E-JLE-15E	TC/TS+WEB/SNMP+RDS	€ 27.790
		00E-JLE-20E	TC/TS+WEB/SNMP+OVEN	€ 28.000
		00E-JLE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 28.850
	<b>ET 3500 TX FM DDS INDIUM</b>	00T-X1AAE-90	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS (ETG20 + E35000)	€ 25.690
		00T-21LAAE-90	STEREO+AUDIO CHANGE OVER+AES/EBU +TC/TS (ETG20 + E3500)	€ 32.220
	<b>Eco-Saving Technology, LCD Graphic Interface, power adjustable from 100 to fullPower, Built-In Stereo Coder, TC/TS board for 1+1 or N+1 systems. AES-EBU digital inputs with audio changeover, 220/380 Volt triple switching power supply system with PFC, power modules coupled for highest reliability. Telemetry and SMS capability with external GSM modem (optional) Webserver and SNMP controls (optional). Composed by: 1 x Amplifier E3500/E3000 + ETG 20 DDS (4+2 rack units) Optional rack.</b>			
	<b>10000 Watt SINGLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-2LLA0E-10E	TC/TS+WEB/SNMP	€ 63.160
		00T-2LLA0E-15E	TC/TS+WEB/SNMP+RDS	€ 64.000
		00T-2LLA0E-20E	TC/TS+WEB/SNMP+OVEN	€ 64.220
		00T-2LLA0E-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 65.060
	<b>10000 Watt DOUBLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-2LLAAE-10E	TC/TS+WEB/SNMP	€ 68.110
		00T-2LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 69.790
		00T-2LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 70.220
		00T-2LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 71.900
	<b>15000 SINGLE DRIVER Watt Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-3LLA0E-10E	TC/TS+WEB/SNMP	€ 90.530
		00T-3LLA0E-15E	TC/TS+WEB/SNMP+RDS	€ 91.370
		00T-3LLA0E-20E	TC/TS+WEB/SNMP+OVEN	€ 91.580
		00T-3LLA0E-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 92.430
	<b>15000 Watt DOUBLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-3LLAAE-10E	TC/TS+WEB/SNMP	€ 95.480
		00T-3LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 97.160
		00T-3LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 97.580

Model	Description	Code	Configuration	Price List
	external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-3LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 99.270
<b>ET 20000 SD TX FM DDS INDIUM</b>	<b>20000 Watt SINGLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-4LLAAE-10E	TC/TS+WEB/SNMP	€ 115.790
		00T-4LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 116.640
		00T-4LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 116.850
		00T-4LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 117.690
<b>ET 20000 DD TX FM DDS INDIUM</b>	<b>20000 Watt DOUBLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-4LLAAE-10E	TC/TS+WEB/SNMP	€ 120.740
		00T-4LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 122.430
		00T-4LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 122.850
		00T-4LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 124.530
Model	Description	Code	Configuration	Price List
<b>ET 25000 SD TX FM DDS INDIUM</b>	<b>25000 Watt SINGLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-5LLAAE-10E	TC/TS+WEB/SNMP	€ 145.270
		00T-5LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 146.110
		00T-5LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 146.320
		00T-5LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 147.160
<b>ET 25000 DD TX FM DDS INDIUM</b>	<b>25000 Watt DOUBLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-5LLAAE-10E	TC/TS+WEB/SNMP	€ 150.220
		00T-5LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 151.900
		00T-5LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 152.320
		00T-5LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 154.000
Model	Description	Code	Configuration	Price List
<b>ET 30000 SD TX FM DDS INDIUM</b>	<b>30000 Watt SINGLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-6LLAAE-10E	TC/TS+WEB/SNMP	€ 162.110
		00T-6LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 162.950
		00T-6LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 163.160
		00T-6LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 164.000
<b>ET 30000 DD TX FM DDS INDIUM</b>	<b>30000 Watt DOUBLE DRIVER Indium Digital Stereo Transmitter</b> DIRECT TO CHANNEL , AES/EBU INPUT , Stereo coder , Webserver and SNMP controls with external E.Box. Telemetry and SMS capability are available through external GSM modem (optional) or Echos 3 (optional).	00T-6LLAAE-10E	TC/TS+WEB/SNMP	€ 167.060
		00T-6LLAAE-15E	TC/TS+WEB/SNMP+RDS	€ 168.740
		00T-6LLAAE-20E	TC/TS+WEB/SNMP+OVEN	€ 169.160
		00T-6LLAAE-25E	TC/TS+WEB/SNMP+RDS+OVEN	€ 170.850

#### REDUNDANCY SYSTEM - INSTALLATION OPTIONS

Model	Description	Code	Configuration	Price List
<b>N+1 SYSTEM</b>	Echos6 3+1	00S-ME31XX-30	ECHOS6 SE VERSIONE 3+1 WEB	€ 5.900
	Echos6 6+1	00S-ME61XX-30	ECHOS6 SE VERSIONE 6+1 WEB	€ 6.740
	Audio Matrix 1	00S-AE61XX-20	L&R, AES/EBU, XLR- 2 line Transfer - 1 Line 6in-1out	€ 2.740
	Audio Matrix 1	00S-AE61XX-30	MPX , BNC - 2 line Transfer - 1 Line 6in-1out	€ 2.740
	Echos 3	00M-ADX-20	4Band GSM remote control	€ 2.320
	Echos 3		4Band GSM remote control for combined systems	€ 2.320
	KIT Easy Modem GSM		Easy GSM Modem for GSM remote control	€ 600
	E-BOX2 Web	00N-CAA-20	Web/SNMP remote control	€ 740
	E-BOX2 Full	00N-CAA-15	Web/SNMP remote control + GSM	€ 1.480
	LIGHT-ARRESTOR		Power Lightning discharge arrester	€ 1.480

