



pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
2330	m	Mic Cable Economical unbalanced, 3mm	4,16
2333	m	Mic Cable Economical unbalanced, 4mm	5,05
2524	m	Low Microphonics Guitar Cable, 6mm	12,77
2790	m	Shielded Cable 3 x AWG #28, 2.45mm	7,43
2794	m	Shielded Cable 2 x AWG #28, 2.3mm	5,64
2919	m	Speaker Cable 6 x 2.5mm ² , 12.8mm	87,93
2921	m	Speaker Cable 4 x 2.5mm ² , 11.3mm	62,08
2929	m	Shielded Cable 4 x AWG #28, 2.7mm	9,21
2941	m	Speaker Cable 8x2.5mm ² , 14.2mm	115,55
2943	m	Shielded Cable 1xAWG #28, 1.5mm	3,86
2948	m	Single MIDI-Synchro Cable, 5mm	10,99
2965	m	Audio Video 75 Ohm Stereo Patch Cable	14,85
2972	m	Speaker Cable 4 x 2 mm ² , 10.5mm	54,36
3033	m	Single MIDI-Synchro Cable, 2 x 5mm	21,68
3040	m	2-Ch CL2 Multi Microphone Cable, 7.8mm	25,84
3041	m	4-Ch CL2 Multi Microphone Cable, 9mm	35,05
3042	m	8-Ch CL2 Multi Microphone Cable, 12mm	64,76
3043	m	12-Ch CL2 Multi Microphone Cable, 14.6mm	94,76
3044	m	16-Ch CL2 Multi Microphone Cable, 16.3mm	111,39
3045	m	19-Ch CL2 Multi Microphone Cable, 17.5mm	157,73
3046	m	24-Ch CL2 Multi Microphone Cable, 20.5mm	171,99
3047	m	27-Ch CL2 Multi Microphone Cable, 21mm	197,24
3048	m	32-Ch CL2 Multi Microphone Cable, 22.4mm	243,58
3049	m	48-Ch CL2 Multi Microphone Cable, 27mm	380,22
3082	m	Coaxial Speaker Cable for XLR, 6.5mm	19,01
3106	m	AWG Stereo Microphone Cable, 2 x 4.8mm	21,68
3146	m	4-Core Miniature Multi Coax Cable, 8.9mm	
3147	m	3-Core Miniature Multi Coax Cable, 8mm	
3156	m	3-Core Medium Multi Coax Cable, 14mm	48,42
3157	m	4-Core Medium Multi Coax Cable, 15.5mm	60,00
3158	m	5-Core Medium Multi Coax Cable, 17.5mm	76,04
3200	m	Superflexible 50 Ohm Coax Cable, 4.8mm	9,80
2245-08	m	12-Conductor Miniature unshielded, 6 mm	17,82
2249-08	m	24-Conductor Miniature unshielded, 8 mm	38,91
2319-00	m	Low Microphonics Guitar Cable, 5mm	7,13
2326-08	m	Video Monitor Cable 4 Conduc., grey, 6mm	16,34
2329-08	m	7-Conductor, Miniature unshielded, 5.5mm	14,56
2368-00	m	Unbal. Lavalier Microphone Cable, 2mm	2,67
2381-00	m	Coax Cable, black, 1.6mm	3,86
2422-00	m	75 Ohm Coax Cable, 2 mm	5,94
2435-00	m	Microphone Cable, black, 6mm	10,99
2444-00	m	Shielded Cable 1xAWG #32, black, 1mm	2,97
2444-08	m	Shielded Cable 1xAWG #32, grey, 1mm	2,97
2447-00	m	Microphone Cable, black, 6mm	9,51
2490-08	m	Shielded Cable 2 x AWG #32, grey, 1.7mm	2,97
2534-00	m	Microphone Cable, black	13,96
2534-01	m	Microphone Cable, brown	13,96
2534-02	m	Microphone Cable, red	13,96
2534-03	m	Microphone Cable, orange	13,96
2534-04	m	Microphone Cable, yellow	13,96
2534-05	m	Microphone Cable, green	13,96
2534-06	m	Microphone Cable, blue	13,96



pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
2534-07	m	Microphone Cable, purple	13,96
2534-08	m	Microphone Cable, gray	13,96
2534-09	m	Microphone Cable, white	13,96
2537-08	m	5-Conduc. Video Camera Cable, grey, 9mm	36,24
2543-08	m	7-Conduc. Video Camera Cable, grey, 7mm	30,00
2546-08	m	Miniature 75 Ohm Coax Cable, grey, 3.3mm	6,53
2549-00	m	Neglex Balanced Microphone Cable, black, 6mm	12,18
2549-02	m	Neglex Balanced Microphone Cable, red, 6mm	12,18
2549-04	m	Neglex Balanced Microphone Cable, yellow, 6mm	12,18
2549-05	m	Neglex Balanced Microphone Cable, green, 6mm	12,18
2549-06	m	Neglex Balanced Microphone Cable, blue, 6mm	12,18
2552-00	m	Balanced Microphone Cable, black, 5mm	6,53
2571-08	m	IEEE 488 Cable, 23 Conductor, grey, 10mm	
2579-08	m	24-Conductor RS-232C Cable, grey, 9.3mm	71,29
2580-08	m	50-Cond. overall Shield Cable, 11.5 mm	107,83
2582-00	m	Microphone Cable, black, 6mm	8,32
2582-02	m	Microphone Cable, red, 6mm	8,32
2582-04	m	Microphone Cable, yellow, 6mm	8,32
2582-05	m	Microphone Cable, green, 6mm	8,32
2582-06	m	Microphone Cable, blue, 6mm	8,32
2642-08	m	7-Conductor Served Shield Cable, grey, 5mm	18,12
2673-00	m	8-Conductor Video Camera Cable, 5.9mm	24,95
2680-00	m	Lead Wire Cable AWG #33, black, 0.6mm	1,19
2680-01	m	Lead Wire Cable AWG #33, brown, 0.6mm	1,19
2680-02	m	Lead Wire Cable AWG #33, red, 0.6mm	1,19
2680-03	m	Lead Wire Cable AWG #33, orange, 0.6mm	1,19
2680-04	m	Lead Wire Cable AWG #33, yellow, 0.6mm	1,19
2680-05	m	Lead Wire Cable AWG #33, green, 0.6mm	1,19
2680-06	m	Lead Wire Cable AWG #33, blue, 0.6mm	1,19
2680-07	m	Lead Wire Cable AWG #33, purple, 0.6mm	1,19
2680-08	m	Lead Wire Cable AWG #33, grey, 0.6mm	1,19
2680-09	m	Lead Wire Cable AWG #33, white, 0.6mm	1,19
2689-08	m	14-Conductor RS-232C Cable, grey, 9.2mm	64,46
2690-08	m	8-Conductor RS-232C Cable, grey, 7.6mm	42,18
2691-08	m	3-Conductor RS-232C Cable, grey, 6mm	
2697-00	m	Balanced Lavalier Microphone Cable, 2.5mm	5,35
2739-00	m	Shielded Cable 4 x AWG #33, black, 2.1mm	7,72
2739-08	m	Shielded Cable 4 x AWG #33, grey, 2.1mm	7,72
2754-08	m	Shielded Cable 3 x AWG #33, grey, 1.95mm	6,53
2757-00	m	5-Conductor Braid Shield Cable, black, 5mm	14,56
2769-00	m	Shielded Cable 4 x AWG #32, black, 2mm	7,13
2769-08	m	Shielded Cable 4 x AWG #32, grey, 2mm	7,13
2780-00	m	Shielded Cable 5xAWG #33, 2.2mm	9,51
2784-00	m	Shielded Cable 2 x AWG #33, black, 1.8mm	4,75
2784-08	m	Shielded Cable 2 x AWG #33, grey, 1.8mm	4,75
2789-00	m	8-Conductor Served Shield Cable, black, 5.6mm	19,01
2791-00	m	Microphone Cable, black, 5.5mm	17,23
2791-02	m	Microphone Cable, red, 5.5mm	17,23
2791-04	m	Microphone Cable, yellow, 5.5mm	17,23
2791-05	m	Microphone Cable, green, 5.5mm	17,23
2791-06	m	Microphone Cable, blue, 5.5mm	17,23
2792-00	m	Microphone Cable, black, 6mm	10,69



pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
2792-02	m	Microphone Cable, red, 6mm	10,69
2792-04	m	Microphone Cable, yellow, 6mm	10,69
2792-05	m	Microphone Cable, green, 6mm	10,69
2792-06	m	Microphone Cable, blue, 6mm	10,69
2799-08	m	Microphone Cable, grey, 3.2mm	10,10
2806-08	m	Microphone Cable, grey, 5.2mm	9,21
2814-00	m	6-Conductor Braid Shield Cable, black, 5.4mm	17,82
2820-08	m	Console Cable Version, grey, 4.8mm	12,77
2835-08	m	30-Conductor Mechatro Cable, grey, 9mm	54,06
2840-08	m	5-Pair Twisted Mechatro Cable, grey, 7.4mm	29,41
2841-08	m	7-Pair Twisted Mechatro Cable, grey, 7.8mm	32,97
2842-08	m	8-Pair Twisted Mechatro Cable, grey, 8.4mm	36,54
2843-08	m	10-Pair Twisted Mechatro Cable, grey, 9.5mm	
2845-08	m	13-Pair Twisted Mechatro Cable, grey, 10mm	51,09
2847-08	m	18-Pair Twisted Mechatro Cable, grey, 11.5mm	
2848-08	m	20-Pair Twisted Mechatro Cable, grey, 11.8mm	91,49
2849-08	m	25-Pair Twisted Mechatro Cable, grey, 13mm	
2851-08	m	32-Pair Twisted Mechatro Cable, grey, 14.5mm	
2859-00	m	Prof. Video Camera Cable, 11mm	74,56
2861-08	m	7-Conductor Mechatro Cable, 5.2mm	16,63
2862-08	m	12-Conductor Mechatro Cable, grey, 6.4mm	25,55
2863-08	m	24-Conductor Mechatro Cable, grey, 8.4mm	43,07
2864-08	m	40-Conductor Mechatro Cable, grey, 10mm	
2865-08	m	50-Conductor Mechatro Cable, grey, 11mm	
2866-08	m	64-Conductor Mechatro Cable, grey, 12.3mm	
2871-00	m	9-Conductor Served Shield Cable, black, 5.8mm	21,68
2879-08	m	Shielded Cable 3 x AWG #32, grey, 1.8mm	5,64
2880-00	m	Shielded Cable 6 x AWG #33, black, 2.2mm	13,96
2893-00	m	Mini Quad PJM Patch Cable, black, 4.8mm	12,77
2893-02	m	Mini Quad PJM Patch Cable, red, 4.8mm	12,77
2893-04	m	Mini Quad PJM Patch Cable, yellow, 4.8mm	12,77
2893-05	m	Mini Quad PJM Patch Cable, green, 4.8mm	12,77
2893-06	m	Mini Quad PJM Patch Cable, blue, 4.8mm	12,77
2895-00	m	Miniature 75 Ohm Coax Cable, 3mm	7,13
2901-00	m	Lavalier Microphone Cable (stereo), 2.16mm	7,43
2912-00	m	Lead Wire Cable AWG #28, black, 0.85mm	1,19
2912-01	m	Lead Wire Cable AWG #28, brown, 0.85mm	1,19
2912-02	m	Lead Wire Cable AWG #28, red, 0.85mm	1,19
2912-03	m	Lead Wire Cable AWG #28, orange, 0.85mm	1,19
2912-04	m	Lead Wire Cable AWG #28, yellow, 8.5mm	1,19
2912-05	m	Lead Wire Cable AWG #28, green, 0.85mm	1,19
2912-06	m	Lead Wire Cable AWG #28, blue, 0.85mm	1,19
2912-07	m	Lead Wire Cable AWG #28, purple, 0.85mm	1,19
2912-08	m	Lead Wire Cable AWG #28, grey, 0.85mm	1,19
2912-09	m	Lead Wire Cable AWG #28, white, 0.85mm	1,19
2930-00	m	2-Ch Multi Microphone Cable, 7.5mm	20,50
2931-00	m	4-Ch Multi Microphone Cable, 8.6mm	27,92
2932-00	m	8-Ch Multi Microphone Cable, 11.5mm	50,79
2933-00	m	12-Ch Multi Microphone Cable, 14.3mm	73,96
2934-00	m	16-Ch Multi Microphone Cable, 15.8mm	96,54
2935-00	m	19-Ch Multi Microphone Cable, 17mm	131,00
2936-00	m	24-Ch Multi Microphone Cable, 20mm	142,28

pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
2937-00	m	27-Ch Multi Microphone Cable, 20.5mm	183,28
2938-00	m	32-Ch Multi Microphone Cable, 21.7mm	201,40
2939-00	m	48-Ch Multi Microphone Cable, 26mm	309,82
2944A-20	m	High Def. Console Cable, black	4,75
2944A-21	m	High Def. Console Cable, brown	4,75
2944A-22	m	High Def. Console Cable, red	4,75
2944A-23	m	High Def. Console Cable, orange	4,75
2944A-24	m	High Def. Console Cable, yellow	4,75
2944A-25	m	High Def. Console Cable, green	4,75
2944A-26	m	High Def. Console Cable, blue	4,75
2944A-27	m	High Def. Console Cable, purple	4,75
2944A-28	m	High Def. Console Cable, grey	4,75
2944A-29	m	High Def. Console Cable, white	4,75
2944A-50	m	High Def. Console Cable, black	5,05
2944A-51	m	High Def. Console Cable, brown	5,05
2944A-52	m	High Def. Console Cable, red	5,05
2944A-53	m	High Def. Console Cable, orange	5,05
2944A-54	m	High Def. Console Cable, yellow	5,05
2944A-55	m	High Def. Console Cable, green	5,05
2944A-56	m	High Def. Console Cable, blue	5,05
2944A-57	m	High Def. Console Cable, purple	5,05
2944A-58	m	High Def. Console Cable, grey	5,05
2944A-59	m	High Def. Console Cable, white	5,05
2947-00	m	Dual 75 Ohm Coax Cable, 2 x 3mm	8,32
2964-00	m	Single 75 Ohm Patch Cable, black, 4.8mm	9,80
2964-02	m	Single 75 Ohm Patch Cable, red, 4.8mm	9,80
2964-04	m	Single 75 Ohm Patch Cable, yellow, 4.8mm	9,80
2964-05	m	Single 75 Ohm Patch Cable, green, 4.8mm	9,80
2964-06	m	Single 75 Ohm Patch Cable, blue, 4.8mm	9,80
2997-00	m	RS 422 balanced Digital IF-Cable, 7mm	24,06
2997-FC	szt.	Ferrite Core Accessory for RS422 Cable	24,65
3027-08	m	13-Cond. Video Camera Cable, grey, 11.6mm	129,51
3031-40	m	Balanced Lavalier Microphone Cable, black, 2.8mm	8,32
3031-49	m	Balanced Lavalier Microphone Cable, white, 2.8mm	8,32
3037-00	m	Par. Digital Video Cable, black, 10.5mm	70,10
3080-00	m	AES/EBU Digital IF-Cable, black, 5mm	7,72
3080-06	m	AES/EBU Digital IF-Cable, blue, 5mm	7,72
3080-FC	szt.	Ferrite Core Accessory for 3080	16,63
3080-TB	szt.	Accessory Tubing for 3080 (100 pcs)	84,66
3082-TB	szt.	Insulation Tubing for easy connection	107,23
3103-00	m	Neglex Prof. Speaker Cable	49,31
3104-00	m	Neglex Prof. Speaker Cable	83,17
3135-00	m	AES/EBU Digital IF-Cable, CM rated, 5 mm	11,29
3145-00	m	5-Core Miniature Multi Coax Cable, 9.8mm	41,59
3159-00	m	1-core AES/EBU Wiring Cable, black, 3.2mm	6,53
3159-08	m	1-core AES/EBU Wiring Cable, grey, 3.2mm	6,53
3160-00	m	2-core AES/EBU Snake (Multicore), black, 9mm	25,55
3161-00	m	4-core AES/EBU Snake (Multicore), black, 10.5mm	38,32
3162-00	m	8-core AES/EBU Snake (Multicore), black, 13.8mm	71,29
3163-00	m	12-core AES/EBU Snake (Multicore), black, 17mm	109,31
3172-00	m	Highest Definition Tube Microphone Cable, 6.5mm	32,67
3173-00	m	Long run AES/EBU Digital Audio IF-Cable	22,28



pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
3177-18	m	HT Aerial Microphone Cable (mono), lighth grey, 6.8mm	44,56
3178-18	m	HT Aerial Microphone Cable (stereo), light grey, 7.4mm	71,88
3206-08	m	VESA Standard VGA Cable, grey, 9.8mm	60,00
3208-08	m	IEEE 1394 Serial Bus Cable, grey, 6.1mm	46,04
3227-08	m	High Speed Serial Transmission Cable	
3228-00	m	AES/EBU Digital Audio IF-Cable, 4,8mm	13,66
3242-00	m	Headset Extension Bulk Cable, 5mm	15,45
3243-00	m	75 Ohm Coax Parallel Multicore Cable	11,29
3284-00	m	Polar Flex Broadcast Microphone Cable	20,79
3284-09	m	Polar Flex Broadcast Microphone Cable	20,79
3308-00	m	Lead Wire Cable AWG #33, 0.68mm, black	1,19
3308-01	m	Lead Wire Cable AWG #33, 0.68mm, brown	1,19
3308-02	m	Lead Wire Cable AWG #33, 0.68mm, red	1,19
3308-03	m	Lead Wire Cable AWG #33, 0.68mm, orange	1,19
3308-04	m	Lead Wire Cable AWG #33, 0.68mm, yellow	1,19
3308-05	m	Lead Wire Cable AWG #33, 0.68mm, green	1,19
3308-06	m	Lead Wire Cable AWG #33, 0.68mm, blue	1,19
3308-07	m	Lead Wire Cable AWG #33, 0.68mm, purple	1,19
3308-08	m	Lead Wire Cable AWG #33, 0.68mm, grey	1,19
3308-09	m	Lead Wire Cable AWG #33, 0.68mm, white	1,19
3309-00	m	Lead Wire Cable AWG #28, 0.84mm, black	1,19
3309-01	m	Lead Wire Cable AWG #28, 0.84mm, brown	1,19
3309-02	m	Lead Wire Cable AWG #028, 0.84mm, red	1,19
3309-03	m	Lead Wire Cable AWG #028, 0.84mm, orange	1,19
3309-04	m	Lead Wire Cable AWG #028, 0.84mm, yellow	1,19
3309-05	m	Lead Wire Cable AWG #028, 0.84mm, green	1,19
3309-06	m	Lead Wire Cable AWG #028, 0.84mm, blue	1,19
3309-07	m	Lead Wire Cable AWG #028, 0.84mm, purple	1,19
3309-08	m	Lead Wire Cable AWG #028, 0.84mm, grey	1,19
3309-09	m	Lead Wire Cable AWG #028, 0.84mm, white	1,19
3311-00	m	Shielded Wire Cable, 2 x AWG #28, 2.15mm, black	5,94
3312-00	m	Shielded Wire Cable, 3 x AWG #28, 2.70mm, black	7,72
3313-00	m	Shielded Wire Cable, 4 x AWG #28, 2.80mm, black	9,51
3314-08	m	Shielded Wire Cable, 2 x AWG #32, 2.15mm, grey	4,46
3315-08	m	Shielded Wire Cable, 3 x AWG #32, 2.25mm, grey	6,53
3316-00	m	Shielded Wire Cable, 4 x AWG #32, 2.4mm, black	7,72
3316-08	m	Shielded Wire Cable, 4 x AWG #32, 2.4mm, grey	7,72
3317-00	m	Shielded Wire Cable, 2 x AWG #33, 2.1mm, black	5,05
3317-08	m	Shielded Wire Cable, 2 x AWG #33, 2.1mm, grey	5,05
3318-08	m	Shielded Wire Cable, 3 x AWG #33, 2.2mm, grey	6,24
3319-00	m	Shielded Wire Cable, 4 x AWG #33, 2.4mm, black	7,72
3319-08	m	Shielded Wire Cable, 4 x AWG #33, 2.4mm, grey	7,72
3320-00	m	Shielded Wire Cable, 5 x AWG #33, 2.5mm, black	9,21
3321-00	m	Shielded Wire Cable, 6 x AWG #33, 2.75mm, black	14,26
3324-00	m	Shielded Wire Cable, 1 x AWG #32, 1.45mm, black	3,27
3324-08	m	Shielded Wire Cable, 1 x AWG #32, 1.45mm, grey	3,27
3325-00	m	Shielded Wire Cable, 1 x AWG #28, 1.65mm, black	4,46
3B3B-02	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 2m	743,50
3B3B-03	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 3m	801,13
3B3B-05	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 5m	917,87
3B3B-08	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 8m	1119,27
3B3B-10	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 10m	1248,78

pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
3B3B-15	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 15m	1537,21
3B3B-20	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 20m	1844,06
3B3B-30	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 30m	2421,21
3B3B-50	szt.	3 x BNC-3 x BNC 75 Ohm Coax Cable, 50m	3674,15
4B4B-02	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 2m	936,29
4B4B-03	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 3m	1006,69
4B4B-05	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 5m	1151,64
4B4B-08	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 8m	1391,06
4B4B-10	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 10m	1547,31
4B4B-15	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 15m	1901,98
4B4B-20	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 20m	2280,41
4B4B-30	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 30m	2984,41
4B4B-50	szt.	4 x BNC-4 x BNC 75 Ohm Coax Cable, 50m	4504,69
5139-03	szt.	Molded S-VHS Cable Assembly, 0.9m	47,23
5139-06	szt.	Molded S-VHS Cable Assembly, 1.8m	56,14
5139-12	szt.	Molded S-VHS Cable Assembly, 3.6m	72,78
5139-20	szt.	Molded S-VHS Cable Assembly, 6.1m	94,76
5139-30	szt.	Molded S-VHS Cable Assembly, 9.1m	124,16
5139-50	szt.	Molded S-VHS Cable Assembly, 15.2m	166,35
5139-75	szt.	Molded S-VHS Cable Assembly, 22.8m	239,42
5139-100	szt.	Molded S-VHS Cable Assembly, 30.5m	318,14
5B5B-02	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 2m	1140,36
5B5B-03	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 3m	1227,69
5B5B-05	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 5m	1407,70
5B5B-08	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 8m	1703,55
5B5B-10	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 10m	1900,49
5B5B-15	szt.	5xBNC-5x BNC75 Ohm Coax Cable, 15m	2336,85
5B5B-20	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 20m	2801,43
5B5B-30	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 30m	3716,33
5B5B-50	szt.	5xBNC-5xBNC 75 Ohm Coax Cable, 30m	5630,79
BB-01-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 30cm	169,02
BB-01-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 30cm	169,02
BB-01-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 30cm	169,02
BB-01-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 30cm	169,02
BB-01-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 30cm	169,02
BB-02-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 60cm	173,18
BB-02-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 60cm	173,18
BB-02-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 60cm	173,18
BB-02-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 60cm	173,18
BB-02-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 60cm	173,18
BB-03-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 90cm	176,15
BB-03-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 90cm	176,15
BB-03-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 90cm	176,15
BB-03-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 90cm	176,15
BB-03-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 90cm	176,15
BB-06-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 1.8m	185,95
BB-06-02	szt.	BNC-BNC 75 Ohm Coax Cable, black, 1.8m	185,95
BB-06-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 1.8m	185,95
BB-06-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 1.8m	185,95
BB-06-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 1.8m	185,95
BB-10-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 3m	199,91
BB-100-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 30.5m	528,15

pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
BB-100-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 30.5m	528,15
BB-100-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 30.5m	528,15
BB-100-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 30.5m	528,15
BB-100-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 30.5m	528,15
BB-10-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 3m	199,91
BB-10-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 3m	199,91
BB-10-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 3m	199,91
BB-10-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 3m	199,91
BB-16-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 4.8m	225,46
BB-16-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 4.8m	225,46
BB-16-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 4.8m	225,46
BB-16-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 4.8m	225,46
BB-16-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 4.8m	225,46
BB-25-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 7.6m	257,84
BB-25-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 7.6m	257,84
BB-25-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 7.6m	257,84
BB-25-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 7.6m	257,84
BB-25-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 7.6m	257,84
BB-33-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 10m	285,76
BB-33-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 10m	285,76
BB-33-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 10m	285,76
BB-33-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 10m	285,76
BB-33-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 10m	285,76
BB-50-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 15.2m	349,32
BB-50-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 15.2m	349,32
BB-50-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 15.2m	349,32
BB-50-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 15.2m	349,32
BB-50-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 15.2m	349,32
BB-66-00	szt.	BNC-BNC 75 Ohm Coax Cable, black, 20.1m	406,95
BB-66-02	szt.	BNC-BNC 75 Ohm Coax Cable, red, 20.1m	406,95
BB-66-04	szt.	BNC-BNC 75 Ohm Coax Cable, yellow, 20.1m	406,95
BB-66-05	szt.	BNC-BNC 75 Ohm Coax Cable, green, 20.1m	406,95
BB-66-06	szt.	BNC-BNC 75 Ohm Coax Cable, blue, 20.1m	406,95
BNC-2964-00	szt.	BNC Connector, Solder Type, for 2964, black	56,44
BNC-2964-02	szt.	BNC Connector, Solder Type, for 2964, red	56,44
BNC-2964-04	szt.	BNC Connector, Solder Type, for 2964, yellow	56,44
BNC-2964-05	szt.	BNC Connector, Solder Type, for 2964, green	56,44
BNC-2964-06	szt.	BNC Connector, Solder Type, for 2964, blue	56,44
BNC-2964-09	szt.	BNC Connector, Solder Type, for 2964, white	56,44
BNC-2964C-00	szt.	BNC Connector, Crimp Type, for 2964, black	44,56
BNC-2964C-02	szt.	BNC Connector, Crimp Type, for 2964, red	44,56
BNC-2964C-04	szt.	BNC Connector, Crimp Type, for 2964, yellow	44,56
BNC-2964C-05	szt.	BNC Connector, Crimp Type, for 2964, green	44,56
BNC-2964C-06	szt.	BNC Connector, Crimp Type, for 2964, blue	44,56
BNC-2964C-09	szt.	BNC Connector, Crimp Type, for 2964, white	44,56
BNC-3200	szt.	BNC Connector, Solder Type, for 2964, black	56,44
BNC-3200C	szt.	BNC Connector, Crimp Type, for 2964, white	48,12
BNC-TNT-50	szt.	50 Ohm Terminator, white	98,62
BNC-TNT-50S	szt.	50 Ohm Terminator, white with string	112,88
BNC-TNT-75	szt.	75 Ohm Terminator, yellow	103,67
BNC-TNT-75S	szt.	75 Ohm Terminator, yellow with string	112,88
BR-03	szt.	BNC-Cinch 75 Ohm Coax Cable, 0.9m	114,07

pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
BR-06	szt.	BNC-Cinch 75 Ohm Coax Cable, 1.8m	124,16
BR-10	szt.	BNC-Cinch 75 Ohm Coax Cable, 3m	138,72
BR-16	szt.	BNC-Cinch 75 Ohm Coax Cable, 4.8m	163,37
CWB-T0276	szt.	Crimp-Tool for BNC-2964C, black	3660,19
GPIB-05	szt.	IEEE 488 Bus Cable Assembly, 0.5m	605,38
GPIB-10	szt.	IEEE 488 Bus Cable Assembly, 1m	640,73
GPIB-20	szt.	IEEE 488 Bus Cable Assembly, 2m	704,00
GPIB-40	szt.	IEEE 488 Bus Cable Assembly, 4m	830,54
IHE-03	szt.	Intercom Headset Extension Cable, 3m	328,23
IHE-05	szt.	Intercom Headset Extension Cable, 5m	363,29
IHE-10	szt.	Intercom Headset Extension Cable, 10m	449,13
LF-18	szt.	Longframe Patch Cord, 0.45m	126,84
LF-24	szt.	Longframe Patch Cord, 0.6m	128,32
LF-36	szt.	Longframe Patch Cord, 0.9m	132,48
LF-48	szt.	Longframe Patch Cord, 1.2m	138,13
LF-60	szt.	Longframe Patch Cord, 1.5m	142,28
LF-72	szt.	Longframe Patch Cord, 1.8m	147,93
LF-TNT	szt.	600 Ohm Audio Terminator, Long Frame Pl.	67,73
MIDI-015D-GOLD	szt.	Dual MIDI-Synchro Cable, 45cm, with gold-contacts	191,59
MIDI-015-GOLD	szt.	Single MIDI-Synchro Cable, 45cm, with gold-contacts	107,23
MIDI-03D-GOLD	szt.	Dual MIDI-Synchro Cable, 90cm, with gold-contacts	204,37
MIDI-03-GOLD	szt.	Single MIDI-Synchro Cable, 90cm, with gold-contacts	114,07
MIDI-05D-GOLD	szt.	Dual MIDI-Synchro Cable, 1.5m, with gold-contacts	219,81
MIDI-05-GOLD	szt.	Single MIDI-Synchro Cable, 1.5m, with gold-contacts	121,79
MIDI-10D-GOLD	szt.	Dual MIDI-Synchro Cable, 3m, with gold-contacts	266,15
MIDI-10-GOLD	szt.	Single MIDI-Synchro Cable, 3m, with gold-contacts	143,77
MIDI-15D-GOLD	szt.	Dual MIDI-Synchro Cable, 4.5m, with gold-contacts	308,33
MIDI-15-GOLD	szt.	Single MIDI-Synchro Cable, 4.5m, with gold-contacts	163,37
MIDI-20D-GOLD	szt.	Dual MIDI-Synchro Cable, 6.1m, with gold-contacts	354,97
MIDI-20-GOLD	szt.	Single MIDI-Synchro Cable, 6.1m, with gold-contacts	188,92
MIDI-30D-GOLD	szt.	Dual MIDI-Synchro Cable, 9.1m, with gold-contacts	440,81
MIDI-30-GOLD	szt.	Single MIDI-Synchro Cable, 9.1m, with gold-contacts	233,77
PJD-12-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, black, 30cm	109,91
PJD-18-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, black, 45cm	113,47
PJD-24-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, black, 60cm	116,74
PJD-36-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, 90cm	123,57
PJD-48-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, 1.2m	130,70
PJD-60-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, 1.5m	137,53
PJD-72-00	szt.	110 Ohm AES/EBU TT Bantam Patchcord, 1.8m	144,96
PJM-1200	szt.	Analogue TT Bantam Patchcord, black, 30cm	106,94
PJM-1202	szt.	Analogue TT Bantam Patchcord, red, 30cm	106,94
PJM-1204	szt.	Analogue TT Bantam Patchcord, yellow, 30cm	106,94
PJM-1205	szt.	Analogue TT Bantam Patchcord, green, 30cm	106,94
PJM-1206	szt.	Analogue TT Bantam Patchcord, blue, 30cm	106,94
PJM-1800	szt.	Analogue TT Bantam Patchcord, black, 45cm	109,02
PJM-1802	szt.	Analogue TT Bantam Patchcord, red, 45cm	109,02
PJM-1804	szt.	Analogue TT Bantam Patchcord, yellow, 45cm	109,02
PJM-1805	szt.	Analogue TT Bantam Patchcord, green, 45cm	109,02
PJM-1806	szt.	Analogue TT Bantam Patchcord, blue, 45cm	109,02
PJM-2400	szt.	Analogue TT Bantam Patchcord, black, 60cm	111,39
PJM-2402	szt.	Analogue TT Bantam Patchcord, red, 60cm	111,39
PJM-2404	szt.	Analogue TT Bantam Patchcord, yellow, 60cm	111,39

pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
PJM-2405	szt.	Analogue TT Bantam Patchcord, green, 60cm	111,39
PJM-2406	szt.	Analogue TT Bantam Patchcord, blue, 60cm	111,39
PJM-3600	szt.	Analogue TT Bantam Patchcord, black, 90cm	115,55
PJM-3602	szt.	Analogue TT Bantam Patchcord, red, 90cm	115,55
PJM-3604	szt.	Analogue TT Bantam Patchcord, yellow, 90cm	115,55
PJM-3605	szt.	Analogue TT Bantam Patchcord, green, 90cm	115,55
PJM-3606	szt.	Analogue TT Bantam Patchcord, blue, 90cm	115,55
PJM-4800	szt.	Analogue TT Bantam Patchcord, black, 1.2m	120,60
PJM-4802	szt.	Analogue TT Bantam Patchcord, red, 1.2m	120,60
PJM-4804	szt.	Analogue TT Bantam Patchcord, yellow, 1.2m	120,60
PJM-4805	szt.	Analogue TT Bantam Patchcord, green, 1.2m	120,60
PJM-4806	szt.	Analogue TT Bantam Patchcord, blue, 1.2m	120,60
PJM-6000	szt.	Analogue TT Bantam Patchcord, black, 1.5m	124,76
PJM-6002	szt.	Analogue TT Bantam Patchcord, red, 1.5m	124,76
PJM-6004	szt.	Analogue TT Bantam Patchcord, yellow, 1.5m	124,76
PJM-6005	szt.	Analogue TT Bantam Patchcord, green, 1.5m	124,76
PJM-6006	szt.	Analogue TT Bantam Patchcord, blue, 1.5m	124,76
PJM-7200	szt.	Analogue TT Bantam Patchcord, black, 1m	129,81
PJM-7202	szt.	Analogue TT Bantam Patchcord, red, 1m	129,81
PJM-7204	szt.	Analogue TT Bantam Patchcord, yellow, 1m	129,81
PJM-7205	szt.	Analogue TT Bantam Patchcord, green, 1m	129,81
PJM-7206	szt.	Analogue TT Bantam Patchcord, blue, 1m	129,81
PJM-TNT	szt.	TT Bantam Terminator	49,31
PP-01	szt.	1/4" to 1/4" Patchcord (mono), 30cm	45,15
PP-03	szt.	1/4" to 1/4" Patchcord (mono), 90cm	52,87
PP-06	szt.	1/4" to 1/4" Patchcord (mono), 1.8m	62,68
PP-10	szt.	1/4" to 1/4" Patchcord (mono), 3m	76,04
PP-15	szt.	1/4" to 1/4" Patchcord (mono), 4.5m	95,95
PP-20	szt.	1/4" to 1/4" Patchcord (mono), 6.1m	114,07
PR-01	szt.	1/4" Plug to RCA Plug, 30cm	42,48
PR-03	szt.	1/4" Plug to RCA Plug, 90cm	50,79
PR-06	szt.	1/4" Plug to RCA Plug, 1.8m	60,00
PR-10	szt.	1/4" Plug to RCA Plug, 3m	73,37
PR-15	szt.	1/4" Plug to RCA Plug, 4.5m	92,98
PR-20	szt.	1/4" Plug to RCA Plug, 6.1m	111,39
RR-01	szt.	RCA Plug to RCA Plug (mono), 30cm	39,51
RR-03	szt.	RCA Plug to RCA Plug (mono), 90cm	46,93
RR-06	szt.	RCA Plug to RCA Plug (mono), 1.8m	56,44
RR-10	szt.	RCA Plug to RCA Plug (mono), 3m	69,81
RR-15	szt.	RCA Plug to RCA Plug (mono), 4.5m	90,30
RR-20	szt.	RCA Plug to RCA Plug (mono), 6.1m	108,42
SCSI-FC	szt.	Ferrite Core Accessory for SCSI-2	24,65
SS-01	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 30cm	57,92
SS-03	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 90cm	67,73
SS-06	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 1.8m	80,50
SS-10	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 3m	98,62
SS-15	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 4.5m	124,16
SS-20	szt.	1/4" to 1/4" Plug (3P/Stereo/TRS), 6.1m	146,44
T90-28	szt.	Attach and Delach Connecting Tool, black	844,80
WR-01	szt.	Stereo RCA Phono Cable, 30cm	72,48
WR-03	szt.	Stereo RCA Phono Cable, 90cm	82,28
WR-06	szt.	Stereo RCA Phono Cable, 1.8m	100,40



pobierz - katalog techniczny

Symbol	Jednostka	Opis w oryginale	Cena w PLN brutto (1Euro=4.2zł)
WR-10	szt.	Stereo RCA Phono Cable, 3m	123,87
WR-15	szt.	Stereo RCA Phono Cable, 4.5m	153,57
WR-20	szt.	Stereo RCA Phono Cable, 6.1m	181,79